

## **Annex VIII: Acronyms**

## This annex should be cited as:

IPCC, 2021: Annex VIII: Acronyms. In *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [Masson-Delmotte, V., P. Zhai, A. Pirani, S.L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M.I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T.K. Maycock, T. Waterfield, O. Yelekçi, R. Yu, and B. Zhou (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, pp. 2257–2266.

20CR	20th Century Reanalysis	AO	Arctic Oscillation	
A1B	Special Report on Emissions Scenarios	AOD	aerosol optical depth	
	A1B scenario	AOGCM	atmosphere–ocean general circulation model	
AABW	Antarctic bottom water	AP	Antarctic Peninsula	
AAIW	Antarctic intermediate water	AQ	air quality	
AAO	Antarctic Oscillation	AR	atmospheric river	
abrupt4xCO2	Scenario with abrupt quadrupling of the atmospheric concentration of carbon dioxide	AR4	IPCC Fourth Assessment Report	
ACC	Antarctic Circumpolar Current	AR5	IPCC Fifth Assessment Report	
ACCESS	Australian Community Climate and Earth	AR6	IPCC Sixth Assessment Report	
	System Simulator	ARO	Arctic Ocean	
ACCMIP	Atmospheric Chemistry and Climate Model	ARP	Arabian Peninsula	
4.65	Intercomparison Project	ARS	Arabian Sea	
ACE	Accumulated Cyclone Energy	ASE	Amundsen Sea Embayment	
AED	atmospheric evaporative demand	AUS	Australasia	
AerChemMIP	Aerosols and Chemistry Model Intercomparison Project	AusMCM	Australian-Maritime Continent monsoon	
AeroCom	Aerosol Comparisons between Observations	AVHRR	Advanced Very High Resolution Radiometer	
	and Models project	AZM	Atlantic Zonal Modes	
AERONET	Aerosol Robotic Network	ВС	black carbon	
AEW	African Easterly Wave	BCE	Before the Common Era	
AF	airborne fraction of CO <sub>2</sub>	BCP biological carbon pump		
AFOLU	agriculture, forestry and other land use	BE	Berkeley Earth	
AFR	Africa	BECCS	bioenergy with carbon capture and storage	
AGAGE	Advanced Global Atmospheric	ВОВ	Bay of Bengal	
	Gases Experiment	ВР	before the present	
AGCM	atmospheric global climate model	<b>BrC</b> brown carbon		
AGFP	absolute global forcing potential	<b>BSISO</b> boreal summer intra-seasonal oscilla		
AGR/ECOL	agriculture and ecological droughts	BU	bottom up	
AGTP	absolute global temperature change potential	BVOC	biogenic volatile organic compound	
AGWP	absolute global warming potentials	C3S	Copernicus Climate Change Service	
AIRS	Atmospheric Infrared Sounder	C4MIP	Coupled Climate Carbon Cycle Model	
AIS	Antarctic Ice Sheet		Intercomparison Project	
ALL	all forcings	CAF	Central Africa	
ALT	active layer thickness	CAM	Central America	
AMIP	Atmospheric Model Intercomparison Project	CAMS	Copernicus Atmosphere Monitoring Service	
AMM	Atlantic Meridional Mode	CanESM2	Canadian Earth System Model version 2	
AMMA	African Monsoon Multidisciplinary Analyses	CanESM5	Canadian Earth System Model version 5	
АМО	Atlantic Multi-decadal Oscillation	CAPE	convective available potential energy	
AMOC	Atlantic Meridional Overturning Circulation	CAR	Caribbean	
AMSU	Advanced Microwave Sounding Unit	CAU	Central Australia	
AMV	Atlantic Multi-decadal Variability	ССМ	chemistry–climate model	

AVIII

Acronyms Annex VIII

ССМІ	Chemistry–Climate Modelling Initiative	CORDEX	Coordinated Regional Climate
CCN	cloud condensation nuclei	CONDEA	Downscaling Experiment
CCS	carbon dioxide capture and storage	соѕмо	Consortium for Small-scale Modeling
ССТ	cirrus cloud thinning	COVID-19	coronavirus disease of 2019
CD	cooling degree days	СР	Central Pacific
CDD	consecutive dry days	СРМ	convection-permitting model
CDR	carbon dioxide removal	CRA	climate risk and adaptation assessment
CDRMIP	Carbon Dioxide Removal Model	CRE	cloud radiative effect
	Intercomparison Project	CRM	cloud resolving model
CDW	Circumpolar Deep Water	CRU	Climate Research Unit
CE	Common Era	CRUTEM	Climatic Research Unit gridded global
CEDS	Community Emissions Data System		historical near-surface air temperature dataset
CERES	Clouds and the Earth's Radiant Energy System	CRUTS	Climatic Research Unit gridded time-series dataset
CESM	Community Earth System Model	CSIRO	Commonwealth Scientific and Industrial
CFCs	chlorofluorocarbons		Research Organisation
CFMIP	Cloud Feedback Model	DACCS	direct air carbon capture with carbon storage
CFSR	Intercomparison Project Climate Forecast System Reanalysis	DAMIP	Detection and Attribution Model Intercomparison Project
CGTP	combined global temperature	DCPP	Decadal Climate Prediction Project
	change potential	DECK	Diagnostic, Evaluation and Characterization
CH <sub>4</sub>	methane		of Klima
CICERO	Center for International Climate and Environment Research	DeepMIP DF	Deep-Time Model Intercomparison Project
CID	climatic impact-driver	DGVM	drought frequency
CISM2	Community Ice Sheet Model 2	DI	dynamic global vegetation model  Drought Index
CLLJ	Caribbean low-level jet	DIC	dissolved inorganic carbon
CLSAT	China Land Surface Air Temperature	DJF	December—January—February
СМАР	NOAA Climate Prediction Center Merged	DJFM	December—January—February—March
	Analysis of Precipitation	DMS	dimethyl sulphide
CMIP	Coupled Model Intercomparison Project	DTR	diurnal temperature range
CMIP3	Coupled Model Intercomparison Project Phase 3	DU	Dobson Units
CMIP5	Coupled Model Intercomparison Project Phase 5	EAIS	East Antarctic Ice Sheet
CMIP6	Coupled Model Intercomparison Project Phase 6	EAN	East Antarctica
CNA	Central North America	EAO	Equatorial Atlantic Ocean
CNRM	Centre National de la Recherche Météorologique	EAS	East Asia
CO	carbon monoxide	EAsiaM	East Asian monsoon
CO <sub>2</sub>	carbon dioxide	EASM	East Asian summer monsoon
CO₂-eq	carbon dioxide equivalent	EAU	Eastern Australia
COBE	Centennial in situ Observation-Based	EAWM	East Asian winter monsoon
	Estimates of Sea Surface Temperature	EBAF	CERES Energy Balanced and Filled climate data record

FDM	For Disconding	FCM	Forth and the state of the stat
EBM	Energy Balance Model	ESM	Earth system model
EBUS	Eastern boundary upwelling systems	ESMValTool	Earth System Model Evaluation Tool
ECMWF	European Centre for Medium-Range Weather Forecasts	ESRL	NOAA Earth System Research Laboratory
ECS	equilibrium climate sensitivity	ESWL	extreme still water levels
ECV	Essential Climate Variable	ET	evapotranspiration
ECWL	Extreme Coastal Water Level	ETC	extratropical cyclone
EDW	elevation-dependent warming	ETCCDI	Expert Team on Climate Change Detection and Indices
EECO	Early Eocene Climatic Optimum	ETWL	Extreme Total Water Level
EEU	Eastern Europe	EU	European Union
EgC	exagrams of carbon (1000 petagrams of carbon)	FaIR	Finite Amplitude Impulse Response simple climate model
EIO	Equatorial Indian Ocean	FAIR	Findable, Accessible, Interoperable
EMIC	Earth models of intermediate complexity		and Reusable principles
ENA	Eastern North America	FAPAR	fraction of absorbed photosynthetically active radiation
ENSO	El Niño-Southern Oscillation	FAR	IPCC First Assessment Report
EOF	empirical orthogonal function	FD	frost days
EOV	Essential Ocean Variable	FESOM	Finite Element Sea ice/Ice Shelf Ocean Model
EP	Eastern Pacific	FFDI	Forest Fire Danger Index
EPA	USA Environmental Protection Agency	FOLU	forestry and other land use
EPO	Equatorial Pacific Ocean	fSST	fixed-sea surface temperature
EqAmer	equatorial America	GCM	general circulation model or global
ERA-Interim	ECMWF global reanalysis		climate model
ERA20C	ECMWF 20th century reanalysis	GCOS	Global Climate Observing System
ERA20CM	ECMWF 20th century atmospheric	GCP	Global Carbon Project
FDAF	model ensemble GDD		growing degree days
ERA5	ECMWF global reanalysis (replaces ERA-Interim)	GDP	gross domestic product
ERF	effective radiative forcing	GeoMIP	Geoengineering Model Intercomparison Project
ERFaci	effective radiative forcing due to aerosol–cloud interactions	GFCS	Global Framework for Climate Services
ERFari	effective radiative forcing due to in aerosol–	GFDL	NOAA Geophysical Fluid Dynamics Laboratory
	radiation interactions	GHCN	NOAA Global Historical Climatology Network
ERSST	Extended Reconstructed Sea Surface Temperature	GHCNd	NOAA Global Historical Climatology Network daily database
ESA	European Space Agency	GHCNv4	NOAA Global Historical Climatology Network
ESA CCI	European Space Agency Climate	CIIC	monthly database version 4
ECAE	Change Initiative	GHG	greenhouse gas
ESAF	East Southern Africa	GHM	global hydrological model
ESB	East Siberia	GIA	glacial isostatic adjustment
ESGF	Earth System Grid Federation	GIC	Greenland/Iceland
ESL	extreme sea level	GISS	NASA Goddard Institute for Space Studies

GISTEMP	NASA Goddard Institute for Space Studies	н	heat index	
	Surface Temperature Analysis	HighResMIP	High Resolution Model	
GlacierMIP	Glacier Model Intercomparison Project		Intercomparison Project	
GLDAS	Global Land Data Assimilation System	НКН	Hindu Kush Himalaya	
GloGEM	Global Glacier Evolution Model	HNO <sub>3</sub>	nitric acid	
GM	Global monsoon	IAGOS	In-service Aircraft for a Global	
GMMIP	Global Monsoons Model Intercomparison Project	IAM	Observing System integrated assessment model	
GMSL	global mean sea level	ICE	initial condition ensemble	
GMST	global mean surface temperature	ICESat	Ice, Cloud and land Elevation Satellite	
GMTSL	global mean thermosteric sea level	ICOADS	International Comprehensive	
GNSS	Global Navigation Satellite System		Ocean—Atmosphere Data Set	
GOME	Global Ozone Monitoring Experiment	IMBIE	Ice Sheet Mass Balance Intercomparison Exercise	
GOSAT	Greenhouse Gases Observing Satellite	INP	ice nucleating particle	
GPCC	Global Precipitation Climatology Centre	IOB	Indian Ocean Basin	
GPCP	Global Precipitation Climatology Project	IOD	Indian Ocean Dipole	
GPM	Global Precipitation Mission	IPBES	Intergovernmental Science-Policy Platform	
GPS	Global Positioning System	IFDES	on Biodiversity and Ecosystem Services	
GRACE	Gravity Recovery and Climate Experiment	IPCC	Intergovernmental Panel on Climate Change	
GRD	gravitational, rotational and deformational	IPO	Inter-decadal Pacific Oscillation	
GrIS	Greenland Ice Sheet	IPSL	Institut Pierre-Simon Laplace	
GSAT	global surface air temperature	IRF	instantaneous radiative forcing	
GSMaP	Global Satellite Mapping of Precipitation dataset	IRFaci	Instantaneous radiative forcing (or effect) due to aerosol-cloud interactions	
GtC	gigatonnes of carbon	IRFari	Instantaneous radiative forcing (or effect)	
GtCO <sub>2</sub>	gigatonnes of carbon dioxide		due to aerosol–radiation interactions	
GTP	global temperature change potential	ISIMIP	Inter-Sectoral Impact Model Intercomparison Project	
GWL	global warming level	ITCZ	Inter-tropical Convergence Zone	
GWP	global warming potential	ITF	Indonesian throughflow	
HadCRUT	Hadley Centre Climatic Research Unit gridded surface temperature dataset	JAS	July–August–September	
HadEX3	Hadley Centre gridded land surface	JAXA	Japan Aerospace Exploration Agency	
	extremes indices	JJA	June–July–August	
HadGEM	Hadley Centre Global Environment Model	JJAS	June–July–August–September	
HadISST	Hadley Centre Ice and Sea Surface	JMA	Japan Meteorological Agency	
	Temperature dataset	JRA-55	Japanese 55-year Reanalysis	
HadSST	Hadley Centre Sea Surface Temperature dataset	LAI	leaf area index	
нс	Hadley circulation	LAP	light-absorbing particle	
HCFC	hydrochlorofluorocarbon	LARMIP	Linear Antarctic Response Model Intercomparison Project	
HD	heating degree days	LDT		
HFC	hydrofluorocarbon	LDT	Last deglacial transition	

LEO	low Earth orbit	MODIS	Moderate Resolution Imaging	
LGM	Last Glacial Maximum		Spectroradiometer	
LIG	Last Interglacial	MPI	Max Planck Institute for Meteorology	
LLGHG	long-lived greenhouse gas	MPWP	mid-Pliocene Warm Period	
LLHI	Low-likelihood, high-impact	MRI	Meteorological Research Institute, Japan Meteorological Agency	
LNO <sub>x</sub>	lightning NO <sub>x</sub>	MSD	midsummer drought	
LR	lapse rate	MTFR	maximum technically feasible reductions	
LSAT	land surface air temperature	N <sub>2</sub> O	nitrous oxide	
LUC	land-use change	NADW	North Atlantic Deep Water	
LULUCF	land use, land-use change and forestry	NAM	Northern Annular Mode  North American monsoon	
LW	longwave	NAmerM		
LWP	liquid water path	NAO	North Atlantic Oscillation	
LWS	land-water storage	NARCCAP	North American Regional Climate Change	
MAGICC	Model for the Assessment of Greenhouse		Assessment Program	
MAM	Gas Induced Climate Change March–April–May	NASA	USA National Aeronautics and Space Administration	
MAT	marine air temperature	NASH	North Atlantic Subtropical High	
MCB	marine cloud brightening	NAU	Northern Australia	
МСО	Miocene Climatic Optimum	NBP	Net Biome Productivity	
MCS	mesoscale convective system	NCA	Northern Central America	
MDG	Madagascar	NCAR	National Center for Atmospheric Research	
MED	Mediterranean	NCEI	NOAA National Centers for Environmental	
MENA	Middle East North Africa		Information	
MERRA	Modern-Era Retrospective Analysis for Research and Applications	NCEP	NOAA National Centers for Environmental Prediction	
METACLIP	Metadata for climate products project	NDC	Nationally Determined Contribution	
МН	mid-Holocene	NDD	number of dry days	
MHW	marine heatwave	NDVI	Normalized Difference Vegetation Index	
MICI	marine ice cliff instability	NEAF	North Eastern Africa	
MIP	Model Intercomparison Project	NEN	North-Eastern North America	
MIROC	Model for Interdisciplinary Research	NES	North-Eastern South America	
	on Climate	NEU	Northern Europe	
MIS	Marine Isotope Stage	NH	Northern Hemisphere	
MISI	marine ice sheet instability	NH <sub>3</sub>	ammonia	
MISMIP	Marine Ice Sheet Model	NH <sub>4</sub>	ammonium	
	Intercomparison Projects	NMAT	nighttime marine air temperature	
MJO	Madden–Julian Oscillation	NMVOC	non-methane volatile organic compound	
MLO	Mauna Loa Observatory	NO <sub>2</sub>	nitrogen dioxide	
MME	multi-model ensemble	NO <sub>3</sub>	nitrate	
MOC	meridional overturning circulation	NOAA	USA National Oceanic and Atmospheric Administration	

NOAAGlobalTemp	NOAA Merged Land Ocean Global Surface	POA	primary organic aerosols	
	Temperature Analysis	PP	primary production	
NorESM	Norwegian Earth System Model	PSS-78	Practical Salinity Scale 1978	
NO <sub>x</sub>	nitrogen oxides	<b>QBO</b> quasi-biennial oscillation		
NPO	North Pacific Ocean	RAR Russian Arctic Region		
NPP	net primary production	RCM	regional climate model	
NSA	Northern South America	RCMIP	Reduced Complexity Model	
NWN	North-Western North America		Intercomparison Project	
NWS	North-Western South America	RCP	Representative Concentration Pathway	
NZ	New Zealand	RF	radiative forcing	
OA	organic aerosols	RFC	Reasons for Concern	
oc	organic carbon	RFE	Russian Far East	
ODS	ozone depleting substances	RFMIP	Radiative Forcing Model Intercomparison Project	
OECD	Organisation for Economic Co-operation and Development	RH	relative humidity	
ОН	·	RICH	•	
OHC	hydroxyl radical ocean heat content	RICH	Radiosonde Innovation Composite Homogenization	
OLR		RKR	Representative Key Risk	
OLS	outgoing longwave radiation	RO	radio occultation	
OMI	ordinary least squares	RSL relative sea level		
OMIP	Ozone Monitoring Instrument	RSLR	relative sea level rise	
PA	Ocean Model Intercomparison Project Paris Agreement	SAH	Sahara	
PAGES 2K	Past Global Changes 2k consortium	SAI	stratospheric aerosol injection	
PC PC	principal component	SAM	Southern Annular Mode	
pCO <sub>2</sub>	partial pressure of CO <sub>2</sub>	SAmerM	South American monsoon	
PDO	Pacific Decadal Oscillation	SAO	South Atlantic Ocean	
PDSI	Palmer Drought Severity Index	SAOD	stratospheric aerosol optical depth	
PDV	Pacific Decadal Variability	SAR	IPCC Second Assessment Report	
PERSIANN-CDR	•	SARF	stratospheric-temperature-adjusted	
PERSIANN-CDR	Precipitation estimations from Remotely Sensed Information using Artificial		radiative forcing	
	Neural Networks Climate Data Record	SAS	South Asia	
PETM	Paleocene–Eocene Thermal Maximum	SAsiaM	South and South East Asian monsoon	
PgC	petagrams of carbon	SAT	surface air temperature	
PgCeq	petagrams of carbon equivalent	SAU	Southern Australia	
PlioMIP	Pliocene Model Intercomparison Project	SCA	Southern Central America	
PM	particulate matter	SCE	snow cover extent	
PM <sub>10</sub>	particulate matter with diameter of less	ScenarioMIP	Scenario Model Intercomparison Project	
	than 10 microns	SCM	simple climate model	
PM <sub>2.5</sub>	particulate matter with diameter of less than 2.5 microns	SDG	Sustainable Development Goals	
PMIP	Paleoclimate Modelling	SEA	South East Asia	
	Intercomparison Project	SEAF	South Eastern Africa	

SED	Structured Expert Dialogue	SSP	Shared Socio-economic Pathways	
SEJ	Structured Expert Judgement	SST	sea surface temperature	
SES	South-Eastern South America	SSW	sudden stratospheric warming	
SF <sub>6</sub>	sulphur hexaflouride	STE	stratosphere–troposphere exchange	
SH	Southern Hemisphere	SW	shortwave	
SIA	sea ice area	SWE	snow water equivalent	
SIDS	Small Island Developing States	SWS	South-Western South America	
SIE	sea ice extent	SWV	stratospheric water vapour	
SLCF	short-lived climate forcer	TAR	IPCC Third Assessment Report	
SLE	sea level equivalent	TAV	Tropical Atlantic Variability	
SLP	sea level pressure	TC	tropical cyclone	
SLR	sea level rise	TCR	transient climate response	
SMAP	Soil Moisture Active Passive	TCRE	transient climate response to cumulative	
SMB	surface mass balance	TCRE	CO <sub>2</sub> emissions	
SMILE	single-model initial-condition large ensemble	TCWV	total column water vapour	
<b>SO</b> <sub>2</sub>	sulphur dioxide	Tg	teragrams	
SO <sub>4</sub> <sup>2−</sup>	sulphate	ThSL	thermosteric sea level	
SOA	secondary organic aerosols	TIB	Tibetan Plateau	
SOI	Southern Oscillation Index	TNn	annual minimum daily minimum temperature	
SON	September–October–November	TNx	annual maximum daily minimum temperature	
<b>SOO</b>	Southern Ocean	TOA	the net top-of-the-atmosphere	
SO <sub>x</sub>	sulphur oxides	ТоЕ	time of emergence	
SPCZ	South Pacific Convergence Zone	TPI	tripole Index	
SPEI	Standardized Precipitation	TRMM	Tropical Rainfall Measuring Mission	
	Evapotranspiration Index	TS	Technical Summary	
SPI	Standardized Precipitation Index	TSI	total solar irradiance	
SPM	Summary for Policymakers	UAH	University of Alabama in Huntsville	
SPO	South Pacific Ocean or South Pole Observatory	UHI	urban heat island	
SR1.5	IPCC Special Report on Global Warming	UN	United Nations	
CDCCI	of 1.5°C	UNEP	United Nations Environment Programme	
SRCCL	IPCC Special Report on Climate Change and Land	UNFCCC	United Nations Framework Convention on Climate Change	
SRES	IPCC Special Report on Emissions Scenarios	UTLS	upper troposphere and lower stratosphere	
SREX	IPCC Special Report on Managing the Risk of Extreme Events and Disasters to Advance Climate Change Adaptation	UV	ultraviolet	
		UVic ESCM	University of Victoria Earth System	
SRI	Standardized Runoff Index		Climate Model	
SRM	solar radiation modification	VLM	vertical land motion	
SROCC	IPCC Special Report on the Ocean and	VOC	volatile organic compounds	
	Cryosphere in a Changing Climate	VPD	vapour pressure deficit	
SSA	Southern South America	VSLS	very short-lived halogenated species	

Acronyms Annex VIII

**WAF** Western Africa

WAIS West African monsoon
WAIS West Antarctic Ice Sheet

**WAN** West Antarctica

WBC western boundary current
WBGT wet bulb globe temperature

WC Walker circulation
WCA West Central Asia

**WCE** Western and Central Europe

**WCRP** World Climate Research Programme

**WG** IPCC Working Group

WHO World Health Organization
WMGHG well-mixed greenhouse gas

**WMO** World Meteorological Organization

WNA Western North America
WNP Western North Pacific
WOA18 World Ocean Atlas 2018
WSAF West Southern Africa
WSB Wilkes Subglacial Basin
WUE water-use efficiency
YJ yottajoule, 10<sup>24</sup> joules

**ZEC** zero emissions commitment

**ZJ** zettajoule, 10<sup>21</sup> joules

AVIII