

Annex I: Observational Products

Coordinating Lead Authors:

Blair Trewin (Australia)

Lead Authors:

Mansour Almazroui (Saudi Arabia), Lisa Bock (Germany), Josep G. Canadell (Australia), Rafiq Hamdi (Belgium), Masao Ishii (Japan), Pedro M. S. Monteiro (South Africa), Prabir K. Patra (Japan/India), Shilong Piao (China), Jin-Ho Yoon (Republic of Korea), Yongqiang Yu (China), Prodromos Zanis (Greece), Olga Zolina (Russian Federation/France)

This Annex should be cited as:

IPCC, 2021: Annex I: Observational Products [Trewin, B. (ed.)]. In: *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.

Date: August 2021

Note: Accepted version

This document is subject to copy-editing, corrigenda and trickle backs.

1 **Table of Content**

2

3 **AI.1 Introduction..... 3**

4 **References 22**

5

ACCEPTED VERSION
SUBJECT TO FINAL EDITING

AI.1 Introduction

The purpose of this Annex is to document observational data sets used by Working Group I in the Sixth Assessment Report. This includes details of the types and versions of data sets, the time period they cover, the chapters in which they appear, and citations and (where available) web links to the data.

This list includes those observational data sets that contribute to values reported in the text or in figures, unless they are citing a specific result from a paper (as opposed to an ongoing data set for which that paper is a reference).

Reanalyses are within the scope of this Annex, but historical climate model simulations are not. Proxy data sets are also outside the scope of this Annex.

Data sets which are updated regularly on an operational basis are shown as ending in 2020, even if no 2020 data have yet been published at the time of writing.

Data sets are sorted alphabetically according to the data set name or, if there is no formal name, the name of the responsible institution or lead author.

[START Table AI.1]

Table AI.1: Observational products used by Working Group I in the Sixth Assessment Report.

Name	Version	Type	Resolution (time and space)	Section(s)	Time period	Citation, link and DOI (where available)
NOAA-CIRES 20 th Century Reanalysis (20CR)	2c	Reanalysis	3-hourly, 2 x 2°, 24 vertical levels	2.4.1	1851-2014	Compo et al., 2011 https://www.esrl.noaa.gov/psd/data/20thC_Rean/
NOAA-CIRES 20 th Century Reanalysis (20CR)	3	Reanalysis	3-hourly, 0.5° x 0.5°	2.3.1 3.3.3 3.7.1	1851-2020	Slivinski et al., 2019 https://www.esrl.noaa.gov/psd/data/20thC_Rean/
Finland Climate (Aalto)		In situ	Daily 0.1° x 0.1°	10.2.1	1961-2010	Aalto et al., 2016 https://www.csc.fi/~paituli
ACORN-SAT Australian temperature data	2.1	In situ	Daily, point-based	Atlas 6.2	1910-2020	Trewin et al., 2020 http://www.bom.gov.au/climate/data/acorn-sat/
AERONET AOD Level 2.0	3	Remote sensing	Monthly, point-based	2.2.6	1995-2020	Giles et al., 2019 https://aeronet.gsfc.nasa.gov/data_push/AOT_Level2_Monthly.tar.gz
Advanced Global Atmospheric Gases Experiment (AGAGE)		In situ	Up to 36 times per day, point-based	2.2.3 2.2.4 5.2.2 5.2.3	1978-2020	Prinn et al., 2018 http://agage.mit.edu/data
Australian Gridded Climate Data (AGCD)		In situ	Daily 0.05° x 0.05°	Atlas 6.2	1900-2020	Jones et al., 2009; Evans et al., 2020 http://www.bom.gov.au/climate/maps/rainfall
AIRS specific humidity	RetStd-v5	Remote sensing	Monthly, 1° x 1°	3.3.2	2003-2010	Susskind et al., 2006; Tian et al., 2013 https://esgf-node.llnl.gov/search/obs4mips/
AIRS-6 climate data products		Remote sensing	Various	2.3.1	2002-2020	Susskind et al., 2014 http://disc.sci.gsfc.nasa.gov/AIRS/data-holdings
Energy balance reconstruction (Allan)		Remote sensing	Monthly, 10 x 10°	7.2.2	1985-2012	Allan et al., 2014 http://met.reading.ac.uk/~sgs02rpa/research/DEEP-C/GRL/
AMOC data set		In situ and reanalysis	Monthly, regional time series	3.5.4	2004-2017	Smeed et al., 2018
Advanced Microwave Scanning Radiometer 2 (AMSR2)		Remote sensing	3-hourly	8.3.1	2012-2019	Kummerow, 2015 https://lance.nsstc.nasa.gov/amr2-science/data/level2/rainocean/
Aqua's Advanced Microwave Scanning Radiometer for Earth Observing System (AMSR-E)		Remote sensing	5.4 to 56 km	8.3.1	2002-2011	Kawanishi et al., 2003
Arctic sea ice thickness from submarine transects		In situ	Intermittent, track-based	2.3.2	1975-2000	Rothrock et al., 2008
Asian Precipitation - Highly-Resolved Observational Data Integration		In situ	Daily, 0.05° x 0.05°	8.3.2 10.2.1 10.6.3	1900-2020	Kamiguchi et al., 2010; Yatagai et al., 2012

Towards Evaluation (APHRODITE's) Precipitation						
Asian Precipitation -Highly-Resolved Observational Data Integration Towards Evaluation Monsoon Asia (APHRO-MA)	V1808	In situ	Daily, 0.5°	CCB 10.4	1961-2014	Yasutomi et al., 2011 http://aphrodite.st.hirosaki-u.ac.jp/products.html
Asian Precipitation -Highly-Resolved Observational Data Integration Towards Evaluation Monsoon Asia (APHRO-MA)	V1101	In situ	Daily, 0.5°	10.6.3	1956-2005	Yatagai et al., 2012 http://aphrodite.st.hirosaki-u.ac.jp/products.html
Advanced SCATterometer (ASCAT)		Remote sensing	Daily, 25 km	8.3.1	2006-2016	Wagner et al., 1999
Cross-calibrated multi-platform wind data set (Atlas)		Remote sensing and in situ	6-hourly, 25 km	2.3.1	1987-2020	Atlas et al., 2011 http://www.remss.com/measurements/ccmp/
Australian vineyard data		In situ	Annual, point-based	2.3.4	Varies by site	Webb et al., 2011
AVISO sea level observations		Remote sensing	Monthly, 0.25°	9.2.4	1995-2020	Legeais et al., 2018 https://www.aviso.altimetry.fr/en/data/products/ocean-indicators-products/mean-sea-level.html
Beaune grape harvest dates		In situ	Annual, point-based	2.3.4	1354-2018	Labbe et al., 2019 https://www.euroclimhist.unibe.ch/en/
Berkeley Earth surface air temperature		In situ	Monthly, 1 x 1° (or equivalent equal-area grid)	1.3.6 1.4.1 1.4.2 1.6.1 FAQ 1.2 2.3.1 CCB 2.3 3.3.1 3.7.3 10.3.3 10.6.4 Box 10.3 CCB10.4 Atlas	1750-2020	Rohde and Hausfather, 2020 http://www.berkeleyearth.org
Berlin City Measurement Network		In situ	1-minute	Box 10.3	On-going	www.geo.fu-berlin.de/en/met/service/stadtmessnetz/index.html
Bermuda Atlantic Time-series Study Data		In situ	Point-based	2.3.3	1988-2016	Bates et al., 2014; Bates and Johnson, 2020 http://bats.bios.edu/bats-data/

Czech Republic precipitation (Bližňák)		In situ	10 min 0.01° × 0.01°	10.2.1	2002-2011	Bližňák et al., 2018
Boulder stratospheric water vapour		In situ	Point-based, profiles approx. monthly	2.2.5	1980-2010	Hurst et al., 2011
BUCL (Birmingham)		In situ	Hourly	Box 10.3	2013-2020	Chapman et al., 2015
Global temperature data (Callendar)		In situ	Annual, global time series	1.3.3	1880-1935	Callendar, 1938; Hawkins and Jones, 2013
Cyprus precipitation (Camera)		In situ	Daily 0.01° × 0.01°	10.2.1	1980-2010	Camera et al., 2014
CAMS atmospheric composition reanalysis		Reanalysis	3-hourly, 1 × 1°	7.3.3	2003-2018	Inness et al., 2019 http://atmosphere.copernicus.eu
Data of CARIACO ocean time-series program in the Cariaco Basin		In situ	Point-based	5.3.2	1996-2017	Bates et al., 2014 http://imars.marine.usf.edu/cariaco
CCU 'IKI-Monitoring' satellite data archive		Remote sensing	Daily, resolution varies	Atlas	1984-2020	Loupian et al., 2015
Community Emissions Data System (CEDS)		In situ	Monthly, 50 km (nominal)	6.2.1	1750-2014	Hoesly et al., 2018 http://www.globalchange.umd.edu/ceds/
CERA-20C reanalysis		Reanalysis	3-hourly, 125 km, 91 levels	10.3.3	1901-2010	Laloyaux et al., 2018 https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/cera-20c
CERES EBAF	Ed2.8	Remote sensing	Monthly, 1° × 1°	3.8.2	2000-2018	Loeb et al., 2009, 2012 https://esgf-node.llnl.gov/search/obs4mips/
CERES EBAF	Ed4.0	Remote sensing	Monthly, 1° × 1°	7.2.2 9.2.1	2000-2016	Loeb et al., 2017, 2020 http://ceres-tool.larc.nasa.gov/ord-tool/jsp/EBAF4Selection.jsp
NCEP Climate Forecast System Reanalysis (CFSR)		Reanalysis	Hourly, T382 (approx. 38 km)	2.3.1 8.3.2	1979-2010	Saha et al., 2010 https://cfs.ncep.noaa.gov/cfsr/
High-Resolution Gridded Daily Meteorological Dataset over Sub-Saharan Africa (Chaney)		Reanalysis	Daily 0.1°×0.1°	10.2.1	1979-2005	Chaney et al., 2014
Cheng ocean heat content		In situ	Monthly, ocean basin	2.3.3	1960-2020	Cheng et al., 2017
Global mean sea level reconstruction (Church and White)		In situ, remote sensing	Monthly, global time series	2.3.3	1880-2009	Church and White, 2011
Climate Hazards Group InfraRed	2.0	Remote sensing	Daily, Monthly 0.25°×0.25°	10.2.1	1981-2018	Funk et al., 2015 https://www.chc.ucsb.edu/data/chirps

Precipitation with Station data (CHIRPS)						
CLIMATER		In situ	Daily, point-based	Atlas 5.2	1874-2020	Bulygina et al., 2014
China Land Surface Air Temperature (CLSAT)		In situ	Monthly, point-based	2.3.1	1900-2020	Xu et al., 2018
CPC Merged Analysis of Precipitation (CMAP)		Remote sensing	Monthly, 2.5°x2.5°	3.3.3 Atlas	1979-2020	Xie et al., 2007a https://www.esrl.noaa.gov/psd/data/gridded/data.cmap.html
Copernicus Marine Environment Monitoring Service (CMEMS) ocean pH		In situ	Annual, global mean	2.3.3	1985-2020	Gehlen et al., 2020 https://marine.copernicus.eu/access-data/ocean-monitoring-indicators
CMEMS global mean sea level		Remote sensing	10-day, global time series	2.3.3	1993-2020	Ablain et al., 2019
China Mean Surface Temperature (CMST)		In situ	Monthly, 5° x 5°	2.3.1	1854-2020	Sun et al., 2021
A gridded daily dataset over China CN05.1	5.1	In situ	Daily 0.25° x 0.25°	10.2.1	1961-2005	Wu and Gao, 2013
COBE Sea Surface Temperature	2	In situ	Daily, 1 x 1°	2.4.3 2.4.5 3.7.6 3.7.7	1845-2020	Hirahara et al., 2014 https://ds.data.jma.go.jp/tcc/tcc/products/elnino/cobesst/cobe-sst.html
Bootstrap Sea Ice Concentrations from Nimbus-7 SMMR and DMSP SSM/I-SSMIS (Comiso)	3	Remote sensing	Monthly, 25 km	2.3.2 3.4.1	1979-2020	Comiso, 2017 https://nsidc.org/data/nsidc-0079
CORA Ocean Heat Content	5.2	In situ	Monthly, global time series	2.3.3	1950-2020	Cabanes et al., 2013 http://www.coriolis.eu.org/Science2/Global-Ocean/CORA
Co-WIN (Hong Kong)		In situ	15 minutes	Box 10.3	2007-2020	Hung and Wo, 2012
Cowtan and Way global temperature	2.0	In situ	Monthly, 5 x 5°	1.3.6 2.3.1 3.3.1	1850-2020	Cowtan and Way, 2014 http://www-users.york.ac.uk/~kdc3/papers/coverage2013/series.html
Climate Prediction Center (CPC) Niño indices		In situ	Monthly, regional time series	2.4.2 2.4.3	1950-2020	https://www.cpc.ncep.noaa.gov/data/indices/Derived from ERSSTv5
Climate Prediction Centre (CPC) Precipitation		In situ	Hourly 2.0° x 2.5°, daily 0.25° x 0.25°	10.2.1	1948-2006	Higgins et al., 2000; Xie et al., 2007; Chen et al., 2008
CPC teleconnection indices (AAO, AO, NAO, PNA)		In situ	Daily, regional means	2.4.1	1950-2020 (1979-2019 for AAO)	https://www.cpc.ncep.noaa.gov/products/precip/CWlink/daily_ao_index/teleconnections.shtml
CPC Unified Gauge-Based Analysis of Global Daily Precipitation		In situ and remote sensing	Daily, 0.5° x 0.5°	8.3.1	1979-2019	Xie et al., 2010 https://psl.noaa.gov/data/gridded/data.cpc.globalprecip.html

CloudSat Cloud Profiling Radar (CPR)		Remote sensing	1.5 km horizontal, 0.5 km vertical	8.3.1	2006-2019	Tanelli et al., 2008
CRU TS	4.02	In situ	Monthly, 0.5 x 0.5°	3.3.2 3.3.3 3.7.3 5.2.1	1901-2017	Harris et al., 2014 https://crudata.uea.ac.uk/cru/data/hrg/cru_ts_4.02/
CRU TS	4.03	In situ	Monthly, 0.5 x 0.5°	10.6.2	1901-2017	Harris et al., 2014 https://crudata.uea.ac.uk/cru/data/hrg/cru_ts_4.03/
CRU TS	4.04	In situ	Monthly, 0.5 x 0.5°	2.3.1 8.3.2 Box 8.1 10.3.3 10.3.4 10.4.2 10.6.3 10.6.4 Box 10.3 CCB10.4 Atlas	1901-2020	Harris et al., 2020 https://crudata.uea.ac.uk/cru/data/hrg/cru_ts_4.04/
CRUTEM	4	In situ	Monthly, 5 x 5°	10.6.4 Atlas	1850-2020	Jones et al., 2012 https://crudata.uea.ac.uk/cru/data/temperature/
CRUTEM	5	In situ	Monthly, 5 x 5°	Atlas	1850-2020	Osborn et al., 2021 https://crudata.uea.ac.uk/cru/data/temperature/
Cryosat Arctic sea ice thickness data		Remote sensing	Monthly, 25 x 25 km	2.3.2 9.4.1	2011-2020	Kwok and Cunningham, 2015; Bamber et al., 2018 http://nsidc.org/cryosphere/sotc/sea_ice.html https://science-pds.cryosat.esa.int/
CSIR-ML6 air-sea CO2 fluxes	2019	In situ	Monthly, 1° x 1°	5.2.1	1982-2015	Gregor, 2019 https://doi.org/10.6084/m9.figshare.7894976
CSIRO atmospheric gas measurements		In situ	Monthly, point-based	2.2.3 5.2.3	1976-2019	Langenfelds et al., 2002; Francey et al., 2003; Kirschke et al., 2013
CSIRO global mean sea level		Remote sensing	Monthly, 1° x 1°	2.3.3	1993-2020	Church and White, 2011
CSIRO ocean heat content		In situ	Annual, global	2.3.3	1950-2020	Domingues et al., 2008; Wijffels et al., 2016
Mexican climate (Cuervo-Robayo)		In situ	Monthly 30 arc sec	10.2.1	1910-2009	Cuervo-Robayo et al., 2014
3D-VAR regional reanalysis (Dahlgren)		Reanalysis	6-hourly, 0.2° x 0.2°	10.2.1	1989-2010	Dahlgren et al., 2016
Global sea level reconstruction (Dangendorf)		In situ, remote sensing	Monthly, regional means	1.2.1 2.3.3	1900-2015	Dangendorf et al., 2017, 2019
DCNet (Washington)		In situ	Hourly	Box 10.3	On-going	Hicks et al., 2012
Ethiopian precipitation (Dinku)		In situ	Sub-monthly 0.1° x 0.1°	10.2.1	1983-2013	Dinku et al., 2014
Data of DYFAMED station in the Ligurian Sea		In situ	Point-based	5.3.2	1991-2016	Merlivat et al., 2018 http://dyfbase.obs-vlfr.fr/
Eastern China spring phenology index		In situ	Annual, point-based	2.3.4	1834-2009	Ge et al., 2014
European Climate Assessment		In situ	Daily, point-based	10.6.4	1775-2020	Klein Tank et al., 2002 https://www.ecad.eu/

& Dataset (ECA&D)						
EDGARv4.3.2	2019	In situ	Monthly, 0.1° x 0.1°	6.7.1	1970-2012	Janssens-Maenhout et al., 2019 http://edgar.jrc.ec.europa.eu/overview.php?v=432_GHG&SECURE=123
EN4 ocean subsurface profiles		In situ	Monthly, point-based	2.3.3	1900-2020	Good et al., 2013 https://www.metoffice.gov.uk/hadobs/
E-OBS	V19.0	In situ	Daily, 0.1° and 0.25°	10.3.3 10.6.4 Atlas 8.2	1950-2020	Cornes et al., 2018 https://www.ecad.eu/
ERA 20th Century (ERA-20C) reanalysis		Reanalysis	3-hourly, ~125 km, 128 vertical levels	2.3.1 3.3.3 3.7.1	1900-2010	Hersbach et al., 2015; Poli et al., 2016 https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/era-20c
ERA-5		Reanalysis	Hourly, 30 km, 137 vertical levels	1.4.1 2.3.1 3.3.1 3.3.2 3.3.3 3.7.1 3.8.2 CCB 3.1 8.3.2 11.4.3 Box 11.4 Atlas	1979-2020	Hersbach et al., 2020 https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/era5
ECMWF ERA-Interim reanalysis		Reanalysis	6-hourly, T255 spectral (approx. 80 km), 60 vertical levels	2.3.1 3.3.3 3.7.1 8.3.2 10.3.3	1979-2019	Dee et al., 2011 https://www.ecmwf.int/en/forecasts/datasets/reanalysis-datasets/era-interim
ECMWF ERA-Interim reanalysis - Land		Reanalysis	6-hourly, T255 spectral (approx. 80 km), 60 vertical levels	10.2.1	1979-2010	Balsamo et al., 2015
NOAA ERSST sea surface temperature	5	In situ	Monthly, 2° x 2°	2.4.2 2.4.3 2.4.5 3.7.3 3.7.6 3.7.7 9.2.1 CCB 9.2 Atlas	1880-2020	Huang et al., 2017 https://www.ncdc.noaa.gov/data-access/marineocean-data/extended-reconstructed-sea-surface-temperature-ersst-v5
ESA CCI sea surface temperature	L4-GHRSSTdepth-OSTIA-GLOB	Remote sensing	Monthly, 0.05°x0.05°	3.8.2	1992-2010	Merchant et al., 2014a, 2014b ftp://anon-ftp.ceda.ac.uk/neodc/esacci/sst/data/
ESA CCI Soil Moisture	L3S-SSMV-COMBINED-v4.2	Remote sensing	Monthly, 0.25°x0.25°; daily, global images	3.8.2 8.3.1	1979-2016	Dorigo et al., 2017; Gruber et al., 2017; Liu et al., 2012 ftp://anon-ftp.ceda.ac.uk/neodc/esacci/soil_moisture/data/
European Station for Time series in the Ocean Canary Islands (ESTOC)		In situ	Point-based	5.3.2	1995-2018	González-Dávila et al., 2010 http://data.plocan.eu/thredds/catalog/aggregate/public/ESTOCInSitu/EMSOservices/Biogeochemistry/catalog.html
Alpine precipitation grid dataset (EURO4M-APGD)	1.0	In situ	Daily 0.04°x0.04°	10.2.2	1971-2008	Isotta et al., 2014

FLO1K flow metrics data set		In situ	Annual, 1 km	2.3.1	1960-2015	Barbarossa et al., 2018
Fogt SAM reconstruction		In situ	Monthly, index	2.4.1	1865-2005	Fogt et al., 2009 http://polarmet.osu.edu/ACD/sam/sam_recon.html
Global mean sea level reconstruction (Frederikse)	2018	In situ	Annual, global time series	2.3.3	1958-2014	Frederikse et al., 2018
Global mean sea level reconstruction (Frederikse)	2020	In situ	Annual, global time series	2.3.3	1900-2018	Frederikse et al., 2020
GHCN precipitation	2	In situ	Monthly, 5°x5°	3.3.2 3.8.1 3.8.2	1900-2014	Jones and Moberg, 2003 https://www.esrl.noaa.gov/psd/data/gridded/data.ghcnglidded.html
Global Historical Climatology Network (GHCN) - Monthly	4	In situ	Monthly, point-based	2.3.1 3.8.2 10.3.3	1880-2020	Menne et al., 2018 https://www.ncdc.noaa.gov/ghcnm/
GHCNDEX		In situ	Monthly, 2.5 x 2.5°	2.3.1	1951-2020	Donat et al., 2013b http://www.climdex.org
Global albedo change (Ghimire)		In situ	Monthly, 1 x 1°	2.2.7	1700-2005	Ghimire et al., 2014
GISTEMP	4	In situ	Monthly, 2°x2°	1.3.6 2.3.1 3.7.3 CCB 3.1 10.6.4 Box 10.3	1880-2020	Lenzen et al., 2019 https://data.giss.nasa.gov/gistemp/
Glacier Thickness Database (GlaThiDa)	3.0.1	In situ	Annual, point-based	9.5.1	1935-2018	GlaThiDa Consortium, 2019 https://www.gtn-g.ch/data_catalogue_glathida/ DOI: 10.5904/wgms-glathida-2019-03
GLDAS		Reanalysis	Monthly, 1°x1°	3.4.2 8.3.1	1951-2010	Rodell et al., 2004 https://hydro1.gesdisc.eosdis.nasa.gov/data/GLDAS/GLDAS_NOAH10_M.2.0/
Global Carbon Project		In situ	Global, spatial average	5.2.1 5.2.2	1959-2020	Friedlingstein et al., 2020; Saunio et al., 2020 https://www.globalcarbonproject.org/
Global Ocean Data Analysis Project (GLODAP)	2	In situ	Point-based	5.2.1	1972-2020	Olsen et al., 2019 https://www.glodap.info/
Global Space-based Stratospheric Aerosol Climatology (GloSSAC)	1.0	Remote sensing	Monthly, 5° zonal means	2.2.2 7.3.2	1979-2016	Thomason et al., 2018 https://eosweb.larc.nasa.gov
Ghana Meteorological Agency (GMet) precipitation	1.0	In situ	Monthly 0.5°x0.5°	10.2.1	1990-2012	Aryee et al., 2018
GOME global total ozone (GTO) data set		Remote sensing	Monthly, 1 x 1°	2.2.5	1996-2020	Coldewey-Egbers et al., 2015 http://www.esa-ozone-cci.org/?q=node/163
GOME GSG ozone data set		Remote sensing	Monthly, 5° zonal means	2.2.5	1995-2020	Weber et al., 2018a http://www.iup.uni-bremen.de/gome/wfdoas/merged/
GOSAT	2019	Remote sensing	Hourly-monthly	5.2.1	2009-2017	Yoshida et al., 2013 www.gosat.nies.go.jp/en/recent-global-ch4.html

Global Precipitation Climatology Centre (GPCC)	8	In situ	Monthly, 0.25 x 0.25°	1.2.1 2.3.1 3.3.3 3.7.3 8.3.1 8.3.2 Box 8.1 10.3.3 10.4.2 10.6.3 10.6.4 11.6.2 Atlas	1981-2020	Becker et al., 2013; Schneider et al., 2017 ftp://ftp.dwd.de/pub/data/gpcc/html/fulldata-monthly_v2018_doi_download.html
Global Precipitation Climatology Project (GPCP)	2.3	Remote sensing and in situ	Monthly, 2.5 x 2.5°	2.3.1 3.3.2 3.3.3 3.7.3 3.8.2 8.2.3 8.3.1 9.2.1 10.4.2 Atlas	1979-2020	Adler et al., 2018 https://www.esrl.noaa.gov/psd/data/gridded/data.gpcp.html
Gravity Recovery and Climate Experiment (GRACE)		Remote sensing	3 days, 400 m	2.3.2 8.3.1	2002-2017	Tapley et al., 2004; Wouters et al., 2019 https://gracefo.jpl.nasa.gov/data/grace-fo-data/
Historical greenhouse gas concentrations for climate modelling		In situ	Monthly, 15° zonal means	2.2.3	1850-2014	Meinshausen et al., 2017 http://www.climatecollege.unimelb.edu.au/cmip6
GRID-Sat		Remote sensing	15-minute, 4 km	8.3.1	1994-2016	Inamdar and Knapp, 2015
The oceanic sink for anthropogenic CO2 from 1994 to 2007 – the data (Gruber)		In situ	1°x1°	5.2.1		Gruber et al., 2019 https://www.nodc.noaa.gov/archive/arc0132/0186034/1.1/data/0-data/
Global Streamflow Indices and Metadata Archive (GSIM)		In situ	Daily, point-based	2.3.1	1806-2016	Do et al., 2018
GSMaP		Remote sensing	Hourly 0.1°	10.3.3	2007-2020	Kubota et al., 2020
GEWEX Water Vapour Assessment (G-VAP)		Reanalysis, remote sensing	Monthly, 2 x 2°	2.3.1	1988-2009	Schröder et al., 2019 http://gewex-vap.org/
HadAT	2	In situ	Monthly, 5° latitude by 10° longitude	Atlas	1958-2012	Thorne et al., 2005 https://www.metoffice.gov.uk/hadobs/hadat/
HadCRUT	5	In situ	Monthly, 5 x 5°	1.2.1 1.3.6 1.4.1 1.6.1 2.3.1 CCB 2.3 3.3.1 3.6.1 3.8.1 CCB 3.1 Box 10.3	1850-2020	Morice et al., 2020 https://www.metoffice.gov.uk/hadobs/
HadCRUT	4	In situ	Monthly, 5 x 5°	3.3.1 FAQ 3.1 8.2.3 10.3.3	1850-2020	Morice et al., 2012 https://www.metoffice.gov.uk/hadobs/hadcrut4/

				10.6.4		
HadEX	2	In situ	Monthly, 3.75 x 2.5°	2.3.1	1901-2010	Donat et al., 2013a http://www.climdex.org
HadEX	3	In situ	Monthly, 1.875 x 1.25°	CCB 3.2 11.1.4 11.3.2 11.4.3 11.6.2	1901-2020	Dunn et al., 2020 https://www.metoffice.gov.uk/hadobs/hadex3/
HadGHCND		In situ	Daily, 3.75 x 2.5°	Atlas	1950-2014	Caesar et al., 2006 https://www.metoffice.gov.uk/hadobs/hadghcnd/
HadISD	2.0.2. 2017f	In situ	Sub-daily, point-based	2.3.1	1973-2020	Dunn et al., 2012, 2016 https://www.metoffice.gov.uk/hadobs/hadis/
HadISDH	1.0.0. 2019f	In situ	Monthly, 5 x 5°	2.3.1	1973-2020	Willett et al., 2014, 2020 https://www.metoffice.gov.uk/hadobs/hadisdh/
Hadley Centre Sea Ice and Sea Surface Temperature data set (HadISST)	1	In situ and remote sensing	Monthly, 1 x 1°	2.4.3 2.4.5 3.5.1 3.7.3 3.7.6 3.7.7 3.8.1 7.4.4 9.2.1	1871-2020	Rayner et al., 2003 https://www.metoffice.gov.uk/hadobs/hadisst/
Hadley Centre HadNMAT2 night marine air temperature	2	In situ	Monthly, 5° x 5°	CCB 2.3	1880-2010	Kent et al., 2013 https://www.metoffice.gov.uk/hadobs/hadnmat2/
Hadley Centre Sea Level Pressure (HadSLP)	2r	In situ and reanalysis	Monthly, 5 x 5°	3.3.3	1850-2020	Allan and Ansell, 2006 https://www.metoffice.gov.uk/hadobs/hadslp2/
Hadley Centre HadSST sea surface temperature	4	In situ	Monthly, 5° x 5°	9.2.1 Atlas	1850-2020	Kennedy et al., 2019 https://www.metoffice.gov.uk/hadobs/
HadUK-Grid	1.0	In situ	Daily 0.009° x 0.009°	10.2.1	1862-2019	https://www.metoffice.gov.uk/climate/uk/data/haduk-grid/haduk-grid
Hawaii Ocean Time-series Data		In situ	Point-based	2.3.3	1988-2018	Dore et al., 2009 http://hahana.soest.hawaii.edu/hot/hot-dogs/interface.html
Global mean sea level reconstruction (Hay)		In situ	Annual, global mean	2.3.3	1901-2010	Hay et al., 2015
Hamburg Ocean Atmosphere Parameters and Fluxes from Satellite data record (HOAPS4)		Remote sensing	6-hourly, 0.5° x 0.5°	2.3.1	1987-2014	Andersson et al., 2010, 2017 https://wui.cmsaf.eu/safira/action/viewDoiDetails?acronym=HOAPS_V002 DOI: 10.5676/EUM_SAF_CM/HOAPS/V002
Boulder stratospheric water vapor (Hegglin)		In situ		2.2.5	1980-2010	Hegglin et al., 2014
Glacier and ice sheet data set (Hugonnet)		Remote sensing	Annual, point-based	2.3.2	2000-2019	Hugonnet et al., 2021
Central European high-resolution gridded daily data sets (HYRAS)	1.0	In situ	Daily 0.5°x0.5° 0.25°x0.25	10.2.1	1951-2006	Frick et al., 2014

IAGOS airborne ozone data		In situ	Intermittent	2.2.5 6.3.2	1994-2020	Cohen et al., 2018; Cooper et al., 2020; Gaudel et al., 2020 http://www.iagos-data.fr/ DOI: 10.25326/20
ICESat sea ice thickness data		Remote sensing	Intermittent, 25 x 25 km	2.3.1	2003-2008	Kwok et al., 2009 http://nsidc.org/cryosphere/sotc/sea_ice.html
International Comprehensive Ocean - Atmosphere Data Set (ICOADS)	3.0	In situ	Point-based, frequency varies; monthly, 1 x 1°	2.3.1	1662-2019	Freeman et al., 2017 https://icoads.noaa.gov/
IFREMER4	4	Remote sensing	Daily, 0.25° x 0.25°	9.2.1	1992-2017	de Boyer Montégut et al., 2004; Bentamy et al., 2017
Integrated Global Radiosonde Archive (IGRA)		In situ	Point-based	8.3.1	1900-2019	Durre et al., 2006 https://data.noaa.gov/dataset/dataset/integrated-global-radiosonde-archive-igra-version-2
IMBIE Greenland and Antarctic ice sheet mass		Remote sensing	Regional aggregate	2.3.2 9.4.1 9.4.2	1992-2017	IMBIE Consortium, 2018, 2019, 2020
Indian Monsoon Data Assimilation and Analysis (IMDAA)		Reanalysis	Sub-daily 0.11°x 0.11°	10.2.1	1979-2016	Mahmood et al., 2018
Indian Institute of Tropical Meteorology (IITM) all-India rainfall		In situ	Monthly, time series	10.6.3	1871-1993	Parthasarathy et al., 1994
IPRC subsurface temperature data		In situ	Monthly, 1° x 1°	2.3.3	2005-2020	http://apdrc.soest.hawaii.edu/projects/Argo/data/gridded/On_standard_levels/index-1.html
ISAS-15 temperature and salinity gridded fields		In situ	Monthly, 1° x 1°	2.3.3	2002-2015	Gaillard et al., 2016; Kolodziejczyk et al, 2017 https://www.seanoe.org/data/00412/52367/
Ishii et al ocean heat content		In situ	Annual, time series	2.3.3 9.2.2	1955-2020	Ishii et al., 2017
JAMSTEC Database for time-series stations K2 and S1		In situ	Point-based	5.3.2	1997-2018	Wakita et al., 2017 http://www.godac.jamstec.go.jp/catalog/data_catalog/metadataDisp/JAMSTEC_K2_S1?lang=en
Jena-MLS air-sea CO2 fluxes	2018	In situ	Daily, 4° x 5°	5.2.1	1982-2017	Rödenbeck et al., 2013, 2014 http://www.bgc-jena.mpg.de/CarboScope/?ID=oc
Global mean sea level reconstruction (Jevrejeva)		In situ	Annual, global time series	2.3.3	1807-2009	Jevrejeva et al., 2014
JMA-TRANS-COM		Reanalysis	Monthly, 1°x1°	3.6.1 3.8.2	1985-2008	Gurney et al., 2003
Japanese Ocean Flux Data Sets with Use of Remote Sensing Observations (J-OFURO3)	3	Remote sensing	Daily, 0.25° x 0.25°	8.3.1	1988-2013	Tomita, 2017

Belgium precipitation (Journée)		In situ	Daily 4km ²	10.2.1	1981-2010	Journée et al., 2015
Japan Meteorological Agency JRA-55 reanalysis		Reanalysis	3-hourly, TL319 (~55 km), 60 vertical levels	2.3.1 3.3.3 3.7.1 3.8.2 8.3.2 10.3.3 CCB10.4	1958-2020	Kobayashi et al., 2015; Harada et al., 2016 https://jra.kishou.go.jp/JRA-55/index_en.html
JRA-25		Reanalysis	6-hourly T106 (~120km)	10.3.3	1979-2004	Onogi et al., 2007 https://jra.kishou.go.jp/JRA-25/index_en.html
Kadow global temperature data set		In situ	Monthly, 5 x 5°	1.4.1 1.6.1 2.3.1 CCB 2.3 3.3.1 CCB 3.1	1850-2020	Kadow et al., 2020
Kaplan Extended SST data set	2	In situ	Monthly, 5 x 5°	2.4.3 2.4.5 Atlas	1856-2019	Kaplan et al., 1998 https://www.esrl.noaa.gov/psd/data/gridded/data.kaplan_sst.html
Greenland ice sheet discharge (King)		Remote sensing	Annual, regional time series	9.4.1	1985-2018	King et al., 2020 https://data.dryad.org/stash/dataset/doi:10.5061/dryad.qrfj6q5cb DOI: 10.5061/dryad.qrfj6q5cb
Kyoto cherry blossom data		In situ	Annual, point-based	2.3.4	801-2020	Aono and Saito, 2010 http://atmenv.envi.osakafu-u.ac.jp/aono/kyophenotemp4/
LAI3g		Remote sensing	Monthly, 0.5°x0.5°	3.6.1 3.8.2	1982-2011	Zhu et al., 2013
LandFlux-EVAL		In situ	Monthly	3.8.2 8.3.1	2000-2004	Mueller et al., 2013 http://www.iac.ethz.ch/groups/seneviratne/research/LandFlux-EVAL
Landsat Global Land Survey (GLS) database		Remote sensing	Daily, global images	8.3.1	1972-2019	Gutman et al., 2013
LAQN (London)		In situ	15 minutes	Box 10.3	1993-2019	www.londonair.org.uk
LDEO Global Ocean Surface Water Partial Pressure of CO2 Database		In situ	Point-based	5.3.2	1957-2018	Takahashi et al., 2014 https://www.nodc.noaa.gov/ocads/oceans/LDEO_Underway_Database/NDP-088_V2018.pdf
LEGOS sea level budget		Remote sensing	Monthly, global time series	2.3.3	1993-2020	Blazquez et al., 2018
Combined satellite and station data (Maidment)		Remote sensing and in situ	10-day 0.0375°x0.0375°	10.2.1	1983-2012	Maidment et al., 2014
Marshall SAM index		In situ	Monthly, regional means	2.4.1	1957-2020	Marshall, 2003 http://www.nerc-bas.ac.uk/icd/gjma/sam.html
Princeton MEaSUREs		Reanalysis, remote sensing and in situ	Monthly, 0.5° x 0.5°	8.3.1	1950-2019	Pan et al., 2012
Multiivariate ENSO Index (MEI)		In situ	Monthly	5.2.3	1977-2017	Wolter and Timlin, 1998 https://www.esrl.noaa.gov/psd/enso/mei/
MERRA reanalysis	1	Reanalysis	3-hourly, 0.5° x 0.66°	8.3.2	1979-2016	Rienecker et al., 2011
MERRA-2 reanalysis	2	Reanalysis	Hourly, 0.5 x 0.66°, 72 vertical levels	2.3.1 3.3.3 8.3.2	1980-2020	Gelaro et al., 2017 https://gmao.gsfc.nasa.gov/reanalysis/MERRA-2/

MERRA-2 reanalysis - Land	2	Reanalysis	6-hourly, 0.5 x 0.66°, 72 vertical levels	8.3.1	1980-2020	Reichle, 2012 http://gmao.gsfc.nasa.gov/pubs/office_notes .
METROS (Tokyo)		In situ	15 minutes	Box 10.3	2000-2005	Takahashi et al., 2011
MIROC4-ACTM emission flux data	2018	Reanalysis	Monthly, 1 x 1°	5.2.2	1996-2016	Patra et al., 2016, 2018; Saeki and Patra, 2017 https://ebcrpa.jamstec.go.jp/~prabir/data/co2l2r84/s042_FaChOt_srcdf1/ https://ebcrpa.jamstec.go.jp/~prabir/data/ch4l2r53/gcp2019/ https://ebcrpa.jamstec.go.jp/~prabir/data/n2ol2r84/s037_edgman1/
MISR Component Global Aerosol Product	V4, Level 3	Remote sensing	Yearly, 0.5° x 0.5° grid	2.2.6	2000-2020	Garay et al., 2017 https://eosweb.larc.nasa.gov/project/misr/mil3yaen_table
MOCCA (Ghent)		In situ	15 minutes	Box 10.3	2016-2020	Vandemeulebroucke et al., 2019; Caluwaerts et al., 2020
NASA Merged Ozone Data (MOD)	8.6	Remote sensing	Monthly, 5° zonal means	2.2.6	1970-2020	Frith et al., 2017 https://acd-ext.gsfc.nasa.gov/Data_services/merged/index.html
MODIS Aerosol optical depth 550nm	MYD08_M3	Remote sensing	Monthly, 1°x1°	2.2.6	2003-2011	Platnick et al., 2003 https://ladsweb.modaps.eosdis.nasa.gov/search/order
MODIS NDVI/EVI vegetation greenness index	6	Remote sensing	16-day; 1km	5.2.1	2000-2018	Myneni et al., 2015 doi:10.5067/MODIS/MCD15A2H.006
Moderate resolution imaging spectro-radiometer (MODIS)	MCD12Q1	Remote sensing	Annual, 500 m	8.3.1	2001-2019	Loveland and Belward, 1997
MPI-SOMFFN air-sea CO2 fluxes	2016	In situ	Monthly, 1° x 1°	3.8.2 5.2.1	1982-2015	Landschützer et al., 2016 https://www.nodc.noaa.gov/ocads/oceans/SPCO2_1982_2015_ETH_SOM_FFN.html
Ozone multi-sensor reanalysis (MSR)	2	Reanalysis	6-hourly, 1 x 1°	2.2.5	1970-2019	Braesicke et al., 2018; Chipperfield et al., 2018; Weber et al., 2018b, 2020 https://www.temis.nl/protocols/O3global.php
Multi-Source Weighted-Ensemble Precipitation dataset (MSWEP)		Reanalysis, remote sensing and in situ	3-hourly, 0.25° x 0.25°	8.3.1	1979-2015	Beck et al., 2017 https://wald.anu.edu.au/data_services/data/mswep-multi-source-weighted-ensem%C2%ADble-pre%C2%ADcip%C2%ADi%C2%ADta%C2%ADtion/
MTE Gross Primary Productivity	May12	Reanalysis	Monthly, 0.5°x0.5°	3.8.2	1982-2011	Jung et al., 2011
Northern Hemisphere Blended Snow Cover Extent and Snow Mass Time Series (Mudryk)		Remote sensing, in situ	Monthly, time series	2.3.2 3.4.2 9.5.3	1980-2018	Mudryk et al., 2020 http://data.ec.gc.ca/data/climate/scientificknowledge/climate-research-publication-based-data/northern-hemisphere-blended-snow-extent-and-snow-mass-time-series/
NASA global mean sea level	4.2	Remote sensing	10-day, global time series	2.3.3	1993-2020	Beckley et al., 2016
NASA Team Sea Ice Concentrations from Nimbus-7 SMMR and DMSP SSM/I-	1	Remote sensing	Monthly, 25 km	3.4.1	1979-2019	Cavalieri et al., 1996 https://nsidc.org/data/nsidc-0051

SSMIS Passive Microwave Data						
NCEI Ocean Heat Content		In situ	Annual, 1° x 1°	2.3.3 9.2.2 9.3.2	1955-2020	Levitus et al., 2012 https://www.ncei.noaa.gov/access/global-ocean-heat-content/
NCEP-NCAR Reanalysis		Reanalysis	Daily and monthly, 2.5°x2.5°	3.7.1 3.8.2 10.3.3	1980-2020	Kalnay et al., 1996 http://www.esrl.noaa.gov/psd/data/gridded/data.ncep.reanalysis.html
New Zealand temperature and rainfall datasets		In situ	Daily, point-based	Atlas 6.2	1870-2020	NIWA, 2020
NIWA $\delta^{13}\text{C}$ -CO ₂	2019	In situ	Monthly	5.2.1	1957-2015	Turnbull et al., 2017
NOAA atmospheric gas measurements		In situ	Point-based, time resolution depends on gas	2.2.3 2.2.4 3.6.1 5.1.2 5.2.1 5.2.2 5.2.3	Varies depending on gas	Masarie and Tans, 2004; Montzka et al., 2009, 2015; Hall et al., 2011; Dlugokencky and Tans, 2019 https://www.esrl.noaa.gov/gmd/ccgg/
NOAA ESRL MLO Carbon dioxide		In situ	Monthly, point-based	3.6.1	1980-2014	Zeng et al., 2014 https://www.esrl.noaa.gov/gmd/ccgg/trends/data.html
NOAA Global Temp	5	In situ	Monthly, 5 x 5°	1.3.6 10.6.4	1880-2020	Huang et al., 2020 https://www.ncdc.noaa.gov/data-access/marineocean-data/noaa-global-surface-temperature-noaaglobaltemp
NOAA Global Temp - Interim		In situ	Monthly, 5 x 5°	1.4.1 1.6.1 2.3.1 3.3.1 CCB 2.3 CCB 3.1	1850-2020	Vose et al., 2021
NOAA Merge ozone data (SBUV)	8.6	Remote sensing	Daily, 5° zonal means	2.2.5	1978-2020	Wild et al., 2016 ftp://ftp.cpc.ncep.noaa.gov/SBUV_CDR/
NOAA reconstructed snow cover data set		Remote sensing and in situ	Monthly, hemispheric time series	3.4.2 9.5.3	1915-1997	Brown, 2002; Brown and Robinson, 2011 https://nsidc.org/data/g02131
NOAA CDR of sea-ice concentration	3.0	Remote sensing	Monthly, 25 km	2.3.2	1979-2020	Peng et al., 2013 https://nsidc.org/data/g02202
NOAA STAR satellite temperature	3.0	Remote sensing	Monthly, 2.5 x 2.5°, 3 vertical layers	2.3.1	1979-2020	Zou and Wang, 2011 https://www.star.nesdis.noaa.gov/smcd/emb/mscat/
National Oceanography Centre (NOC) surface flux and meteorological dataset	2.0	In situ	Monthly, 1 x 1°	2.3.1	1973-2014	Berry and Kent, 2011 http://badc.nerc.ac.uk/data/nocs_flux/
African Rainfall Climatology (Novella and Thiaw)	2.0	Remote sensing	Daily 0.1°x0.1°	10.2.1	1983-2010	Novella and Thiaw, 2013
National Sea and Ice Data Center (NSIDC) sea ice index	3	Remote sensing	Daily, 25 km	2.3.2	1978-2020	Fetterer et al., 2017 https://nsidc.org/data/G02135/versions/3
NASA Water Vapor Project		Remote sensing	Daily, 1°	2.3.1	1988-2008	Vonder Haar et al., 2012 https://public.satproj.klima.dwd.de/data/GVAP_data_archive/v1.0/TCWV/long/

MEaSUREs (NVAP-M)						
NYCMET-NET (New York)	2.0.0	In situ	15 minutes	Box 10.3	On-going	http://nycmetnet.cuny.cuny.edu
OAFlux		Remote sensing	Daily, 0.25 x 0.25°	2.3.1 9.2.1	1987-2019	Yu et al., 2008 http://oafux.whoi.edu/
Ocean Colour Climate Change Initiative (OC-CCI)	4.2	Remote sensing	Daily, 4 km	2.3.4	1997-2019	Sathyendranath et al., 2019 https://climate.esa.int/en/projects/ocean-colour/
Ocean Satellite Oceanographic Datasets for Acidification (OCEAN SODA-ETHZ)		Remote sensing	Monthly, 1°	2.3.3	1985-2018	Gregor and Gruber, 2021 DOI: 10.25921/m5wx-ja34
NOAA Optimum Interpolation SST (OISST)	2	In situ and remote sensing	Daily, 0.25 x 0.25°	2.4.3	1981-2020	Reynolds et al., 2002; Banzon et al., 2016 https://www.ncdc.noaa.gov/oisst
OSISAF/CCI sea-ice concentration	450	Remote sensing	Monthly, 25 km	2.3.2 3.4.1	1979-2015	Lavergne et al., 2019 http://osisaf.met.no/p/ice/
USA temperature (Oyler)		In situ	Daily 30-arcsec	10.2.1	1948-2012	Oyler et al., 2015
Swiss Alps (Panziera)		Remote sensing	Sub-daily 0.01° x 0.01°	10.2.1	2005-2017	Panziera et al., 2018
Gridded dataset of hourly precipitation in Germany (Paulat)		In situ	Hourly 0.06°x 0.06°	10.2.1	2001-2004	Paulat et al., 2008
Portland State University (PDX) CH₄, δ¹³C-CH₄	2017	In situ	Daily-monthly	5.2.2	1977-2010	Rice et al., 2016
PERSIANN-CDR		Remote sensing	Daily, 0.25 x 0.25°	10.2.1	1982-2020	Ashouri et al., 2015 https://www.ncdc.noaa.gov/cdr/atmospheric/precipitation-persiann-cdr
Philadelphia plant data		In situ	Annual, point-based	2.3.4	1840-2010	Panchen et al., 2012
PIOMAS Arctic sea ice reanalysis	2.1	Reanalysis	Monthly, 4-5°	7.2.2	1979-2020	Zhang and Rothrock, 2003; Schweiger et al., 2011 http://psc.apl.uw.edu/research/projects/arctic-sea-ice-volume-anomaly/
PMEL ocean heat content		In situ	Annual, global time series	2.3.3	1950-2011	Lyman and Johnson, 2014
PROMICE Greenland ice sheet discharge		Remote sensing	Annual, regional time series	9.4.1	1986-2018	Mankoff et al., 2019 http://promice.org/PromiceDataPortal
PROMICE ice sheet mass balance		Remote sensing	Annual, regional time series	9.4.1	1995-2019	Colgan et al., 2019 http://promice.org/PromiceDataPortal
Purkey and Johnson ocean heat content		In situ	Annual, global mean	2.3.3	1981-2010	Purkey and Johnson, 2010
High Resolution Gridded Data for	1.0	In situ	Daily 1° x 1°	10.6.3	1951-2003	Rajeevan et al., 2006

India (Rajeevan)						
Randolph Glacier Inventory	6	Remote sensing	Decametric shape files of glacier outlines, global. 0.5° global grid of glacierized area	2.3.2 9.5.1	1955-2014	Scherler et al., 2018 http://www.glims.org/RGI/rgi60_dl.html
RAOB-CORE radiosonde data set	1.7	In situ	Monthly, 10 x 5°, 12 vertical levels	2.3.1 3.3.1	1958-2020	Haimberger et al., 2012 https://www.univie.ac.at/theoret-met/research/raobcore/
Global mean sea level reconstruction (Ray and Douglas)		In situ	Annual, global time series	2.3.3	1900-2010	Ray and Douglas, 2011
REGEN global precipitation	1	In situ	Daily, 1 x 1°	10.3.2	1950-2016	Contractor et al., 2020 https://researchdata.andis.org.au/rainfall-estimates-gridded-v1-2019/1408744 DOI: 10.25914/5ca4c380b0d44
RICH radiosonde data set	1.7	In situ	Monthly, 10 x 5°, 12 vertical levels	2.3.1 3.3.1	1958-2020	Haimberger et al., 2012 https://www.univie.ac.at/theoret-met/research/raobcore/
Antarctic ice mass balance (Rignot)		Remote sensing	Annual, regional average	2.3.2	1979-2017	Rignot et al., 2019
Daily Dataset Romania ROCADA	1.0	In situ	Daily 0.1°×0.1°	10.2.1	1961-2013	Dumitrescu et al., 2016
MSG-based gridded datasets of clouds, precipitation and radiation (Roebeling and Holleman)		Remote sensing	Daily, 0.27° x 0.27°	10.2.1	2005-2019	Roebeling and Holleman, 2009
ROM SAF radio occultation climate data record		Remote sensing	Monthly, 5° latitude bins, 200 m vertical resolution	2.3.1	2001-2020	Gleisner et al., 2020 http://www.romsaf.org
Arctic permafrost layer temperature (Romanovsky)		In situ	Annual, site-based	2.3.2	1977-2020	Romanovsky et al., 2020
Israel precipitation (Rostkier-Edelstein)		Reanalysis	Seasonal 0.02°×0.02°	10.2.1	1991-2009	Rostkier-Edelstein et al., 2014
Remote Sensing Systems (RSS) precipitation and water vapour	7	Remote sensing	2 per day, 0.25° x 0.25°	2.3.1 3.3.2	1987-2020	Wentz, 2013 http://www.remss.com/measurements/rain-rate/
Remote Sensing Systems RSS satellite temperature	4.0	Remote sensing	Monthly, 2.5° x 2.5°, 5 vertical layers	2.3.1	1979-2020	Mears and Wentz, 2017 http://www.remss.com/measurements/upper-air-temperature/
NOAA/ Rutgers University	V01r01	Remote sensing	Weekly, 100-200 km	2.3.2 9.5.3	1966-2020	Estilow et al., 2015 https://climate.rutgers.edu/snowcover/

snow cover extent data set						
SAFRAN temperature and precipitation for France		Reanalysis	Hourly 8km ²	10.2.1	1958-2008	Vidal et al., 2010
SAT1 NASA satellite ozone data		Remote sensing	Daily, 1° x 1°	2.2.5	2004-2020	Ziemke et al., 2019 https://acd-ext.gsfc.nasa.gov/Data_services/cloud_slice/new_data.html
SAT2 NASA satellite ozone data		Remote sensing	Daily, 1° x 1°	2.2.5	2004-2020	Heue et al., 2016
SAT3 NASA satellite ozone data		Remote sensing	Daily, 1° x 1°	2.2.5	2004-2020	Leventidou et al., 2018
Scripps atmospheric CO ₂ data		In situ	Weekly, point-based	1.2.1 2.2.3 5.2.1	1958-2019	Keeling et al., 2001, 2005 http://scrippsco2.ucsd.edu/data/atmospheric_co2/
SeaWiFS FAPAR data	V2010.0	Remote sensing	Monthly, 1 km	2.3.4	1998-2017	Gobron, 2018 https://fapar.jrc.ec.europa.eu/Home.php
Norwegian seNorge2 precipitation	2.0	In situ	Daily 0.008° x 0.008°	10.2.1	1957-2019	Lussana et al., 2018
Merged precipitation in China (Shen)		In situ	Hourly 0.01° x 0.01°	10.2.1	2015	Shen et al., 2018
The Surface Ocean CO ₂ Atlas (SOCAT)	6	In situ	Point-based	5.2.1	1957-2020	Bakker et al., 2016 https://www.socat.info/
Southern Oscillation Index (SOI)		In situ	Monthly, regional time series	2.4.2	1876-2020	Troup, 1965 http://www.bom.gov.au/climate/current/soihtm1.shtml
Spain02	5.0	In situ	Daily 0.1° x 0.1°	10.2.1	1948-2002	Herrera et al., 2016
Arosa stratospheric ozone data (Staehelin)		In situ	Time resolution varies, point-based	2.2.5	1926-2020	Staehelin et al., 2018
STAMMEX		In situ	Daily, 0.1°, 0.25° and 0.5°	8.3.1	1931-2000	Zolina et al., 2014
State University of New York (SUNY) radiosonde data set		In situ	Monthly, 10° x 10°	2.3.1	1958-2020	Zhou et al., 2021
Strato-spheric Water and Ozone Satellite Homogenized (SWOOSH)	2.5	Remote sensing	Monthly, 2.5° zonal mean, 12 vertical levels	2.2.5	1984-2020	Davis et al., 2016 https://data.nodc.noaa.gov/cgi-bin/iso?id=gov.noaa.ncdc:C00958
Tibetan plateau growing season		In situ	Annual, point-based	2.3.4	1960-2014	Yang et al., 2017a
Merged TM4NO2A tropospheric NO ₂ data set		Remote sensing	Monthly, 0.25°	6.3.3	1996-2016	Georgoulias et al., 2019 https://www.temis.nl/airpollution/no2.php
Tropo-spheric Ozone Assessment Report		In situ	Hourly, point-based	6.3.2	1970-2020	Schultz et al., 2017; Tarasick et al., 2019 http://www.igacproject.org/activities/TOAR

(TOAR) surface ozone database						
Tohoku Univ. N ₂ O, δ ¹⁵ N, δ ¹⁵ Na	2018	In situ	Irregular	5.2.3	1950-2000	Ishijima et al., 2007
TOST composite ozonesonde product		In situ	Monthly, 5° × 5° × 1 km	2.2.5 6.3.2	1965-2012	Tarasick et al., 2010; Liu et al., 2013; Gaudel et al., 2018
TRMM Precipitation Radar 3A25	7	Remote sensing	Monthly, 0.5°	8.3.1	1997-2014	Iguchi et al., 2000
TRMM GPOF	GPOF	Remote sensing	Daily, 0.25° x 0.25°	8.3.1	1997-2015	Stocker et al., 2018
TRMM Microwave Imager (TRMM TMI)	TMI	Remote sensing	3-days, 0.25° x 0.25°	8.3.1	1997-2015	Wentz et al., 2001
TRMM Multi-Satellite Precipitation Analysis	7.0	Remote sensing	3-hourly, 0.25° x 0.25°	10.2.1	1997-2018	Huffman et al., 2007; TRMM, 2011; Liu et al., 2012b https://disc.gsfc.nasa.gov/datasets/TRMM_3B42_7/summary
Tropical Rainfall Measuring Mission Precipitation Radar (TRMM PR)	PR	Remote sensing	Monthly, 0.5° x 0.5°	8.3.1	1997-2015	Haddad et al., 1997
TWIN (Taipei)		In situ	Hourly	Box 10.3	2004-2020	Chang et al., 2010
University of Alabama at Huntsville (UAH) satellite temperature	6.0	Remote sensing	Monthly, 3 vertical layers	2.3.1	1979-2020	Spencer et al., 2017 https://www.nsstc.uah.edu/climate/
UC Berkeley, N ₂ O, δ ¹⁵ N, δ ¹⁵ Na	2018	In situ	Event	5.2.3	1900-1995	Park et al., 2012
University of Colorado global mean sea level		Remote sensing	Monthly, global time series	2.3.3	1993-2017	Nerem et al., 2018
UCAR/NOAA radio occultation data		Remote sensing	Monthly, 5° latitude bands	2.3.1	2002-2020	Steiner et al., 2020
University of California at Irvine (UCI) atmospheric gas measurements		In situ	Point-based, several sampling periods per year	2.2.3	1984-2020	Simpson et al., 2012 http://cdiac.ornl.gov/tracegases.html
UEA-SI air-sea CO ₂ fluxes	2015	In situ	Monthly, 2.5° x 2.5°	5.2.1	1985-2011	Jones et al., 2015 https://doi.pangaea.de/10.1594/PANGAEA.849262
UHH sea ice product		In situ, remote sensing	Monthly, area average	2.3.2	1850-2020	Doerr et al., 2021 https://www.fdr.uni-hamburg.de/record/8559#.YEtN09xxXIU DOI: 10.25592/uhhfdm.8525
UrBAN (Helsinki)		In situ	Sub-hourly	Box 10.3	2004-2020	Wood et al., 2013 http://urban.fmi.fi
Vaccaro et al global temperature data set		In situ	Monthly, 5° x 5°	2.3.1	1850-2020	Vaccaro et al., 2021

W5E5 bias-adjusted reanalysis	1.0	Reanalysis	Daily, 0.5° x 0.5°	Atlas	1979-2016	Lange, 2019 https://dataservices.gfz-potsdam.de/pik/showshort.php?id=escidoc:4855898 DOI: 10.5880/pik.2019.023
Walsh et al sea ice data		Remote sensing and in situ	Monthly	2.3.2	1850-2020	Walsh et al., 2017
WASWind marine wind data		In situ	Monthly, 4 x 4°	2.4.4	1950-2011	Tokinaga and Xie, 2011 https://climatedataguide.ucar.edu/climate-data/waswind-wave-and-anemometer-based-sea-surface-wind
WCRP/ Palmer global sea level		Remote sensing and in situ	Monthly, global time series	2.3.3	1901-2018	WCRP Global Sea Level Budget Group, 2018; Palmer et al., 2021
Wegener Centre radio occultation data set		Remote sensing	Monthly, 0.1 km vertical	2.3.1	2001-2020	Angerer et al., 2017
Global mean sea level reconstruction (Wenzel and Schröter)		In situ	Monthly, global time series	2.3.3	1900-2009	Wenzel and Schröter, 2014
WFDE5	1.0	Reanalysis	Hourly, 0.5°	10.3.3	1979-2018	Cucchi et al., 2020
WMO Global Atmosphere Watch greenhouse gas measurements		In situ	Annual, point-based and global means.	2.2.3	1984-2020	Tsutsumi et al., 2009; WMO, 2019 https://gaw.kishou.go.jp/publications/global_mean_mole_fractions
World Ocean Atlas (WOA)	2018	In situ	Monthly, 1°x1°	3.5.1	2009	Levitus et al., 2012; Locarnini et al., 2019; Zweng et al., 2019 https://www.nodc.noaa.gov/OC5/woa18/woa18data.html
World Ozone and UV Data Center (WOUDC) ozone data set		In situ	Monthly, global and zonal means	2.2.5	1964-2020	Fioletov et al., 2002 https://woudc.org/
Global Earth Observation for Integrated Water Resource Assessment (Earth2Observe) Water Resources Reanalysis v2 (WRR2)	2	Reanalysis	Monthly, 0.5° x 0.5°	8.3.1	1979-2012	Schellekens et al., 2017
Brazil gridded met data 1980-2013 (Xavier)		In situ	Daily 0.25° x 0.25°	10.2.1	1980-2013	Xavier et al., 2016 http://careyking.com/data-downloads/
Chile precipitation (Yang)		In situ	Daily 0.04° x 0.04°	10.2.1	2009-2014	Yang et al., 2017 http://www.climatedatalibrary.cl/SOURCES/
Ocean heat content and thermosteric sea level reconstruction (Zanna)		In situ	Annual, global means	2.3.3	1871-2017	Zanna et al., 2019

[END TABLE AI.1 HERE]

Do Not Cite, Quote or Distribute

AI-21

Total pages: 36

References

- Aalto, J., Pirinen, P., and Jylhä, K. (2016). New gridded daily climatology of Finland: Permutation-based uncertainty estimates and temporal trends in climate. *J. Geophys. Res. Atmos.* 121, 3807–3823. doi:10.1002/2015JD024651.
- Ablain, M., Meyssignac, B., Zawadzki, L., Jugier, R., Ribes, A., Spada, G., et al. (2019). Uncertainty in satellite estimates of global mean sea-level changes, trend and acceleration. *Earth Syst. Sci. Data* 11, 1189–1202. doi:10.5194/essd-11-1189-2019.
- Adler, R. F., Sapiiano, M. R. P., Huffman, G. J., Wang, J. J., Gu, G., Bolvin, D., et al. (2018). The Global Precipitation Climatology Project (GPCP) monthly analysis (New Version 2.3) and a review of 2017 global precipitation. *Atmosphere (Basel)*. 9. doi:10.3390/atmos9040138.
- Allan, R., and Ansell, T. (2006). A new globally complete monthly historical gridded mean sea level pressure dataset (HadSLP2): 1850–2004. *J. Clim.* 19, 5816–5842. doi:10.1175/JCLI3937.1.
- Allan, R. P., Liu, C., Loeb, N. G., Palmer, M. D., Roberts, M., Smith, D., et al. (2014). Changes in global net radiative imbalance 1985–2012. *Geophys. Res. Lett.* 41, 5588–5597. doi:10.1002/2014GL060962.
- Andersson, A., Fennig, K., Klepp, C., Bakan, S., Graßl, H., and Schulz, J. (2010). The Hamburg Ocean Atmosphere Parameters and Fluxes from Satellite Data – HOAPS-3. *Earth Syst. Sci. Data* 2, 215–234. doi:10.5194/essd-2-215-2010.
- Andersson, A., Graw, K., Schröder, M., Fennig, K., Liman, J., Bakan, S., et al. (2017). Hamburg Ocean Atmosphere Parameters and Fluxes from Satellite Data - HOAPS 4.0. *Satell. Appl. Facil. Clim. Monit.* doi:10.5676/EUM_SAF_CM/HOAPS/V002.
- Angerer, B., Ladstädter, F., Scherllin-Pirscher, B., Schwärz, M., Steiner, A. K., Foelsche, U., et al. (2017). Quality aspects of the Wegener Center multi-satellite GPS radio occultation record OPSv5.6. *Atmos. Meas. Tech.* 10, 4845–4863. doi:10.5194/amt-10-4845-2017.
- Aono, Y., and Saito, S. (2010). Clarifying springtime temperature reconstructions of the medieval period by gap-filling the cherry blossom phenological data series at Kyoto, Japan. *Int. J. Biometeorol.* 54, 211–219. doi:10.1007/s00484-009-0272-x.
- Aryee, J. N. A., Amekudzi, L. K., Quansah, E., Klutse, N. A. B., Atiah, W. A., and Yorke, C. (2018). Development of high spatial resolution rainfall data for Ghana. *Int. J. Climatol.* 38, 1201–1215. doi:10.1002/joc.5238.
- Ashouri, H., Hsu, K. L., Sorooshian, S., Braithwaite, D., Knapp, K. R., Cecil, L. C., et al. (2015). PERSIANN-CDR: Daily Precipitation Climate Data Record from Multisatellite Observations for Hydrological and Climate Studies. *Bull. Amer. Meteor. Soc.* 69–84. doi:10.1175/BAMS-D-13-00068.1.
- Atlas, R., Hoffman, R., Ardizzone, J., Leidner, S., Jusem, J., Smith, D., et al. (2011). A cross-calibrated mutiplatform ocean wind velocity product for meteorological and oceanographic applications. *Bull. Am. Meteorol. Soc.* 92, 157–174.
- Bakker, D. C. E., Pfeil, B., Landa, C. S., Metzl, N., O'Brien, K. M., Olsen, A., et al. (2016). A multi-decade record of high-quality CO₂ data in version 3 of the Surface Ocean CO₂ Atlas (SOCAT). *Earth Syst. Sci. Data* 8, 383–413. doi:10.5194/essd-8-383-2016.
- Balsamo, G., Albergel, C., Beljaars, A., Boussetta, S., Brun, E., Cloke, H., et al. (2015). ERA-Interim/Land: A global land surface reanalysis data set. *Hydrol. Earth Syst. Sci.* 19, 389–407. doi:10.5194/hess-19-389-2015.
- Bamber, J. L., Westaway, R. M., Marzeion, B., and Wouters, B. (2018). The land ice contribution to sea level during the satellite era. *Environ. Res. Lett.* 13, 63008. doi:10.1088/1748-9326/aac2f0.
- Banzon, V., Smith, T. M., Chin, T. M., Liu, C., and Hankins, W. (2016). A long-term record of blended satellite and in situ sea-surface temperature for climate monitoring, modeling and environmental studies. *Earth Syst. Sci. Data* 8, 165–176. doi:10.5194/essd-8-165-2016.
- Barbarossa, V., Huijbregts, M. A. J., Beusen, A. H. W., Beck, H. E., King, H., and Schipper, A. M. (2018). Data Descriptor: FLO1K, global maps of mean, maximum and minimum annual streamflow at 1 km resolution from 1960 through 2015. *Sci. Data* 5, 1–11. doi:10.1038/sdata.2018.52.
- Bates, N. R., Astor, Y., Church, M., Currie, K., Dore, J., Gonzalez-Davila, M., et al. (2014). A Time-Series View of Changing Ocean Chemistry Due to Ocean Uptake of Anthropogenic CO₂ and Ocean Acidification. *Oceanography* 27, 126–141. Available at: <https://doi.org/10.5670/oceanog.2014.16>.
- Bates, N. R., and Johnson, R. J. (2020). Acceleration of ocean warming, salinification, deoxygenation and acidification in the surface subtropical North Atlantic Ocean. *Commun. Earth Environ.* 1, 33. doi:10.1038/s43247-020-00030-5.
- Beck, H. E., van Dijk, A. I. J. M., Levizzani, V., Schellekens, J., Miralles, D. G., Martens, B., et al. (2017). MSWEP: 3-hourly 0.25° global gridded precipitation (1979–2015) by merging gauge, satellite, and reanalysis data. *Hydrol. Earth Syst. Sci.* 21, 589–615. doi:10.5194/hess-21-589-2017.
- Becker, A., Finger, P., Meyer-Christoffer, A., Rudolf, B., Schamm, K., Schneider, U., et al. (2013). A description of the global land-surface precipitation data products of the Global Precipitation Climatology Centre with sample applications including centennial (trend) analysis from 1901–present. *Earth Syst. Sci. Data* 5, 71–99. doi:10.5194/essd-5-71-2013.

- Beckley, B. ., Zelensky, N. P. ., Holmes, S. A. ., Lemoine, F. G. ., Ray, R. D. ., Mitchum, G. T. ., et al. (2016). Global Mean Sea Level Trend from Integrated Multi-Mission Ocean Altimeters TOPEX/Poseidon Jason-1 and OSTM/Jason-2 Version 4.2. doi:10.5067/GMSLM-TJ142.
- Bentamy, A., Piollé, J. F., Grouazel, A., Danielson, R., Gulev, S., Paul, F., et al. (2017). Review and assessment of latent and sensible heat flux accuracy over the global oceans. *Remote Sens. Environ.* 201, 196–218. doi:https://doi.org/10.1016/j.rse.2017.08.016.
- Berry, D. I., and Kent, E. C. (2011). Air – Sea fluxes from ICOADS : the construction of a new gridded dataset with uncertainty estimates. *Int. J. Climatol.* 31, 987–1001. doi:10.1002/joc.2059.
- Blazquez, A., Meyssignac, B., Lemoine, J. M., Berthier, E., Ribes, A., and Cazenave, A. (2018). Exploring the uncertainty in GRACE estimates of the mass redistributions at the Earth surface: Implications for the global water and sea level budgets. *Geophys. J. Int.* 215, 415–430. doi:10.1093/gji/ggy293.
- Bližňák, V., Kašpar, M., and Müller, M. (2018). Radar-based summer precipitation climatology of the Czech Republic. *Int. J. Climatol.* 38, 677–691. doi:10.1002/joc.5202.
- Braesicke, A. P., Neu, J., Fioletov, V., Godin-Beekman, S., Hubert, D., Petropavlovskikh, I., et al. (2018). “Update on Global Ozone: Past, Present and Future,” in *Scientific Assessment of Ozone Depletion: 2018* Global Ozone Research and Monitoring Project – Report No. 58. (Geneva, Switzerland: World Meteorological Organization (WMO)), 3.1-3.74. Available at: <https://csl.noaa.gov/assessments/ozone/2018/downloads/>.
- Brown, R. D. (2002). Reconstructed North American, Eurasian, and Northern Hemisphere Snow Cover Extent, 1915–1997, Version 1. National Snow and Ice Center, Boulder, Colorado, USA. doi:10.7265/N5V985Z6.
- Brown, R. D., and Robinson, D. A. (2011). Northern Hemisphere spring snow cover variability and change over 1922–2010 including an assessment of uncertainty. *Cryosph.* 5, 219–229. doi:10.5194/tc-5-219-2011.
- Bulygina, O. N., Korshunova, N. N., and Razuvaev, V. N. (2014). Specialized datasets for climate research. *Tr. VNIIGMI-WDC* 177. Available at: <http://meteo.ru/publications/125-trudy-vniigmi/trudy-vniigmi-mtsd-vypusk-177-2014-g/518-spetsializirovannye-massivy-dannykh-dlya-klimaticheskikh-issledovaniy>.
- Cabanes, C., Grouazel, A., Von Schuckmann, K., Hamon, M., Turpin, V., Coatanoan, C., et al. (2013). The CORA dataset: Validation and diagnostics of in-situ ocean temperature and salinity measurements. *Ocean Sci.* 9, 1–18. doi:10.5194/os-9-1-2013.
- Caesar, J., Alexander, L., and Vose, R. (2006). Large-scale changes in observed daily maximum and minimum temperatures: Creation and analysis of a new gridded data set. *J. Geophys. Res.* 111, D05101. doi:10.1029/2005JD006280.
- Callendar, G. S. (1938). The artificial production of carbon dioxide and its influence on temperature. *Q. J. R. Meteorol. Soc.* 64, 223–240. doi:https://doi.org/10.1002/qj.49706427503.
- Caluwaerts, S., Hamdi, R., Top, S., Lauwaet, D., Berckmans, J., Degrauwe, D., et al. (2020). The urban climate of Ghent, Belgium: A case study combining a high-accuracy monitoring network with numerical simulations. *Urban Clim.* 31, 100565. doi:https://doi.org/10.1016/j.uclim.2019.100565.
- Camera, C., Bruggeman, A., Hadjinicolaou, P., Pashiardis, S., and Lange, M. A. (2014). Evaluation of interpolation techniques for the creation of gridded daily precipitation (1×1 km²); Cyprus, 1980–2010. *J. Geophys. Res. Atmos.* 119, 693–712. doi:10.1002/2013JD020611.
- Cavalieri, D. J., Parkinson, C. L., Gloersen, P., and Zwally, H. J. (1996). Sea ice concentrations from Nimbus-7 SMMR and DMSP SSM/I passive microwave data, Version 1. *Boulder, Color. USA. NASA Natl. Snow Ice Data Cent. Distrib. Act. Arch. Center.* doi:10.5067/8GQ8LZQVL0VL.
- Chaney, N. W., Sheffield, J., Villarini, G., and Wood, E. F. (2014). Development of a High-Resolution Gridded Daily Meteorological Dataset over Sub-Saharan Africa: Spatial Analysis of Trends in Climate Extremes. *J. Clim.* 27, 5815–5835. doi:10.1175/JCLI-D-13-00423.1.
- Chang, B., Wang, H. Y., Peng, T. Y., and Hsu, Y. S. (2010). Development and evaluation of a city-wide wireless weather sensor network. *Educ. Technol. Soc.* doi:10.1172/JCI37539.as.
- Chapman, L., Muller, C. L., Young, D. T., Warren, E. L., Grimmond, C. S. B., Cai, X.-M., et al. (2015). The Birmingham Urban Climate Laboratory: An Open Meteorological Test Bed and Challenges of the Smart City. *Bull. Am. Meteorol. Soc.* 96, 1545–1560. doi:10.1175/BAMS-D-13-00193.1.
- Chen, M., Shi, W., Xie, P., Silva, V. B. S., Kousky, V. E., Wayne Higgins, R., et al. (2008). Assessing objective techniques for gauge-based analyses of global daily precipitation. *J. Geophys. Res.* 113, D04110. doi:10.1029/2007JD009132.
- Cheng, L., Trenberth, K. E., Fasullo, J., Boyer, T., Abraham, J., and Zhu, J. (2017). Improved estimates of ocean heat content from 1960 to 2015. *Sci. Adv.* 3. doi:10.1126/sciadv.1601545.
- Chipperfield, M. P., Dhomse, S., Hossaini, R., Feng, W., Santee, M. L., Weber, M., et al. (2018). On the Cause of Recent Variations in Lower Stratospheric Ozone. *Geophys. Res. Lett.* 45, 5718–5726. doi:10.1029/2018GL078071.
- Church, J. A., and White, N. J. (2011). Sea-level rise from the late 19th to the early 21st Century. *Surv. Geophys.* 32, 585. doi:10.1007/s10712-011-9119-1.
- Cohen, Y., Petetin, H., Thouret, V., Marécal, V., Josse, B., Clark, H., et al. (2018). Climatology and long-term evolution of ozone and carbon monoxide in the upper troposphere--lower stratosphere (UTLS) at northern

- midlatitudes, as seen by IAGOS from 1995 to 2013. *Atmos. Chem. Phys.* 18, 5415–5453. doi:10.5194/acp-18-5415-2018.
- Coldewey-Egbers, M., Loyola, D. G., Koukouli, M., Balis, D., Lambert, J.-C., Verhoelst, T., et al. (2015). The GOME-type Total Ozone Essential Climate Variable (GTO-ECV) data record from the ESA Climate Change Initiative. *Atmos. Meas. Tech.* 8, 3923–3940. doi:10.5194/amt-8-3923-2015.
- Colgan, W., Mankoff, K. D., Kjeldsen, K. K., Bjørk, A. A., Box, J. E., Simonsen, S. B., et al. (2019). Greenland ice sheet mass balance assessed by PROMICE (1995–2015). *GEUS Bull.* 43. doi:10.34194/GEUSB-201943-02-01.
- Comiso, J. C. (2017). Bootstrap Sea Ice Concentrations from Nimbus-7 SMMR and DMSP SSM/I-SSMIS, Version 3. Boulder, Color. USA. NASA Natl. Snow Ice Data Cent. *Distrib. Act. Arch. Cent.* doi:10.5067/7Q8HCCWS4I0R.
- Compo, G. P., Whitaker, J. S., Sardeshmukh, P. D., Matsui, N., Allan, R. J., Yin, X., et al. (2011). The twentieth century reanalysis project. *Q. J. R. Meteorol. Soc.* 137, 1–28.
- Contractor, S., Donat, M. G., Alexander, L. V., Ziese, M., Meyer-Christoffer, A., Schneider, U., et al. (2020). Rainfall Estimates on a Gridded Network (REGEN) -- a global land-based gridded dataset of daily precipitation from 1950 to 2016. *Hydrol. Earth Syst. Sci.* 24, 919–943. doi:10.5194/hess-24-919-2020.
- Cooper, O. R., Schultz, M. G., Schröder, S., Chang, K.-L., Gaudel, A., Carbajal Benítez, G., et al. (2020). Multi-decadal surface ozone trends at globally distributed remote locations. *Elem. Sci. Anthr.* 8, 23. doi:10.1525/elementa.420.
- Cornes, R. C., van der Schrier, G., van den Besselaar, E. J. M., and Jones, P. D. (2018). An Ensemble Version of the E-OBS Temperature and Precipitation Data Sets. *J. Geophys. Res. Atmos.* 123, 9391–9409. doi:10.1029/2017JD028200.
- Cowan, K., and Way, R. G. (2014). Coverage bias in the HadCRUT4 temperature series and its impact on recent temperature trends. *Q. J. R. Meteorol. Soc.* 140, 1935–1944. doi:10.1002/qj.2297.
- Cucchi, M., Weedon, G. P., Amici, A., Bellouin, N., Lange, S., Müller Schmied, H., et al. (2020). WFDE5: bias-adjusted ERA5 reanalysis data for impact studies. *Earth Syst. Sci. Data* 12, 2097–2120. doi:10.5194/essd-12-2097-2020.
- Cuervo-Robayo, A. P., Téllez-Valdés, O., Gómez-Albores, M. A., Venegas-Barrera, C. S., Manjarrez, J., and Martínez-Meyer, E. (2014). An update of high-resolution monthly climate surfaces for Mexico. *Int. J. Climatol.* 34, 2427–2437. doi:10.1002/joc.3848.
- Dahlgren, P., Landelius, T., Kållberg, P., and Gollvik, S. (2016). A high-resolution regional reanalysis for Europe. Part 1: Three-dimensional reanalysis with the regional High-Resolution Limited-Area Model (HIRLAM). *Q. J. R. Meteorol. Soc.* 142, 2119–2131. doi:10.1002/qj.2807.
- Dangendorf, S., Hay, C., Calafat, F. M., Marcos, M., Piecuch, C. G., Berk, K., et al. (2019). Persistent acceleration in global sea-level rise since the 1960s. *Nat. Clim. Chang.* 9, 705–710. doi:10.1038/s41558-019-0531-8.
- Dangendorf, S., Marcos, M., Wöppelmann, G., Conrad, C. P., Frederikse, T., and Riva, R. (2017). Reassessment of 20th century global mean sea level rise. *Proc. Natl. Acad. Sci.* 114, 5946–5951. doi:10.1073/pnas.1616007114.
- Davis, S. M., Rosenlof, K. H., Hassler, B., Hurst, D. F., Read, W. G., Vömel, H., et al. (2016). The Stratospheric Water and Ozone Satellite Homogenized (SWOOSH) database: a long-term database for climate studies. *Earth Syst. Sci. Data* 8, 461–490. doi:10.5194/essd-8-461-2016.
- de Boyer Montégut, C., Madec, G., Fischer, A. S., Lazar, A., and Iduicone, D. (2004). Mixed layer depth over the global ocean: An examination of profile data and a profile-based climatology. *J. Geophys. Res.* 109, C12003. doi:10.1029/2004JC002378.
- Dee, D. P., Uppala, S. M., Simmons, A. J., Berrisford, P., Poli, P., Kobayashi, S., et al. (2011). The ERA-Interim reanalysis: configuration and performance of the data assimilation system. *Q. J. R. Meteorol. Soc.* 137, 553–597. doi:10.1002/qj.828.
- Dinku, T., Hailemariam, K., Maidment, R., Tarnavsky, E., and Connor, S. (2014). Combined use of satellite estimates and rain gauge observations to generate high-quality historical rainfall time series over Ethiopia. *Int. J. Climatol.* 34, 2489–2504. doi:10.1002/joc.3855.
- Dlugokencky, E., and Tans, P. (2019). Trends in atmospheric carbon dioxide, National Oceanic and Atmospheric Administration. *Earth Syst. Res. Lab.* Available at: <http://www.esrl.noaa.gov/gmd/ccgg/trends/global.html> [Accessed January 18, 2021].
- Do, H. X., Gudmundsson, L., Leonard, M., and Westra, S. (2018). The Global Streamflow Indices and Metadata Archive (GSIM)-Part 1: The production of a daily streamflow archive and metadata. *Earth Syst. Sci. Data* 10, 765–785. doi:10.5194/essd-10-765-2018.
- Doerr, J., Notz, D., and Kern, S. (2021). UHH Sea Ice Area Product (Version 2019_fv0.01). Available at: <http://doi.org/10.25592/uhhfdm.8559>.
- Domingues, C. M., Church, J. A., White, N. J., Gleckler, P. J., Wijffels, S. E., Barker, P. M., et al. (2008). Improved estimates of upper-ocean warming and multi-decadal sea-level rise. *Nature* 453, 1090–1093. doi:10.1038/nature07080.
- Donat, M. G., Alexander, L. V., Yang, H., Durre, I., Vose, R., and Caesar, J. (2013a). Global Land-Based Datasets for Monitoring Climatic Extremes. *Bull. Am. Meteorol. Soc.* 94, 997–1006. doi:10.1175/bams-d-12-00109.1.
- Donat, M. G., Alexander, L. V., Yang, H., Durre, I., Vose, R., Dunn, R. J. H., et al. (2013b). Updated analyses of temperature and precipitation extreme indices since the beginning of the twentieth century: The HadEX2 dataset.

- 1 *J. Geophys. Res. Atmos.* doi:10.1002/jgrd.50150.
- 2 Dore, J. E., Lukas, R., Sadler, D. W., Church, M. J., and Karl, D. M. (2009). Physical and biogeochemical modulation
3 of ocean acidification in the central North Pacific. *Proc. Natl. Acad. Sci.* 106, 12235–12240.
4 doi:10.1073/pnas.0906044106.
- 5 Dorigo, W., Wagner, W., Albergel, C., Albrecht, F., Balsamo, G., Brocca, L., et al. (2017). ESA CCI Soil Moisture for
6 improved Earth system understanding: State-of-the art and future directions. *Remote Sens. Environ.* 203, 185–
7 215. doi:10.1016/j.rse.2017.07.001.
- 8 Dumitrescu, A., Birsan, M.-V., and Manea, A. (2016). Spatio-temporal interpolation of sub-daily (6 h) precipitation
9 over Romania for the period 1975–2010. *Int. J. Climatol.* 36, 1331–1343. doi:10.1002/joc.4427.
- 10 Dunn, R. J. H., Alexander, L. V., Donat, M. G., Zhang, X., Bador, M., Herold, N., et al. (2020). Development of an
11 Updated Global Land In Situ-Based Data Set of Temperature and Precipitation Extremes: HadEX3. *J. Geophys.*
12 *Res. Atmos.* 125, e2019JD032263. doi:https://doi.org/10.1029/2019JD032263.
- 13 Dunn, R. J. H., Willett, K. M., Parker, D. E., and Mitchell, L. (2016). Expanding HadISD: quality-controlled, sub-daily
14 station data from 1931. *Geosci. Instrumentation, Methods Data Syst.* 5, 473–491.
- 15 Dunn, R. J. H., Willett, K. M., Thorne, P. W., Woolley, E. V., Durre, I., Dai, A., et al. (2012). HadISD: A Quality
16 Controlled global synoptic report database for selected variables at long-term stations from 1973–2011. *Clim. Past*
17 8, 1649–1679.
- 18 Durre, I., Vose, R. S., and Wuertz, D. B. (2006). Overview of the Integrated Global Radiosonde Archive. *J. Clim.* 19,
19 53–68. doi:10.1175/JCLI3594.1.
- 20 Estilow, T. W., Young, A. H., and Robinson, D. A. (2015). A long-term Northern Hemisphere snow cover extent data
21 record for climate studies and monitoring. *Earth Syst. Sci. Data.* doi:10.5194/essd-7-137-2015.
- 22 Evans, A., Jones, D. A., Smalley, R., and Lellyett, S. (2020). *An enhanced gridded rainfall analysis scheme for*
23 *Australia*. Australian Bureau of Meteorology Available at:
24 <http://www.bom.gov.au/research/publications/researchreports/BRR-041.pdf>.
- 25 Fetterer, F., Knowles, K., Meier, W. N., Savoie, M. H., and Windnagel, A. K. (2017). Sea ice index: version 3. National
26 Snow and Ice Data Center, Boulder, Colorado, USA. doi:10.7265/N5K072F8.
- 27 Fioletov, V. E., Bodeker, G. E., Miller, A. J., McPeters, R. D., and Stolarski, R. (2002). Global and zonal total ozone
28 variations estimated from ground-based and satellite measurements: 1964–2000. *J. Geophys. Res. Atmos.* 107,
29 ACH 21-1-ACH 21-14. doi:10.1029/2001JD001350.
- 30 Fogt, R. L., Perlwitz, J., Monaghan, A. J., Bromwich, D. H., Jones, J. M., and Marshall, G. J. (2009). Historical SAM
31 variability. Part II: Twentieth-century variability and trends from reconstructions, Observations, and the IPCC
32 AR4 models. *J. Clim.* 22, 5346–5365. doi:10.1175/2009JCLI2786.1.
- 33 Francey, R. J., Steele, L. P., Spencer, D. A., Langenfelds, R. L., Law, R. M., Krummel, P. B., et al. (2003). “The
34 CSIRO (Australia) measurement of greenhouse gases in the global atmosphere,” in *Baseline Atmospheric*
35 *Program Australia 1999-2000*, 42–53. Available at: [http://www.cmar.csiro.au/e-print/open/baseline_1999-](http://www.cmar.csiro.au/e-print/open/baseline_1999-2000.pdf)
36 [2000.pdf](http://www.cmar.csiro.au/e-print/open/baseline_1999-2000.pdf).
- 37 Frederikse, T., Jevrejeva, S., Riva, R. E. M., and Dangendorf, S. (2018). A consistent sea-level reconstruction and its
38 budget on basin and global scales over 1958–2014. *J. Clim.* 31, 1267–1280. doi:10.1175/JCLI-D-17-0502.1.
- 39 Frederikse, T., Landerer, F., Caron, L., Adhikari, S., Parkes, D., Humphrey, V. W., et al. (2020). The causes of sea-level
40 rise since 1900. *Nature* 584, 393–397. doi:10.1038/s41586-020-2591-3.
- 41 Freeman, E., Woodruff, S. D., Worley, S. J., Lubker, S. J., Kent, E. C., Angel, W. E., et al. (2017). ICOADS Release
42 3.0: a major update to the historical marine climate record. *Int. J. Climatol.* 37, 2211–2232. doi:10.1002/joc.4775.
- 43 Friedlingstein, P., O’Sullivan, M., Jones, M. W., Andrew, R. M., Hauck, J., Olsen, A., et al. (2020). Global Carbon
44 Budget 2020. *Earth Syst. Sci. Data* 12, 3269–3340. doi:10.5194/essd-12-3269-2020.
- 45 Frith, S. M., Stolarski, R. S., Kramarova, N. A., and McPeters, R. D. (2017). Estimating uncertainties in the SBUV
46 Version 8.6 merged profile ozone data set. *Atmos. Chem. Phys.* 17, 14695–14707. doi:10.5194/acp-17-14695-
47 2017.
- 48 Funk, C., Peterson, P., Landsfeld, M., Pedreros, D., Verdin, J., Shukla, S., et al. (2015). The climate hazards infrared
49 precipitation with stations - A new environmental record for monitoring extremes. *Sci. Data.*
50 doi:10.1038/sdata.2015.66.
- 51 Gaillard, F., Reynaud, T., Thierry, V., Kolodziejczyk, N., and von Schuckmann, K. (2016). In Situ-Based Reanalysis of
52 the Global Ocean Temperature and Salinity with ISAS: Variability of the Heat Content and Steric Height. *J. Clim.*
53 29, 1305–1323. doi:10.1175/JCLI-D-15-0028.1.
- 54 Garay, M. J., Kalashnikova, O. V., and Bull, M. A. (2017). Development and assessment of a higher-spatial-resolution
55 (4.4km) MISR aerosol optical depth product using AERONET-DRAGON data. *Atmos. Chem. Phys.* 17, 5095–
56 5106. doi:10.5194/acp-17-5095-2017.
- 57 Gaudel, A., Cooper, O. R., Ancellet, G., Barret, B., Boynard, A., Burrows, J. P., et al. (2018). Tropospheric Ozone
58 Assessment Report: Present-day distribution and trends of tropospheric ozone relevant to climate and global
59 atmospheric chemistry model evaluation. *Elem Sci Anth* 6. doi:10.1525/elementa.291.
- 60 Gaudel, A., Cooper, O. R., Chang, K.-L., Bourgeois, I., Ziemke, J. R., Strode, S. A., et al. (2020). Aircraft observations
61 since the 1990s reveal increases of tropospheric ozone at multiple locations across the Northern Hemisphere. *Sci.*

- Adv. 6. doi:10.1126/sciadv.aba8272.
- Ge, Q., Wang, H., Zheng, J., This, R., and Dai, J. (2014). A 170year spring phenology index of plants in eastern China. *J. Geophys. Res. Biogeosciences* 119. doi:10.1002/2013JG002565.
- Gehlen, M., Chau, T., Conchon, A., Denvil-Sommer, A., Chevallier, F., Vrac, M., et al. (2020). Ocean acidification. In The Copernicus Marine Service Ocean State Report, issue 4. *J. Oper. Oceanogr.* 13, s64–s67. doi:DOI: 10.1080/1755876X.2020.1785097.
- Gelaro, R., McCarty, W., Suárez, M. J., Todling, R., Molod, A., Takacs, L., et al. (2017). The Modern-Era Retrospective Analysis for Research and Applications, Version 2 (MERRA-2). *J. Clim.* 30, 5419–5454. doi:10.1175/JCLI-D-16-0758.1.
- Georgoulas, A. K., van der A, R. J., Stammes, P., Boersma, K. F., and Eskes, H. J. (2019). Trends and trend reversal detection in 2 decades of tropospheric NO₂ satellite observations. *Atmos. Chem. Phys.* 19, 6269–6294. doi:10.5194/acp-19-6269-2019.
- Ghimire, B., Williams, C. A., Masek, J., Gao, F., Wang, Z., Schaaf, C., et al. (2014). Global albedo change and radiative cooling from anthropogenic land cover change, 1700 to 2005 based on MODIS, land use harmonization, radiative kernels, and reanalysis. *Geophys. Res. Lett.* 41, 9087–9096. doi:10.1002/2014GL061671.
- Giles, D. M., Sinyuk, A., Sorokin, M. G., Schafer, J. S., Smirnov, A., Slutsker, I., et al. (2019). Advancements in the Aerosol Robotic Network (AERONET) Version 3 database – automated near-real-time quality control algorithm with improved cloud screening for Sun photometer aerosol optical depth (AOD) measurements. *Atmos. Meas. Tech.* 12, 169–209. doi:10.5194/amt-12-169-2019.
- GlaThiDa Consortium (2019). *Glacier Thickness Database 3.0.1*. World Glacier Monitoring Service Available at: https://www.gtn-g.ch/data_catalogue_glathida/.
- Gleisner, H., Lauritsen, K. B., Nielsen, J. K., and Syndergaard, S. (2020). Evaluation of the 15-year ROM SAF monthly mean GPS radio occultation climate data record. *Atmos. Meas. Tech.* 13, 3081–3098. doi:10.5194/amt-13-3081-2020.
- Gobron, N. (2018). Terrestrial Vegetation Activity [in “State of the Climate in 2017”]. *Bull. Am. Meteorol. Soc.* 99, S62–S63. doi:10.1175/2018BAMSStateoftheClimate.1.
- González-Dávila, M., Santana-Casiano, J. M., Rueda, M. J., and Llinás, O. (2010). The water column distribution of carbonate system variables at the ESTOC site from 1995 to 2004. *Biogeosciences* 7, 3067–3081. doi:10.5194/bg-7-3067-2010.
- Good, S. A., Martin, M. J., and Rayner, N. A. (2013). EN4: Quality controlled ocean temperature and salinity profiles and monthly objective analyses with uncertainty estimates. *J. Geophys. Res. Ocean.* 118, 6704–6716. doi:10.1002/2013JC009067.
- Gregor, L. (2019). Global surface ocean pCO₂ from CSIR-ML6 (version 2019a). doi:10.6084/m9.figshare.7894976.v1.
- Gregor, L., and Gruber, N. (2021). OceanSODA-ETHZ: a global gridded data set of the surface ocean carbonate system for seasonal to decadal studies of ocean acidification. *Earth Syst. Sci. Data* 13, 777–808. doi:10.5194/essd-13-777-2021.
- Gruber, A., Dorigo, W. A., Crow, W., and Wagner, W. (2017). Triple Collocation-Based Merging of Satellite Soil Moisture Retrievals. *IEEE Trans. Geosci. Remote Sens.* 55, 6780–6792. doi:10.1109/TGRS.2017.2734070.
- Gruber, N., Clement, D., Carter, B. R., Feely, R. A., van Heuven, S., Hoppema, M., et al. (2019). The oceanic sink for anthropogenic CO₂ from 1994 to 2007. *Science* (80-.). 363, 1193–1199. doi:10.1126/science.aau5153.
- Gurney, K. R., Law, R. M., Denning, A. S., Rayner, P. J., Baker, D., Bousquet, P., et al. (2003). TransCom 3 CO₂ inversion intercomparison: 1. Annual mean control results and sensitivity to transport and prior flux information. *Tellus, Ser. B Chem. Phys. Meteorol.* 55, 555–579. doi:10.1034/j.1600-0889.2003.00049.x.
- Gutman, G., Huang, C., Chander, G., Noojipady, P., and Masek, J. G. (2013). Assessment of the NASA–USGS Global Land Survey (GLS) datasets. *Remote Sens. Environ.* 134, 249–265. doi:https://doi.org/10.1016/j.rse.2013.02.026.
- Haddad, Z. S., Smith, E. A., Kummerow, C. D., Iguchi, T., Farrar, M. R., Durden, S. L., et al. (1997). The TRMM Day-1 Radar/Radiometer Combined Rain-Profiling Algorithm. *J. Meteorol. Soc. Japan. Ser. II* 75, 799–809. doi:10.2151/jmsj1965.75.4_799.
- Haimberger, L., Tavalato, C., and Sperka, S. (2012). Homogenization of the Global Radiosonde Temperature Dataset through Combined Comparison with Reanalysis Background Series and Neighboring Stations. *J. Clim.* 25, 8108–8131. doi:10.1175/JCLI-D-11-00668.1.
- Hall, B. D., Dutton, G. S., Mondeel, D. J., Nance, J. D., Rigby, M., Butler, J. H., et al. (2011). Improving measurements of SF₆ for the study of atmospheric transport and emissions. *Atmos. Meas. Tech.* doi:10.5194/amt-4-2441-2011.
- Harada, Y., Kamahori, H., Kobayashi, C., Endo, H., Kobayashi, S., Ota, Y., et al. (2016). The JRA-55 Reanalysis: Representation of atmospheric circulation and climate variability. *J. Meteorol. Soc. Japan* 94, 269–302. doi:10.2151/jmsj.2016-015.
- Harris, I., Jones, P. D., Osborn, T. J., and Lister, D. H. (2014). Updated high-resolution grids of monthly climatic observations - the CRU TS3.10 Dataset. *Int. J. Climatol.* 34, 623–642. doi:10.1002/joc.3711.
- Harris, I., Osborn, T. J., Jones, P., and Lister, D. (2020). Version 4 of the CRU TS monthly high-resolution gridded multivariate climate dataset. *Sci. Data* 7, 109. doi:10.1038/s41597-020-0453-3.
- Hawkins, E., and Jones, P. D. (2013). On increasing global temperatures: 75 years after Callendar. *Q. J. R. Meteorol.*

- Soc. 139, 1961–1963. doi:<https://doi.org/10.1002/qj.2178>.
- Hay, C. C., Morrow, E., Kopp, R. E., and Mitrovica, J. X. (2015). Probabilistic reanalysis of twentieth-century sea-level rise. *Nature* 517, 481–484. doi:[10.1038/nature14093](https://doi.org/10.1038/nature14093).
- Haylock, M. R., Hofstra, N., Klein Tank, A. M. G., Klok, E. J., Jones, P. D., and New, M. (2008). A European daily high-resolution gridded data set of surface temperature and precipitation for 1950–2006. *J. Geophys. Res.* 113, D20119. doi:[10.1029/2008JD010201](https://doi.org/10.1029/2008JD010201).
- Hegglin, M. I., Plummer, D. A., Shepherd, T. G., Scinocca, J. F., Anderson, J., Froidevaux, L., et al. (2014). Vertical structure of stratospheric water vapour trends derived from merged satellite data. *Nat. Geosci.* 7, 768. doi:[10.1038/ngeo2236](https://doi.org/10.1038/ngeo2236).
- Herrera, S., Fernández, J., and Gutiérrez, J. M. (2016). Update of the Spain02 gridded observational dataset for EURO-CORDEX evaluation: Assessing the effect of the interpolation methodology. *Int. J. Climatol.* doi:[10.1002/joc.4391](https://doi.org/10.1002/joc.4391).
- Hersbach, H., Bell, B., Berrisford, P., Hirahara, S., Horányi, A., Muñoz-Sabater, J., et al. (2020). The ERA5 global reanalysis. *Q. J. R. Meteorol. Soc.* 146, 1999–2049. doi:[10.1002/qj.3803](https://doi.org/10.1002/qj.3803).
- Hersbach, H., Peubey, C., Simmons, A., Berrisford, P., Poli, P., and Dee, D. (2015). ERA-20CM: a twentieth-century atmospheric model ensemble. *Q. J. R. Meteorol. Soc.* 141, 2350–2375. doi:[10.1002/qj.2528](https://doi.org/10.1002/qj.2528).
- Heue, K. P., Coldewey-Egbers, M., Delcloo, A., Lerot, C., Loyola, D., Valks, P., et al. (2016). Trends of tropical tropospheric ozone from 20 years of European satellite measurements and perspectives for the Sentinel-5 Precursor. *Atmos. Meas. Tech.* 9, 5037–5051. doi:[10.5194/amt-9-5037-2016](https://doi.org/10.5194/amt-9-5037-2016).
- Hicks, B. B., Callahan, W. J., Pendergrass, W. R., Dobosy, R. J., and Novakovskaia, E. (2012). Urban turbulence in space and in time. *J. Appl. Meteorol. Climatol.* doi:[10.1175/JAMC-D-11-015.1](https://doi.org/10.1175/JAMC-D-11-015.1).
- Higgins, R., Shi, W., Yarosh, E., and Joyce, R. (2000). Improved United States Precipitation Quality Control System and Analysis. NOAA, Natl. Weather Serv. Natl. Centers Environ. Predict. Clim. Predict. Cent.
- Hirahara, S., Ishii, M., and Fukuda, Y. (2014). Centennial-Scale Sea Surface Temperature Analysis and Its Uncertainty. *J. Clim.* 27, 57–75. doi:[10.1175/JCLI-D-12-00837.1](https://doi.org/10.1175/JCLI-D-12-00837.1).
- Hoesly, R. M., Smith, S. J., Feng, L., Klimont, Z., Janssens-Maenhout, G., Pitkanen, T., et al. (2018). Historical (1750–2014) anthropogenic emissions of reactive gases and aerosols from the Community Emissions Data System (CEDS). *Geosci. Model Dev.* 11, 369–408. doi:[10.5194/gmd-11-369-2018](https://doi.org/10.5194/gmd-11-369-2018).
- Huang, B., Menne, M. J., Boyer, T., Freeman, E., Gleason, B. E., Lawrimore, J. H., et al. (2020). Uncertainty estimates for sea surface temperature and land surface air temperature in NOAA GlobalTemp version 5. *J. Clim.* 33, 1351–1379. doi:[10.1175/JCLI-D-19-0395.1](https://doi.org/10.1175/JCLI-D-19-0395.1).
- Huang, B., Thorne, P. W., Banzon, V. F., Boyer, T., Chepurin, G., Lawrimore, J. H., et al. (2017). Extended Reconstructed Sea Surface Temperature, Version 5 (ERSSTv5): Upgrades, Validations, and Intercomparisons. *J. Clim.* 30, 8179–8205. doi:[10.1175/JCLI-D-16-0836.1](https://doi.org/10.1175/JCLI-D-16-0836.1).
- Huffman, G. J., Adler, R. F., Bolvin, D., Gu, G., Nelkin, E., Bowman, K. P., et al. (2007). The TRMM Multisatellite Precipitation Analysis (TMPA): Quasi-Global, Multiyear, Combined-Sensor Precipitation Estimates at Fine Scales. *J. Hydrometeorol.* 8, 38–55. doi:[10.1175/JHM560.1](https://doi.org/10.1175/JHM560.1).
- Hugonnet, R., McNabb, R., Berthier, E., Menounos, B., Nuth, C., Girod, L., et al. (2021). Accelerated global glacier mass loss in the early twenty-first century. *Nat. (in Press)*.
- Hung, T. K., and Wo, O. C. (2012). Development of a Community Weather Information Network (Co-WIN) in Hong Kong. *Weather* 67, 48–50. doi:[10.1002/wea.1883](https://doi.org/10.1002/wea.1883).
- Hurst, D. F., Oltmans, S. J., Vömel, H., Rosenlof, K. H., Davis, S. M., Ray, E. A., et al. (2011). Stratospheric water vapor trends over Boulder, Colorado: Analysis of the 30 year Boulder record. *J. Geophys. Res. Atmos.* 116. doi:[10.1029/2010JD015065](https://doi.org/10.1029/2010JD015065).
- Iguchi, T., Kozu, T., Meneghini, R., Awaka, J., and Okamoto, K. (2000). Rain-Profiling Algorithm for the TRMM Precipitation Radar. *J. Appl. Meteorol.* 39, 2038–2052. doi:[10.1175/1520-0450\(2001\)040<2038:RPAFTT>2.0.CO;2](https://doi.org/10.1175/1520-0450(2001)040<2038:RPAFTT>2.0.CO;2).
- IMBIE Consortium (2018). Mass balance of the Antarctic Ice Sheet from 1992 to 2017. *Nature*. doi:[10.1038/s41586-018-0179-y](https://doi.org/10.1038/s41586-018-0179-y).
- IMBIE Consortium (2019). Mass balance of the Greenland Ice Sheet from 1992 to 2018. *Nature*. doi:[10.1038/s41586-019-1855-2](https://doi.org/10.1038/s41586-019-1855-2).
- IMBIE Consortium (2020). Mass balance of the Greenland Ice Sheet from 1992 to 2018. *Nature* 579, 233–239. doi:[10.1038/s41586-019-1855-2](https://doi.org/10.1038/s41586-019-1855-2).
- Inamdar, A. K., and Knapp, K. R. (2015). Intercomparison of Independent Calibration Techniques Applied to the Visible Channel of the ISCCP B1 Data. *J. Atmos. Ocean. Technol.* 32, 1225–1240. doi:[10.1175/JTECH-D-14-00040.1](https://doi.org/10.1175/JTECH-D-14-00040.1).
- Inness, A., Ades, M., Agustí-Panareda, A., Barré, J., Benedictow, A., Blechschmidt, A.-M., et al. (2019). The CAMS reanalysis of atmospheric composition. *Atmos. Chem. Phys.* 19, 3515–3556. doi:[10.5194/acp-19-3515-2019](https://doi.org/10.5194/acp-19-3515-2019).
- Ishii, M., Fukuda, Y., Hirahara, S., Yasui, S., Suzuki, T., and Sato, K. (2017). Accuracy of Global Upper Ocean Heat Content Estimation Expected from Present Observational Data Sets. *SOLA* 13, 163–167. doi:[10.2151/sola.2017-030](https://doi.org/10.2151/sola.2017-030).

- Ishijima, K., Sugawara, S., Kawamura, K., Hashida, G., Morimoto, S., Murayama, S., et al. (2007). Temporal variations of the atmospheric nitrous oxide concentration and its $\delta^{15}\text{N}$ and $\delta^{18}\text{O}$ for the latter half of the 20th century reconstructed from firm air analyses. *J. Geophys. Res.* 112, D03305. doi:10.1029/2006JD007208.
- Isotta, F. A., Frei, C., Weilguni, V., Perčec Tadić, M., Lassègues, P., Rudolf, B., et al. (2014). The climate of daily precipitation in the Alps: Development and analysis of a high-resolution grid dataset from pan-Alpine rain-gauge data. *Int. J. Climatol.* doi:10.1002/joc.3794.
- Janssens-Maenhout, G., Crippa, M., Guizzardi, D., Muntean, M., Schaaf, E., Dentener, F., et al. (2019). EDGAR v4.3.2 Global Atlas of the three major Greenhouse Gas Emissions for the period 1970-2012. *Earth Syst. Sci. Data Discuss.* 2010, 1–52. doi:10.5194/essd-2018-164.
- Jevrejeva, S., Moore, J. C., Grinsted, A., Matthews, A. P., and Spada, G. (2014). Trends and acceleration in global and regional sea levels since 1807. *Glob. Planet. Change* 113, 11–22. doi:https://doi.org/10.1016/j.gloplacha.2013.12.004.
- Jones, D., Wang, W., and Fawcett, R. (2009). High-quality spatial climate data-sets for Australia. *Aust. Meteorol. Oceanogr. J.* 58, 233–248. doi:10.22499/2.5804.003.
- Jones, P. D., Lister, D. H., Osborn, T. J., Harpham, C., Salmon, M., and Morice, C. P. (2012). Hemispheric and large-scale land-surface air temperature variations: An extensive revision and an update to 2010. *J. Geophys. Res. Atmos.* 117. doi:10.1029/2011JD017139.
- Jones, P. D., and Moberg, A. (2003). Hemispheric and large-scale surface air temperature variations: An extensive revision and an update to 2001. *J. Clim.* 16, 206–223.
- Jones, S. D., Le Quéré, C., Rödenbeck, C., Manning, A. C., and Olsen, A. (2015). Data and Code archive for the interpolation of surface ocean carbon dioxide. doi:10.1594/PANGAEA.849262.
- Journée, M., Delvaux, C., and Bertrand, C. (2015). Precipitation climate maps of Belgium. *Adv. Sci. Res.* 12, 73–78. doi:10.5194/asr-12-73-2015.
- Jung, M., Reichstein, M., Margolis, H. A., Cescatti, A., Richardson, A. D., Arain, M. A., et al. (2011). Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations. *J. Geophys. Res. Biogeosciences* 116, 1–16. doi:10.1029/2010JG001566.
- Kadow, C., Hall, D. M., and Ulbrich, U. (2020). Artificial intelligence reconstructs missing climate information. *Nat. Geosci.* 13, 408–413. doi:10.1038/s41561-020-0582-5.
- Kalnay, E., Kanamitsu, M., Kistler, R., Collins, W., Deaven, D., Gandin, L., et al. (1996). The NCEP/NCAR 40-Year Reanalysis Project. *Bull. Am. Meteorol. Soc.* 77, 437–472. doi:10.1175/1520-0477(1996)077<0437:TNYRP>2.0.CO;2.
- Kamiguchi, K., Arakawa, O., Kitoh, A., Yatagai, A., Hamada, A., and Yasutomi, N. (2010). Development of APHRO_JP, the first Japanese high-resolution daily precipitation product for more than 100 years. *Hydrol. Res. Lett.* 4, 60–64. doi:10.3178/hrl.4.60.
- Kaplan, A., Cane, M. A., Kushnir, Y., Clement, A. C., Blumenthal, M. B., and Rajagopalan, B. (1998). Analyses of global sea surface temperature 1856–1991. *J. Geophys. Res. Ocean.* 103, 18567–18589. doi:10.1029/97JC01736.
- Kawanishi, T., Sezai, T., Ito, Y., Imaoka, K., Takeshima, T., Ishido, Y., et al. (2003). The Advanced Microwave Scanning Radiometer for the Earth Observing System (AMSR-E), NASDA's contribution to the EOS for global energy and water cycle studies. *IEEE Trans. Geosci. Remote Sens.* 41, 184–194. doi:10.1109/TGRS.2002.808331.
- Keeling, C. D., Piper, S. C., Bacastow, R. B., Wahlen, M., Whorf, T. P., Heimann, M., et al. (2001). Exchanges of atmospheric CO₂ and ¹³CO₂ with the terrestrial biosphere and oceans from 1978 to 2000. I. Global Aspects, SIO Reference Series, No.01-06, Scripps Institution of Oceanography. San Diego.
- Keeling, C. D., Piper, S. C., Bacastow, R. B., Wahlen, M., Whorf, T. P., Heimann, M., et al. (2005). “Atmospheric CO₂ and ¹³CO₂ exchange with the terrestrial biosphere and oceans from 1978 to 2000: observations and carbon cycle implications, pages 83–113, in “A History of Atmospheric CO₂ and its effects on Plants, Animals, and Ecosystems,” in *A History of Atmospheric CO₂ and its effects on Plants, Animals, and Ecosystems*, editors Ehleringer, J.R., T. E. Cerling, M. D. Dearing, eds. J. R. Ehleringer, T. E. Cerling, and M. D. Dearing (New York: Springer Verlag), 83–113.
- Kennedy, J. J., Rayner, N. A., Atkinson, C. P., and Killick, R. E. (2019). An ensemble data set of sea-surface temperature change from 1850: the Met Office Hadley Centre HadSST.4.0.0.0 data set. *J. Geophys. Res. Atmos.* 124, 7719–7763. doi:10.1029/2018JD029867.
- Kent, E. C., Rayner, N. A., Berry, D. I., Saunby, M., Moat, B. I., Kennedy, J. J., et al. (2013). Global analysis of night marine air temperature and its uncertainty since 1880: The HadNMAT2 data set. *J. Geophys. Res. Atmos.* 118, 1281–1298. doi:10.1002/jgrd.50152.
- King, M. D., Howat, I. M., Candela, S. G., Noh, M. J., Jeong, S., Noël, B. P. Y., et al. (2020). Dynamic ice loss from the Greenland Ice Sheet driven by sustained glacier retreat. *Commun. Earth Environ.* 1, 1. doi:10.1038/s43247-020-0001-2.
- Kirschke, S., Bousquet, P., Ciais, P., Saunoy, M., Canadell, J. G., Dlugokencky, E. J., et al. (2013). Three decades of global methane sources and sinks. *Nat. Geosci.* doi:10.1038/ngeo1955.

- 1 Klein Tank, A. M. G., Wijngaard, J. B., Können, G. P., Böhm, R., Demarée, G., Gocheva, A., et al. (2002). Daily
2 dataset of 20th-century surface air temperature and precipitation series for the European Climate Assessment. *Int.*
3 *J. Climatol.* doi:10.1002/joc.773.
- 4 Kobayashi, S., Ota, Y., Harada, Y., Ebata, A., Moriya, M., Onoda, H., et al. (2015). The JRA-55 reanalysis: General
5 specifications and basic characteristics. *J. Meteorol. Soc. Japan. Ser. II* 93, 5–48.
- 6 Kolodziejczyk, N., A. Prigent-Mazella, F. G. (2017). ISAS-15 temperature and salinity griddedfields. *SEANOE*.
7 doi:10.17882/52367.
- 8 Kubota, T., Aonashi, K., Ushio, T., Shige, S., Takayabu, Y. N., Kachi, M., et al. (2020). “Global Satellite Mapping of
9 Precipitation (GSMaP) Products in the GPM Era,” in *Satellite Precipitation Measurement: Volume 1*, eds. V.
10 Levizzani, C. Kidd, D. B. Kirschbaum, C. D. Kummerow, K. Nakamura, and F. J. Turk (Cham: Springer
11 International Publishing), 355–373. doi:10.1007/978-3-030-24568-9_20.
- 12 Kummerow, C. (2015). NRT AMSR2 L2B Global Swath Goddard Profiling Algorithm 2010: Surface Precipitation,
13 Wind Speed Over Ocean, Water Vapor over Ocean and Cloud Liquid Water over Ocean.
14 doi:10.5067/AMSR2/A2_RainOcn_NRT.
- 15 Kwok, R., and Cunningham, G. F. (2015). Variability of arctic sea ice thickness and volume from CryoSat-2. *Philos.*
16 *Trans. R. Soc. A Math. Phys. Eng. Sci.* 373, 2045. doi:10.1098/rsta.2014.0157.
- 17 Kwok, R., Cunningham, G. F., Wensnahan, M., Rigor, I., Zwally, H. J., and Yi, D. (2009). Thinning and volume loss of
18 the Arctic Ocean sea ice cover: 2003-2008. *J. Geophys. Res. Ocean.* 114. doi:10.1029/2009JC005312.
- 19 Labbe, T., Pfister, C., Bronnimann, S., Rousseau, D., Franke, J., and Bois, B. (2019). The longest homogeneous series
20 of grape harvest dates, Beaune 1354-2018, and its significance for the understanding of past and present climate.
21 *Clim. Past Forum* 15, 1485–1501. doi:10.5194/cp-2018-179.
- 22 Laloyaux, P., de Boisseson, E., Balmaseda, M., Bidlot, J.-R., Broennimann, S., Buizza, R., et al. (2018). CERA-20C: A
23 Coupled Reanalysis of the Twentieth Century. *J. Adv. Model. Earth Syst.* 10, 1172–1195.
24 doi:https://doi.org/10.1029/2018MS001273.
- 25 Landschützer, P., Gruber, N., and Bakker, D. C. E. (2016). Decadal variations and trends of the global ocean carbon
26 sink. *Global Biogeochem. Cycles* 30, 1396–1417. doi:10.1002/2015GB005359.
- 27 Lange, S. (2019). *WFDE5 over land merged with ERA5 over the ocean (W5E5)*. GFZ Data Services
28 doi:10.5880/pik.2019.023.
- 29 Langenfelds, R. L., Francey, R. J., Pak, B. C., Steele, L. P., Lloyd, J., Trudinger, C. M., et al. (2002). Interannual
30 growth rate variations of atmospheric CO₂ and its $\delta^{13}\text{C}$, H₂, CH₄, and CO between 1992 and 1999 linked to
31 biomass burning. *Global Biogeochem. Cycles*. doi:10.1029/2001GB001466.
- 32 Laverne, T., Sørensen, A. M., Kern, S., Tonboe, R., Notz, D., Aaboe, S., et al. (2019). Version 2 of the EUMETSAT
33 OSI SAF and ESA CCI sea-ice concentration climate data records. *Cryosph.* 13, 49–78. doi:10.5194/tc-13-49-
34 2019.
- 35 Legeais, J.-F., Ablain, M., Zawadzki, L., Zuo, H., Johannessen, J. A., Scharffenberg, M. G., et al. (2018). An improved
36 and homogeneous altimeter sea level record from the ESA Climate Change Initiative. *Earth Syst. Sci. Data* 10,
37 281–301. doi:10.5194/essd-10-281-2018.
- 38 Lenssen, N. J. L., Schmidt, G. A., Hansen, J. E., Menne, M. J., Persin, A., Ruedy, R., et al. (2019). Improvements in the
39 GISTEMP Uncertainty Model. *J. Geophys. Res. Atmos.* 124, 6307–6326. doi:10.1029/2018JD029522.
- 40 Leventidou, E., Weber, M., Eichmann, K.-U. K. U., Burrows, J. P., Heue, K.-P. K. P., Thompson, A. M., et al. (2018).
41 Harmonisation and trends of 20-year tropical tropospheric ozone data. *Atmos. Chem. Phys.* 18, 9189–9205.
42 doi:10.5194/acp-18-9189-2018.
- 43 Levitus, S., Antonov, J. I., Boyer, T. P., Baranova, O. K., Garcia, H. E., Locarnini, R. A., et al. (2012a). World ocean
44 heat content and thermosteric sea level change (0-2000m), 1955-2010. *Geophys. Res. Lett.* 39.
45 doi:10.1029/2012GL051106.
- 46 Levitus, S., Antonov, J. I., Boyer, T. P., Baranova, O. K., Garcia, H. E., Locarnini, R. A., et al. (2012b). World ocean
47 heat content and thermosteric sea level change (0–2000 m), 1955–2010. *Geophys. Res. Lett.* 39.
48 doi:10.1029/2012GL051106.
- 49 Liu, G., Liu, J., Tarasick, D. W., Fioletov, V. E., Jin, J. J., Moeini, O., et al. (2013). A global tropospheric ozone
50 climatology from trajectory-mapped ozone soundings. *Atmos. Chem. Phys.* 13, 10659–10675. doi:10.5194/acp-
51 13-10659-2013.
- 52 Liu, Y. Y., Dorigo, W. A., Parinussa, R. M., De Jeu, R. A. M., Wagner, W., McCabe, M. F., et al. (2012a). Trend-
53 preserving blending of passive and active microwave soil moisture retrievals. *Remote Sens. Environ.* 123, 280–
54 297. doi:10.1016/j.rse.2012.03.014.
- 55 Liu, Z., Ostrenga, D., Teng, W., and Kempler, S. (2012b). Tropical Rainfall Measuring Mission (TRMM) Precipitation
56 Data and Services for Research and Applications. *Bull. Am. Meteorol. Soc.* 93, 1317–1325. doi:10.1175/BAMS-
57 D-11-00152.1.
- 58 Locarnini, R. A., Mishonov, A. V., Baranova, O. K., Boyer, T. P., Zweng, M. M., Garcia, H. E., et al. (2019). World
59 Ocean Atlas 2018, Volume 1: Temperature. Available at: <https://archimer.ifremer.fr/doc/00651/76338/>.
- 60 Loeb, N. G., Doelling, D. R., Wang, H., Su, W., Nguyen, C., Corbett, J. G., et al. (2017). Clouds and the Earth’s
61 Radiant Energy System (CERES) Energy Balanced and Filled (EBAF) Top-of-Atmosphere (TOA) Edition-4.0

- 1 Data Product. *J. Clim.* 31, 895–918. doi:10.1175/JCLI-D-17-0208.1.
- 2 Loeb, N. G., Lyman, J. M., Johnson, G. C., Allan, R. P., Doelling, D. R., Wong, T., et al. (2012). Observed changes in
3 top-of-the-atmosphere radiation and upper-ocean heating consistent within uncertainty. *Nat. Geosci.* 5, 110–113.
4 doi:10.1038/ngeo1375.
- 5 Loeb, N. G., Wang, H., Allan, R. P., Andrews, T., Armour, K., Cole, J. N. S., et al. (2020). New Generation of Climate
6 Models Track Recent Unprecedented Changes in Earth's Radiation Budget Observed by CERES. *Geophys. Res.*
7 *Lett.* 47, e2019GL086705. doi:https://doi.org/10.1029/2019GL086705.
- 8 Loeb, N. G., Wielicki, B. A., Doelling, D. R., Smith, G. L., Keyes, D. F., Kato, S., et al. (2009). Toward optimal closure
9 of the Earth's top-of-atmosphere radiation budget. *J. Clim.* 22, 748–766. doi:10.1175/2008JCLI2637.1.
- 10 Loupian, E., Burtsev, M. A., Bartalev, S. A., and Kashnitskii, A. (2015). IKI center for collective use of satellite data
11 archiving, processing and analysis systems aimed at solving the problems of environmental study and
12 monitoring. *Curr. Probl. Remote Sens. Earth From Sp.* 12, 263–284.
- 13 Loveland, T. R., and Belward, A. S. (1997). The IGBP-DIS global 1km land cover data set, DISCover: First results. *Int.*
14 *J. Remote Sens.* 18, 3289–3295. doi:10.1080/014311697217099.
- 15 Lussana, C., Saloranta, T., Skaugen, T., Magnusson, J., Einar Tveito, O., and Andersen, J. (2018). SeNorge2 daily
16 precipitation, an observational gridded dataset over Norway from 1957 to the present day. *Earth Syst. Sci. Data.*
17 doi:10.5194/essd-10-235-2018.
- 18 Lyman, J., and Johnson, G. (2014). Estimating Global Ocean Heat Content Changes in the Upper 1800 m since 1950
19 and the Influence of Climatology Choice. *J. Clim.* 27, 1945–1957. doi:doi: 10.1175/jcli-d-12-00752.1.
- 20 Mahmood, S., Davie, J., Jerney, P., Renshaw, R., George, J. P., Rajagopal, E. N., et al. (2018). Indian monsoon data
21 assimilation and analysis regional reanalysis: Configuration and performance. *Atmos. Sci. Lett.* 19, e808.
22 doi:10.1002/asl.808.
- 23 Maidment, R. I., Grimes, D., Allan, R. P., Tarnavsky, E., Stringer, M., Hewison, T., et al. (2014). The 30 year
24 TAMSAT African Rainfall Climatology And Time series (TARCAT) data set. *J. Geophys. Res. Atmos.* 119, 10,
25 610–619, 644. doi:10.1002/2014JD021927.
- 26 Mankoff, K. D., Colgan, W., Solgaard, A., Karlsson, N. B., Ahlström, A. P., van As, D., et al. (2019). Greenland Ice
27 Sheet solid ice discharge from 1986 through 2017. *Earth Syst. Sci. Data* 11, 769–786. doi:10.5194/essd-11-769-
28 2019.
- 29 Marshall, G. J. (2003). Trends in the Southern Annular Mode from observations and reanalyses. *J. Clim.* 16, 4134–
30 4143.
- 31 Masarie, K. A., and Tans, P. P. (2004). Extension and integration of atmospheric carbon dioxide data into a globally
32 consistent measurement record. *J. Geophys. Res. Atmos.* 100, 11593–11610. doi:10.1029/95JD00859.
- 33 Mears, C. A., and Wentz, F. J. (2017). A Satellite-Derived Lower-Tropospheric Atmospheric Temperature Dataset
34 Using an Optimized Adjustment for Diurnal Effects. *J. Clim.* 30, 7695–7718. doi:10.1175/JCLI-D-16-0768.1.
- 35 Meinshausen, M., Vogel, E., Nauels, A., Lorbacher, K., Meinshausen, N., Etheridge, D. M., et al. (2017). Historical
36 greenhouse gas concentrations for climate modelling (CMIP6). *Geosci. Model Dev.* 10, 2057–2116.
37 doi:10.5194/gmd-10-2057-2017.
- 38 Menne, M. J., Williams, C. N., Gleason, B. E., Rennie, J. J., and Lawrimore, J. H. (2018). The Global Historical
39 Climatology Network Monthly Temperature Dataset, Version 4. *J. Clim.* 0, null. doi:10.1175/JCLI-D-18-0094.1.
- 40 Merchant, C. J., Embury, O., Roberts-Jones, J., Fiedler, E., Bulgin, C. E., Corlett, G. K., et al. (2014a). Sea surface
41 temperature datasets for climate applications from Phase 1 of the European Space Agency Climate Change
42 Initiative (SST CCI). *Geosci. Data J.* 1, 179–191. doi:10.1002/gdj3.20.
- 43 Merchant, C. J., Embury, O., Roberts-Jones, J., Fiedler, E. K., Bulgin, C. E., Corlett, G. K., et al. (2014b). “ESA Sea
44 Surface Temperature Climate Change Initiative (ESA SST CCI): Analysis long term product version 1.0,” in
45 *NERC Earth Observation Data Centre, 24th February 2014* doi:10.5285/2262690A-B588-4704-B459-
46 39E05527B59A.
- 47 Merlivat, L., Boutin, J., Antoine, D., Beaumont, L., Golbol, M., and Vellucci, V. (2018). Increase of dissolved
48 inorganic carbon and decrease in pH in near-surface waters in the Mediterranean Sea during the past two decades.
49 *Biogeosciences* 15, 5653–5662. doi:10.5194/bg-15-5653-2018.
- 50 Montzka, S. A., Hall, B. D., and Elkins, J. W. (2009). Accelerated increases observed for hydrochlorofluorocarbons
51 since 2004 in the global atmosphere. *Geophys. Res. Lett.* doi:10.1029/2008GL036475.
- 52 Montzka, S. A., McFarland, M., Andersen, S. O., Miller, B. R., Fahey, D. W., Hall, B. D., et al. (2015). Recent trends in
53 global emissions of hydrochlorofluorocarbons and hydrofluorocarbons: Reflecting on the 2007 Adjustments to
54 the Montreal protocol. *J. Phys. Chem. A* 119, 4439–4449. doi:10.1021/jp5097376.
- 55 Morice, C. P., Kennedy, J. J., Rayner, N. A., and Jones, P. D. (2012). Quantifying uncertainties in global and regional
56 temperature change using an ensemble of observational estimates: The HadCRUT4 data set. *J. Geophys. Res.*
57 *Atmos.* 117, doi:10.1029/2011JD017187.
- 58 Morice, C. P., Kennedy, J. J., Rayner, N. A., Winn, J. P., Hogan, E., Killick, R. E., et al. (2020). An updated assessment
59 of near-surface temperature change from 1850: the HadCRUT5 dataset. *J. Geophys. Res. Atmos.* 125, (in press).
60 doi:https://doi.org/10.1029/2019JD032361.
- 61 Mudryk, L., Santolaria-Otín, M., Krinner, G., Ménégoz, M., Derksen, C., Brutel-Vuilmet, C., et al. (2020). Historical

- 1 Northern Hemisphere snow cover trends and projected changes in the CMIP6 multi-model ensemble. *Cryosph.*
2 14, 2495–2514. doi:10.5194/tc-14-2495-2020.
- 3 Mueller, B., Hirschi, M., Jimenez, C., Ciais, P., Dirmeyer, P. A., Dolman, A. J., et al. (2013). Benchmark products for
4 land evapotranspiration: LandFlux-EVAL multi-data set synthesis. *Hydrol. Earth Syst. Sci.*
- 5 Myneni, R., Kynazikhin, Y., and Park, T. (2015). MCD15A2H MODIS/Terra+Aqua Leaf Area Index/FPAR 8-day L4
6 Global 500m SIN Grid V006 [Data set]. NASA EOSDIS Land Processes DAAC.
7 doi:10.5067/MODIS/MCD15A2H.006.
- 8 Nerem, R. S., Beckley, B. D., Fasullo, J. T., Hamlington, B. D., Masters, D., and Mitchum, G. T. (2018). Climate-
9 change–driven accelerated sea-level rise detected in the altimeter era. *Proc. Natl. Acad. Sci.* 115, 2022–2025.
10 doi:10.1073/pnas.1717312115.
- 11 NIWA (2020). Ministry for the Environment Atmosphere and Climate Report 2020: Updated datasets supplied by
12 NIWA. Available at: <https://www.mfe.govt.nz/publications/environmental-reporting/ministry-environment-atmosphere-and-climate-report-2020-updated>.
- 13 Novella, N. S., and Thiaw, W. M. (2013). African rainfall climatology version 2 for famine early warning systems. *J.*
14 *Appl. Meteorol. Climatol.* doi:10.1175/JAMC-D-11-0238.1.
- 15 Olsen, A., Lange, N., Key, R. M., Tanhua, T., Álvarez, M., Becker, S., et al. (2019). GLODAPv2.2019 -- an update of
16 GLODAPv2. *Earth Syst. Sci. Data* 11, 1437–1461. doi:10.5194/essd-11-1437-2019.
- 17 Onogi, K., Tsutsui, J., Koide, H., Sakamoto, M., Kobayashi, S., Hatsushika, H., et al. (2007). The JRA-25 Reanalysis.
18 *J. Meteorol. Soc. Japan* 85, 369–432. doi:10.2151/jmsj.85.369.
- 19 Osborn, T. J., Jones, P. D., Lister, D. H., Morice, C. P., Simpson, I. R., Winn, J. P., et al. (2021). Land Surface Air
20 Temperature Variations Across the Globe Updated to 2019: The CRUTEM5 Data Set. *J. Geophys. Res. Atmos.*
21 126. doi:10.1029/2019JD032352.
- 22 Oyler, J. W., Ballantyne, A., Jencso, K., Sweet, M., and Running, S. W. (2015). Creating a topoclimatic daily air
23 temperature dataset for the conterminous United States using homogenized station data and remotely sensed land
24 skin temperature. *Int. J. Climatol.* 35, 2258–2279. doi:10.1002/joc.4127.
- 25 Palmer, M. D., Domingues, C. M., Slangen, A. B. A., and Boeira Dias, F. (2021). An ensemble approach to quantify
26 global mean sea-level rise over the 20th century from tide gauge reconstructions. *Environ. Res. Lett.* 16, 044043.
27 doi:10.1088/1748-9326/abdae.
- 28 Pan, M., Sahoo, A. K., Troy, T. J., Vinukollu, R. K., Sheffield, J., and Wood, E. F. (2012). Multisource Estimation of
29 Long-Term Terrestrial Water Budget for Major Global River Basins. *J. Clim.* 25, 3191–3206. doi:10.1175/JCLI-
30 D-11-00300.1.
- 31 Panchen, Z. A., Primack, R. B., Aniško, T., and Lyons, R. E. (2012). Herbarium specimens, photographs, and field
32 observations show philadelphia area plants are responding to climate change. *Am. J. Bot.* 99.
33 doi:10.3732/ajb.1100198.
- 34 Panziera, L., Gabella, M., Germann, U., and Martius, O. (2018). A 12-year radar-based climatology of daily and sub-
35 daily extreme precipitation over the Swiss Alps. *Int. J. Climatol.* 38, 3749–3769. doi:10.1002/joc.5528.
- 36 Park, S., Croteau, P., Boering, K. A., Etheridge, D. M., Ferretti, D., Fraser, P. J., et al. (2012). Trends and seasonal
37 cycles in the isotopic composition of nitrous oxide since 1940. *Nat. Geosci.* 5, 261–265. doi:10.1038/ngeo1421.
- 38 Parthasarathy, B., Munot, A. A., and Kothawale, D. R. (1994). All-India monthly and seasonal rainfall series: 1871–
39 1993. *Theor. Appl. Climatol.* 49, 217–224. doi:10.1007/BF00867461.
- 40 Patra, P. K., Saeki, T., Dlugokencky, E. J., Ishijima, K., Umezawa, T., Ito, A., et al. (2016). Regional methane emission
41 estimation based on observed atmospheric concentrations (2002–2012). *J. Meteorol. Soc. Japan* 94.
42 doi:10.2151/jmsj.2016-006.
- 43 Patra, P. K., Takigawa, M., Watanabe, S., Chandra, N., Ishijima, K., and Yamashita, Y. (2018). Improved Chemical
44 Tracer Simulation by MIROC4.0-based Atmospheric Chemistry-Transport Model (MIROC4-ACTM). *SOLA* 14,
45 91–96. doi:10.2151/sola.2018-016.
- 46 Paulat, M., Frei, C., Hagen, M., and Wernli, H. (2008). A gridded dataset of hourly precipitation in Germany: Its
47 construction, climatology and application. *Meteorol. Zeitschrift* 17, 719–732. doi:10.1127/0941-2948/2008/0332.
- 48 Peng, G., Meier, W. N., Scott, D. J., and Savoie, M. H. (2013). A long-term and reproducible passive microwave sea ice
49 concentration data record for climate studies and monitoring. *Earth Syst. Sci. Data* 5, 311–318. doi:10.5194/essd-
50 5-311-2013.
- 51 Platnick, S., King, M. D., Ackerman, S. A., Menzel, W. P., Baum, B. A., Riédi, J. C., et al. (2003). The MODIS cloud
52 products: Algorithms and examples from terra. *IEEE Trans. Geosci. Remote Sens.* 41, 459–472.
53 doi:10.1109/TGRS.2002.808301.
- 54 Poli, P., Hersbach, H., Dee, D. P., Berrisford, P., Simmons, A. J., Vitart, F., et al. (2016). ERA-20C: An Atmospheric
55 Reanalysis of the Twentieth Century. *J. Clim.* 29, 4083–4097. doi:10.1175/JCLI-D-15-0556.1.
- 56 Prinn, R. G., Weiss, R. F., Arduini, J., Arnold, T., Langley Dewitt, H., Fraser, P. J., et al. (2018). History of chemically
57 and radiatively important atmospheric gases from the Advanced Global Atmospheric Gases Experiment
58 (AGAGE). *Earth Syst. Sci. Data.* doi:10.5194/essd-10-985-2018.
- 59 Purkey, S. G., and Johnson, G. C. (2010). Warming of Global Abyssal and Deep Southern Ocean Waters between the
60 1990s and 2000s: Contributions to Global Heat and Sea Level Rise Budgets. *J. Clim.* 23, 6336–6351.

- doi:10.1175/2010JCLI3682.1.
- Rajeevan, M., Bhatte, J., Kale, J. D., and Lal, B. (2006). High resolution daily gridded rainfall data for the Indian region: Analysis of break and active monsoon spells. *Curr. Sci.* doi:10.1007/s12040-007-0019-1.
- Ray, R. D., and Douglas, B. C. (2011). Experiments in reconstructing twentieth-century sea levels. *Prog. Oceanogr.* 91, 496–515. doi:https://doi.org/10.1016/j.pocean.2011.07.021.
- Rayner, N. A., Parker, D. E., Horton, E. B., Folland, C. K., Alexander, L. V., Rowell, D. P., et al. (2003). Global analyses of sea surface temperature, sea ice, and night marine air temperature since the late nineteenth century. *J. Geophys. Res. Atmos.* 108. doi:10.1029/2002JD002670.
- Reichle, R. H. (2012). The MERRA-Land Data Product. GMAO Office Note No. 3 (Version 1.2).
- Reynolds, R. W., Rayner, N. A., Smith, T. M., Stokes, D. C., and Wang, W. (2002). An Improved In Situ and Satellite SST Analysis for Climate. *J. Clim.* 15, 1609–1625. doi:10.1175/1520-0442(2002)015<1609:AIISAS>2.0.CO;2.
- Rice, A. L., Butenhoff, C. L., Teama, D. G., Röger, F. H., Khalil, M. A. K., and Rasmussen, R. A. (2016). Atmospheric methane isotopic record favors fossil sources flat in 1980s and 1990s with recent increase. *Proc. Natl. Acad. Sci.* 113, 10791–10796. doi:10.1073/pnas.1522923113.
- Rienecker, M. M., Suarez, M. J., Gelaro, R., Todling, R., Bacmeister, J., Liu, E., et al. (2011). MERRA: NASA's Modern-Era Retrospective Analysis for Research and Applications. *J. Clim.* 24, 3624–3648. doi:10.1175/JCLI-D-11-00015.1.
- Rignot, E., Mouginot, J., Scheuchl, B., van den Broeke, M., van Wessem, M. J., and Morlighem, M. (2019). Four decades of Antarctic Ice Sheet mass balance from 1979–2017. *Proc. Natl. Acad. Sci.* 116, 1095–1103. doi:10.1073/pnas.1812883116.
- Rodell, M., Houser, P. R., Jambor, U. E. A., Gottschalck, J., Mitchell, K., Meng, C.-J., et al. (2004). The global land data assimilation system. *Bull. Am. Meteorol. Soc.* 85, 381–394.
- Rödenbeck, C., Bakker, D. C. E., Metzl, N., Olsen, A., Sabine, C., Cassar, N., et al. (2014). Interannual sea–air CO₂ flux variability from an observation-driven ocean mixed-layer scheme. *Biogeosciences* 11, 4599–4613. doi:10.5194/bg-11-4599-2014.
- Rödenbeck, C., Keeling, R. F., Bakker, D. C. E., Metzl, N., Olsen, A., Sabine, C., et al. (2013). Global surface-ocean pCO₂ and sea–air CO₂ flux variability from an observation-driven ocean mixed-layer scheme. *Ocean Sci.* 9, 193–216. doi:10.5194/os-9-193-2013.
- Roebeling, R. A., and Holleman, I. (2009). SEVIRI rainfall retrieval and validation using weather radar observations. *J. Geophys. Res. Atmos.* doi:10.1029/2009JD012102.
- Rohde, R. A., and Hausfather, Z. (2020). The Berkeley Earth Land/Ocean Temperature Record. *Earth Syst. Sci. Data* 12, 3469–3479. doi:10.5194/essd-12-3469-2020.
- Romanovsky, V., Smith, S., Isaksen, K., Nyland, K., Kholodov, A., Shiklomanov, N., et al. (2020). [Arctic] Terrestrial Permafrost [in “State of the Climate in 2019”]. *Bull. Am. Meteorol. Soc.* 101, 265–269. doi:10.1175/BAMS-D-20-0086.1.
- Rostkier-Edelstein, D., Liu, Y., Wu, W., Kunin, P., Givati, A., and Ge, M. (2014). Towards a high-resolution climatology of seasonal precipitation over Israel. *Int. J. Climatol.* 34, 1964–1979. doi:10.1002/joc.3814.
- Rothrock, D. A., Percival, D. B., and Wensnahan, M. (2008). The decline in arctic sea-ice thickness: Separating the spatial, annual, and interannual variability in a quarter century of submarine data. *J. Geophys. Res. Ocean.* 113. doi:10.1029/2007JC004252.
- Saeki, T., and Patra, P. K. (2017). Implications of overestimated anthropogenic CO₂ emissions on East Asian and global land CO₂ flux inversion. *Geosci. Lett.* 4, 9. doi:10.1186/s40562-017-0074-7.
- Saha, S., Moorthi, S., Pan, H.-L., Wu, X., Wang, J., Nadiga, S., et al. (2010). The NCEP Climate Forecast System Reanalysis. *Bull. Am. Meteorol. Soc.* 91, 1015–1058. doi:10.1175/2010BAMS3001.1.
- Sathyendranath, S., Brewin, R. J. W., Brockmann, C., Brotas, V., Calton, B., Chuprin, A., et al. (2019). An Ocean-Colour Time Series for Use in Climate Studies: The Experience of the Ocean-Colour Climate Change Initiative (OC-CCI). *Sensors* 19. doi:10.3390/s19194285.
- Saunois, M., Stavert, A. R., Poulter, B., Bousquet, P., Canadell, J. G., Jackson, R. B., et al. (2020). The Global Methane Budget 2000–2017. *Earth Syst. Sci. Data* 12, 1561–1623. doi:10.5194/essd-12-1561-2020.
- Schellekens, J., Dutra, E., la Torre, A., Balsamo, G., van Dijk, A., Sperna Weiland, F., et al. (2017). A global water resources ensemble of hydrological models: the earth2Observe Tier-1 dataset. *Earth Syst. Sci. Data* 9, 389–413. doi:10.5194/essd-9-389-2017.
- Scherler, D., Wulf, H., and Gorelick, N. (2018). Global Assessment of Supraglacial Debris-Cover Extents. *Geophys. Res. Lett.* 45, 11,798–11,805. doi:10.1029/2018GL080158.
- Schneider, U., Finger, P., Meyer-Christoffer, A., Rustemeier, E., Ziese, M., and Becker, A. (2017). Evaluating the hydrological cycle over land using the newly-corrected precipitation climatology from the Global Precipitation Climatology Centre (GPCC). *Atmosphere (Basel)* 8, 52. doi:10.3390/atmos8030052.
- Schröder, M., Lockhoff, M., Fell, F., Forsythe, J., Trent, T., Bennartz, R., et al. (2018). The GEWEX Water Vapor Assessment archive of water vapour products from satellite observations and reanalyses. *Earth Syst. Sci. Data* 10, 1093–1117. doi:10.5194/essd-10-1093-2018.
- Schultz, M. G., Schröder, S., Lyapina, O., Cooper, O., Galbally, I., Petropavlovskikh, I., et al. (2017). Tropospheric

- Ozone Assessment Report: Database and Metrics Data of Global Surface Ozone Observations. *Elem Sci Anth* 5, 58. doi:10.1525/elementa.244.
- Schweiger, A., Lindsay, R., Zhang, J., Steele, M., Stern, H., and Kwok, R. (2011). Uncertainty in modeled Arctic sea ice volume. *J. Geophys. Res. Ocean.* 116. doi:https://doi.org/10.1029/2011JC007084.
- Shen, Y., Hong, Z., Pan, Y., Yu, J., and Maguire, L. (2018). China's 1 km Merged Gauge, Radar and Satellite Experimental Precipitation Dataset. *Remote Sens.* 10. doi:10.3390/rs10020264.
- Simpson, I. J., Andersen, M. P. S., Meinardi, S., Bruhwiler, L., Blake, N. J., Helmig, D., et al. (2012). Long-term decline of global atmospheric ethane concentrations and implications for methane. *Nature* 488, 490–494. doi:10.1038/nature11342.
- Slivinski, L. C., Compo, G. P., Whitaker, J. S., Sardeshmukh, P. D., Giese, B. S., McColl, C., et al. (2019). Towards a more reliable historical reanalysis: Improvements for version 3 of the Twentieth Century Reanalysis system. *Q. J. R. Meteorol. Soc.* 145, 2876–2908. doi:10.1002/qj.3598.
- Smeed, D. A., Josey, S. A., Beaulieu, C., Johns, W. E., Moat, B. I., Frajka-Williams, E., et al. (2018). The North Atlantic Ocean is in a state of reduced overturning. *Geophys. Res. Lett.* 45, 1527–1533.
- Spencer, R. W., Christy, J. R., and Braswell, W. D. (2017). UAH Version 6 Global Satellite Temperature Products: Methodology and Results. *Asia-Pacific Journal Atmos. Sci.* 53, 121–130. doi:10.1007/s13143-017-0010-y.
- Staehelin, J., Viatte, P., Stübi, R., Tummon, F., and Peter, T. (2018). Stratospheric ozone measurements at Arosa (Switzerland): History and scientific relevance. *Atmos. Chem. Phys.* 18, 6567–6584. doi:10.5194/acp-18-6567-2018.
- Steiner, A. K., Ladstädter, F., Ao, C. O., Gleisner, H., Ho, S.-P., Hunt, D., et al. (2020). Consistency and structural uncertainty of multi-mission GPS radio occultation records. *Atmos. Meas. Tech.* 13, 2547–2575. doi:10.5194/amt-13-2547-2020.
- Stocker, E. F., Alquaied, F., Bilanow, S., Ji, Y., and Jones, L. (2018). TRMM Version 8 Reprocessing Improvements and Incorporation into the GPM Data Suite. *J. Atmos. Ocean. Technol.* 35, 1181–1199. doi:10.1175/JTECH-D-17-0166.1.
- Sun, W., Li, Q., Huang, B., Cheng, J., Song, Z., Li, H., et al. (2021). The Assessment of Global Surface Temperature Change from 1850s: The C-LSAT2.0 Ensemble and the CMST-Interim Datasets. *Adv. Atmos. Sci.* doi:10.1007/s00376-021-1012-3.
- Susskind, J., Barnett, C. D., Blaisdell, J., Iredell, L., Keita, F., Kouvaris, L., et al. (2006). Accuracy of geophysical parameters derived from Atmospheric Infrared Sounder/Advanced Microwave Sounding Unit as a function of fractional cloud cover. *J. Geophys. Res. Atmos.* 111. doi:10.1029/2005JD006272.
- Susskind, J., Blaisdell, J. M., and Iredell, L. (2014). Improved methodology for surface and atmospheric soundings, error estimates, and quality control procedures: the atmospheric infrared sounder science team version-6 retrieval algorithm. *J. Appl. Remote Sens.* 8, 1–34. doi:10.1117/1.JRS.8.084994.
- Takahashi, K., Mikami, T., and Takahashi, H. (2011). Influence of the Urban Heat Island Phenomenon in Tokyo on the Local Wind System at Nighttime in Summer. *J. Geogr. (Chigaku Zasshi)*. doi:10.5026/jgeography.120.341.
- Takahashi, T., Sutherland, S. C., Chipman, D. W., Goddard, J. G., Ho, C., Newberger, T., et al. (2014). Climatological distributions of pH, pCO₂, total CO₂, alkalinity, and CaCO₃ saturation in the global surface ocean, and temporal changes at selected locations. *Mar. Chem.* 164, 95–125. doi:https://doi.org/10.1016/j.marchem.2014.06.004.
- Tanelli, S., Durden, S. L., Im, E., Pak, K. S., Reinke, D. G., Partain, P., et al. (2008). CloudSat's Cloud Profiling Radar After Two Years in Orbit: Performance, Calibration, and Processing. *IEEE Trans. Geosci. Remote Sens.* 46, 3560–3573. doi:10.1109/TGRS.2008.2002030.
- Tapley, B. D., Bettadpur, S., Watkins, M., and Reigber, C. (2004). The gravity recovery and climate experiment: Mission overview and early results. *Geophys. Res. Lett.* 31. doi:10.1029/2004GL019920.
- Tarasick, D., Galbally, I. E., Cooper, O., and Schultz, M. G. (2019). Tropospheric Ozone Assessment Report: Tropospheric ozone observations – How well do we know tropospheric ozone changes? Submitted. *Elementa*.
- Tarasick, D. W., Jin, J. J., Fioletov, V. E., Liu, G., Thompson, A. M., Oltmans, S. J., et al. (2010). High-resolution tropospheric ozone fields for INTEX and ARCTAS from IONS ozonesondes. *J. Geophys. Res. Atmos.* 115. doi:https://doi.org/10.1029/2009JD012918.
- Thomason, L. W., Ernest, N., Millán, L., Rieger, L., Bourassa, A., Vernier, J.-P., et al. (2018). A global space-based stratospheric aerosol climatology: 1979–2016. *Earth Syst. Sci. Data* 10, 469–492. doi:10.5194/essd-10-469-2018.
- Thompson, R. L., Lassaletta, L., Patra, P. K., Wilson, C., Wells, K., Gressent, A., et al. Acceleration of global N₂O emissions seen from two decades of atmospheric inversion. *J. Geophys. Res.*
- Thorne, P. W., Parker, D. E., Tett, S. F. B., Jones, P. D., McCarthy, M., Coleman, H., et al. (2005). Revisiting radiosonde upper air temperatures from 1958 to 2002. *J. Geophys. Res. Atmos.* 110. doi:10.1029/2004JD005753.
- Tian, B., Fetzer, E. J., Kahn, B. H., Teixeira, J., Manning, E., and Hearty, T. (2013). Dub Evaluating CMIP5 models using AIRS tropospheric air temperature and specific humidity climatology. *J. Geophys. Res. Atmos.* 118, 114–134. doi:10.1029/2012JD018607.
- Tokinaga, H., and Xie, S.-P. (2011). Wave and anemometer-based sea surface wind (WASWind) for climate change analysis. *J. Clim.* 24, 267–285.
- Tomita (2017). Correction of J-OFURO3 air specific humidity product from microwave radiometers. J-OFURO3

- official document J-OFURO3-DOC-005 (in Japanese).
- Trewin, B., Braganza, K., Fawcett, R., Grainger, S., Jovanovic, B., Jones, D., et al. (2020). An updated long-term homogenized daily temperature data set for Australia. *Geosci. Data J.* 7, 149–169. doi:10.1002/gdj3.95.
- TRMM (2011). TRMM (TMPA) Rainfall Estimate L3 3-hour 0.25 degree x 0.25 degree V7, Greenbelt, MD, Goddard Earth Sciences Data and Information Services Center (GES DISC). doi:10.5067/TRMM/TMPA/3H/7.
- Troup, A. J. (1965). The ‘southern oscillation.’ *Q. J. R. Meteorol. Soc.* 91, 490–506. doi:10.1002/qj.49709139009.
- Tsutsumi, Y., Mori, K., Hirahara, T., Ikegami, M., and Conway, T. J. (2009). Technical Report of Global Analysis Method for Major Greenhouse Gases by the World Data Center for Greenhouse Gases, Global Atmosphere Watch Report No. 184. Geneva, Switzerland Available at: www.wmo.int/pages/prog/arep/gaw/documents/TD_1473_GAW184_web.pdf.
- Turnbull, J. C., Mikaloff Fletcher, S. E., Ansell, I., Brailsford, G. W., Moss, R. C., Norris, M. W., et al. (2017). Sixty years of radiocarbon dioxide measurements at Wellington, New Zealand: 1954–2014. *Atmos. Chem. Phys.* 17, 14771–14784. doi:10.5194/acp-17-14771-2017.
- Vaccaro, A., Emile-Geay, J., Guillot, D., Verna, R., Morice, C., Kennedy, J., et al. (2021). Climate field completion via Markov random fields – Application to the HadCRUT4.6 temperature dataset. *J. Clim.*, 1–66. doi:10.1175/JCLI-D-19-0814.1.
- Vandemeulebroucke, I., Calle, K., Caluwaerts, S., De Kock, T., and Van Den Bossche, N. (2019). Does historic construction suffer or benefit from the urban heat island effect in Ghent and global warming across Europe? *Can. J. Civ. Eng.* doi:10.1139/cjce-2018-0594.
- Vidal, J.-P., Martin, E., Franchistéguy, L., Baillon, M., and Soubeyroux, J.-M. (2010). A 50-year high-resolution atmospheric reanalysis over France with the Safran system. *Int. J. Climatol.* 30, 1627–1644. doi:10.1002/joc.2003.
- Vonder Haar, T. H., Bytheway, J. L., and Forsythe, J. M. (2012). Weather and climate analyses using improved global water vapor observations. *Geophys. Res. Lett.* 39, 1–6. doi:10.1029/2012GL052094.
- Vose, R. S., Huang, B., Yin, X., Arndt, D., Easterling, D. R., Lawrimore, J. H., et al. (2021). Implementing Full Spatial Coverage in NOAA’s Global Temperature Analysis. *Geophys. Res. Lett.* 48, e2020GL090873. doi:10.1029/2020GL090873.
- Wagner, W., Lemoine, G., and Rott, H. (1999). A Method for Estimating Soil Moisture from ERS Scatterometer and Soil Data. *Remote Sens. Environ.* 70, 191–207. doi:https://doi.org/10.1016/S0034-4257(99)00036-X.
- Wakita, M., Nagano, A., Fujiki, T., and Watanabe, S. (2017). Slow acidification of the winter mixed layer in the subarctic western North Pacific. *J. Geophys. Res. Ocean.* 122, 6923–6935. doi:10.1002/2017JC013002.
- Walsh, J. E., Fetterer, F., Scott Stewart, J., and Chapman, W. L. (2017). A database for depicting Arctic sea ice variations back to 1850. *Geogr. Rev.* doi:10.1111/j.1931-0846.2016.12195.x.
- WCRP Global Sea Level Budget Group (2018). Global sea-level budget 1993–present. *Earth Syst. Sci. Data* 10, 1551–1590. doi:10.5194/essd-10-1551-2018.
- Webb, L. B., Whetton, P. H., and Barlow, E. W. R. (2011). Observed trends in winegrape maturity in Australia. *Glob. Chang. Biol.* 17. doi:10.1111/j.1365-2486.2011.02434.x.
- Weber, M., Coldewey-Egbers, M., Fioletov, V. E., Frith, S. M., Wild, J. D., Burrows, J. P., et al. (2018a). Total ozone trends from 1979 to 2016 derived from five merged observational datasets-the emergence into ozone recovery. *Atmos. Chem. Phys.* doi:10.5194/acp-18-2097-2018.
- Weber, M., Steinbrecht, W., A. R. van der, Frith, S. M., Anderson, J., Coldewey-Egbers, M., et al. (2018b). Stratospheric ozone [in “State of the Climate in 2017”]. *Bull. Amer. Meteor. Soc.* 99, S51–S54. doi:10.1175/2018BAMSStateoftheClimate.1.
- Weber, M., Steinbrecht, W., Arosio, C., A. R. van der, Frith, S. M., Anderson, M., et al. (2020). Stratospheric ozone, in State of the Climate in 2019. *Bull. Amer. Meteor.*, 101 (8), S81–S83, 101, S81–S83. doi:10.1175/BAMS-D-20-0104.1.
- Wentz, F. J. (2013). SSM/I Version-7 Calibration Report. Report number 011012, Remote Sensing Systems, Santa Rosa, CA. Available at: http://images.remss.com/papers/rsstech/2012_011012_Wentz_Version-7_SSMI_Calibration.pdf.
- Wentz, F. J., Ashcroft, P. D., and Gentemann, C. L. (2001). Post-launch calibration of the TRMM microwave imager. *IEEE Trans. Geosci. Remote Sens.* 39, 415–422.
- Wenzel, M., and Schröter, J. (2014). Global and regional sea level change during the 20th century. *J. Geophys. Res. Ocean.* 119, 7493–7508. doi:10.1002/2014JC009900.
- Wijffels, S., Roemmich, D., Monselesan, D., Church, J., and Gilson, J. (2016). Ocean temperatures chronicle the ongoing warming of Earth. *Nat. Clim. Chang.* 6, 116–118. doi:10.1038/nclimate2924.
- Wild, J. D., Yang, S.-K., and Long, C. S. (2016). Ozone Profile Trends: An SBUV/2 Perspective. in *Quadrennial Ozone Symposium 2016, Edinburgh, 2–9 September 2016* Available at: <https://meetingorganizer.copernicus.org/QOS2016/QOS2016-133.pdf>.
- Willett, K. M., Dunn, R. J. H., Kennedy, J. J., and Berry, D. I. (2020). Development of the HadISDH.marine humidity climate monitoring dataset. *Earth Syst. Sci. Data* 12, 2853–2880. doi:10.5194/essd-12-2853-2020.
- Willett, K. M., Dunn, R. J. H., Thorne, P. W., Bell, S., Podesta, M. De, Parker, D. E., et al. (2014). HadISDH land

- surface multi-variable humidity and temperature record for climate monitoring. *Clim. Past* 10, 1983–2006. doi:10.5194/cp-10-1983-2014.
- WMO (2019). WMO Greenhouse Gas Bulletin (GHG Bulletin) - No. 15: The State of Greenhouse Gases in the Atmosphere Based on Global Observations through 2018. *WMO Greenh. Gas Bull. (GHG Bull.)*. Available at: https://library.wmo.int/index.php?lvl=notice_display&id=21620#.YCEa8uj7SUK.
- Wolter, K., and Timlin, M. S. (1998). Measuring the strength of ENSO events: How does 1997/98 rank? *Weather* 53, 315–324. doi:10.1002/j.1477-8696.1998.tb06408.x.
- Wood, C. R., Järvi, L., Kouznetsov, R. D., Nordbo, A., Joffre, S., Drebs, A., et al. (2013). An Overview of the Urban Boundary Layer Atmosphere Network in Helsinki. *Bull. Am. Meteorol. Soc.* 94, 1675–1690. doi:10.1175/BAMS-D-12-00146.1.
- Wouters, B., Gardner, A. S., and Moholdt, G. (2019). Global Glacier Mass Loss During the GRACE Satellite Mission (2002–2016). *Front. Earth Sci.* 7, 96. doi:10.3389/feart.2019.00096.
- Wu, J., and Gao, X.-J. (2013). A gridded daily observation dataset over China region and comparison with the other datasets. *Chinese J. Geophys.* doi:10.6038/cjg20130406.
- Xavier, A. C., King, C. W., and Scanlon, B. R. (2016). Daily gridded meteorological variables in Brazil (1980–2013). *Int. J. Climatol.* 36, 2644–2659. doi:10.1002/joc.4518.
- Xie, P., Arkin, P. A., and Janowiak, J. E. (2007a). “CMAP: The CPC merged analysis of precipitation,” in *Advances in Global Change Research* (Dordrecht: Springer Netherlands), 319–328. doi:10.1007/978-1-4020-5835-6_25.
- Xie, P., Chen, M., and Shi, W. (2010). CPC unified gauge-based analysis of global daily precipitation. in *24th Conference of Hydrology, Atlanta, 16-21 January 2010*.
- Xie, P., Chen, M., Yang, S., Yatagai, A., Hayasaka, T., Fukushima, Y., et al. (2007b). A Gauge-Based Analysis of Daily Precipitation over East Asia. *J. Hydrometeorol.* 8, 607–626. doi:10.1175/JHM583.1.
- Xu, W., Li, Q., Jones, P., Wang, X. L., Trewin, B., Yang, S., et al. (2018). A new integrated and homogenized global monthly land surface air temperature dataset for the period since 1900. *Clim. Dyn.* 50, 2513–2536. doi:10.1007/s00382-017-3755-1.
- Yang, B., He, M., Shishov, V., Tychkov, I., Vaganov, E., Rossi, S., et al. (2017a). New perspective on spring vegetation phenology and global climate change based on Tibetan Plateau tree-ring data. *Proc. Natl. Acad. Sci. U. S. A.* 114. doi:10.1073/pnas.1616608114.
- Yang, Z., Hsu, K., Sorooshian, S., Xu, X., Braithwaite, D., Zhang, Y., et al. (2017b). Merging high-resolution satellite-based precipitation fields and point-scale rain gauge measurements—A case study in Chile. *J. Geophys. Res. Atmos.* 122, 5267–5284. doi:10.1002/2016JD026177.
- Yasutomi, N., Hamada, A., and Yatagai, A. (2011). Development of a Long-term Daily Gridded Temperature Dataset and Its Application to Rain/Snow Discrimination of Daily Precipitation. *Glob. Environ. Res.* 15, 165–172.
- Yatagai, A., Kamiguchi, K., Arakawa, O., Hamada, A., Yasutomi, N., and Kitoh, A. (2012). APHRODITE: Constructing a Long-Term Daily Gridded Precipitation Dataset for Asia Based on a Dense Network of Rain Gauges. *Bull. Am. Meteorol. Soc.* 93, 1401–1415. doi:10.1175/BAMS-D-11-00122.1.
- Yoshida, Y., Kikuchi, N., Morino, I., Uchino, O., Oshchepkov, S., Bril, A., et al. (2013). Improvement of the retrieval algorithm for GOSAT SWIR XCO₂ and XCH₄ and their validation using TCCON data. *Atmos. Meas. Tech.* 6, 1533–1547. doi:10.5194/amt-6-1533-2013.
- Yu, L., Jin, X., and Weller, R. A. (2008). Multidecade Global Flux Datasets from the Objectively Analyzed Air-sea Fluxes (OAFlux) Project: Latent and sensible heat fluxes, ocean evaporation, and related surface meteorological variables. Woods Hole Oceanographic Institution, OAFlux Project Technical Report. OA-2008-01, Woods Hole, Massachusetts.
- Zanna, L., Khatiwala, S., Gregory, J. M., Ison, J., and Heimbach, P. (2019). Global reconstruction of historical ocean heat storage and transport. *Proc. Natl. Acad. Sci.* 116, 1126 LP – 1131. doi:10.1073/pnas.1808838115.
- Zeng, N., Zhao, F., Collatz, G. J., Kalnay, E., Salawitch, R. J., West, T. O., et al. (2014). Agricultural Green Revolution as a driver of increasing atmospheric CO₂ seasonal amplitude. *Nature* 515, 394–397. doi:10.1038/nature13893.
- Zhang, J., and Rothrock, D. A. (2003). Modeling Global Sea Ice with a Thickness and Enthalpy Distribution Model in Generalized Curvilinear Coordinates. *Mon. Weather Rev.* 131, 845–861. doi:10.1175/1520-0493(2003)131<0845:MGSIWA>2.0.CO;2.
- Zhou, C., Wang, J., Dai, A., and Thorne, P. W. (2021). A New Approach to Homogenize Global Subdaily Radiosonde Temperature Data from 1958 to 2018. *J. Clim.* 34, 1163–1183. doi:10.1175/JCLI-D-20-0352.1.
- Zhu, Z., Bi, J., Pan, Y., Ganguly, S., Anav, A., Xu, L., et al. (2013). Global data sets of vegetation leaf area index (LAI)_{3g} and fraction of photosynthetically active radiation (FPAR)_{3g} derived from global inventory modeling and mapping studies (GIMMS) normalized difference vegetation index (NDVI_{3G}) for the period 1981 to 2. *Remote Sens.* 5, 927–948. doi:10.3390/rs5020927.
- Ziemke, J. R., Oman, L. D., Strode, S. A., Douglass, A. R., Olsen, M. A., McPeters, R. D., et al. (2019). Trends in global tropospheric ozone inferred from a composite record of TOMS/OMI/MLS/OMPS satellite measurements and the MERRA-2 GMI simulation. *Atmos. Chem. Phys.* 19, 3257–3269. doi:10.5194/acp-19-3257-2019.
- Zolina, O., Simmer, C., Kapala, A., Shabanov, P., Becker, P., Mächel, H., et al. (2014). Precipitation Variability and Extremes in Central Europe: New View from STAMMEX Results. *Bull. Am. Meteorol. Soc.* 95, 995–1002.

- 1 doi:10.1175/BAMS-D-12-00134.1.
2 Zou, C.-Z., and Wang, W. (2011). Intersatellite calibration of AMSU-A observations for weather and climate
3 applications. *J. Geophys. Res. Atmos.* 116. doi:10.1029/2011JD016205.
4 Zweng, M. M., Reagan, J. R., Seidov, D., Boyer, T. P., Locarnini, R. A., Garcia, H. E., et al. (2019). World Ocean Atlas
5 2018, Volume 2: Salinity. Available at: <https://archimer.ifremer.fr/doc/00651/76339/>.
6
7

ACCEPTED VERSION
SUBJECT TO FINAL EDITING