

Annex I

Glossary

Editor: A.P.M. Baede (Netherlands)

Notes: This glossary defines some specific terms as the lead authors intend them to be interpreted in the context of this report. Red, italicised words indicate that the term is defined in the Glossary.

8.2ka event Following the last post-glacial warming, a rapid *climate* oscillation with a cooling lasting about 400 years occurred about 8.2 ka. This event is also referred to as the *8.2kyr event*.

Abrupt climate change The *nonlinearity* of the *climate system* may lead to abrupt climate change, sometimes called *rapid climate change*, *abrupt events* or *even surprises*. The term *abrupt* often refers to time scales faster than the typical time scale of the responsible forcing. However, not all abrupt climate changes need be *externally forced*. Some possible abrupt events that have been proposed include a dramatic reorganisation of the *thermohaline circulation*, rapid deglaciation and massive melting of *permafrost* or increases in soil *respiration* leading to fast changes in the *carbon cycle*. Others may be truly unexpected, resulting from a strong, rapidly changing forcing of a nonlinear system.

Active layer The layer of ground that is subject to annual thawing and freezing in areas underlain by *permafrost* (Van Everdingen, 1998).

Adiabatic process An adiabatic process is a process in which no external heat is gained or lost by the system. The opposite is called a *diabatic process*.

Adjustment time See *Lifetime*; see also *Response time*.

Advection Transport of water or air along with its properties (e.g., temperature, chemical tracers) by the motion of the fluid. Regarding the general distinction between advection and *convection*, the former describes the predominantly horizontal, large-scale motions of the *atmosphere* or ocean, while convection describes the predominantly vertical, locally induced motions.

Aerosols A collection of airborne solid or liquid particles, with a typical size between 0.01 and 10 μm that reside in the *atmosphere* for at least several hours. Aerosols may be of either natural or *anthropogenic* origin. Aerosols may influence *climate* in several ways: directly through scattering and absorbing radiation, and indirectly by acting as *cloud condensation nuclei* or modifying the optical properties and lifetime of clouds (see *Indirect aerosol effect*).

Afforestation Planting of new forests on lands that historically have not contained forests. For a discussion of the term *forest* and related terms such as afforestation, *reforestation* and *deforestation*, see the IPCC Special Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

Air mass A widespread body of air, the approximately homogeneous properties of which (1) have been established while that air was situated over a particular *region* of the Earth's surface, and (2) undergo specific modifications while in transit away from the source region (AMS, 2000).

Albedo The fraction of *solar radiation* reflected by a surface or object, often expressed as a percentage. Snow-covered surfaces have a high albedo, the surface albedo of soils ranges from high to low, and vegetation-covered surfaces and oceans have a low albedo. The Earth's planetary albedo varies mainly through varying cloudiness, snow, ice, leaf area and land cover changes.

Albedo feedback A *climate feedback* involving changes in the Earth's *albedo*. It usually refers to changes in the *cryosphere*, which has an albedo much larger (~ 0.8) than the average planetary albedo (~ 0.3). In a warming *climate*, it is anticipated that the cryosphere would shrink, the Earth's overall albedo would decrease and more *solar radiation* would be absorbed to warm the Earth still further.

Alkalinity A measure of the capacity of a solution to neutralize acids.

Altimetry A technique for measuring the height of the sea, lake or river, land or ice surface with respect to the centre of the Earth within a defined terrestrial reference frame. More conventionally, the height is with respect to a standard *reference ellipsoid* approximating the Earth's oblateness, and can be measured from space by using radar or laser with centimetric precision at present. Altimetry has the advantages of being a geocentric measurement, rather than a measurement relative to the Earth's crust as for a *tide gauge*, and of affording quasi-global coverage.

Annular modes Preferred patterns of change in atmospheric circulation corresponding to changes in the zonally averaged mid-latitude westerlies. The *Northern Annular Mode* has a bias to the North Atlantic and has a large correlation with the *North Atlantic Oscillation*. The *Southern Annular Mode* occurs in the Southern Hemisphere. The variability of the mid-latitude westerlies has also been known as *zonal flow* (or *wind*) vacillation, and defined through a *zonal index*. For the corresponding circulation indices, see Box 3.4.

Anthropogenic Resulting from or produced by human beings.

Atlantic Multi-decadal Oscillation (AMO) A multi-decadal (65 to 75 year) fluctuation in the North Atlantic, in which *sea surface temperatures* showed warm phases during roughly 1860 to 1880 and 1930 to 1960 and cool phases during 1905 to 1925 and 1970 to 1990 with a range of order 0.4°C.

Atmosphere The gaseous envelope surrounding the Earth. The dry atmosphere consists almost entirely of nitrogen (78.1% *volume mixing ratio*) and oxygen (20.9% volume mixing ratio), together with a number of trace gases, such as argon (0.93% volume mixing ratio), helium and radiatively active *greenhouse gases* such as *carbon dioxide* (0.035% volume mixing ratio) and *ozone*. In addition, the atmosphere contains the greenhouse gas water vapour, whose amounts are highly variable but typically around 1% volume mixing ratio. The atmosphere also contains clouds and *aerosols*.

Atmospheric boundary layer The atmospheric layer adjacent to the Earth's surface that is affected by friction against that boundary

surface, and possibly by transport of heat and other variables across that surface (AMS, 2000). The lowest 10 metres or so of the boundary layer, where mechanical generation of turbulence is dominant, is called the *surface boundary layer* or *surface layer*.

Atmospheric lifetime See *Lifetime*.

Attribution See *Detection and attribution*.

Autotrophic respiration *Respiration* by *photosynthetic* organisms (plants).

Bayesian method A Bayesian method is a method by which a statistical analysis of an unknown or uncertain quantity is carried out in two steps. First, a prior probability distribution is formulated on the basis of existing knowledge (either by eliciting expert opinion or by using existing data and studies). At this first stage, an element of subjectivity may influence the choice, but in many cases, the prior probability distribution is chosen as neutrally as possible, in order not to influence the final outcome of the analysis. In the second step, newly acquired data are introduced, using a theorem formulated by and named after the British mathematician Bayes (1702–1761), to update the prior distribution into a posterior distribution.

Biomass The total mass of living organisms in a given area or volume; dead plant material can be included as dead biomass.

Biome A biome is a major and distinct regional element of the *biosphere*, typically consisting of several *ecosystems* (e.g. *forests*, rivers, ponds, swamps within a *region*). Biomes are characterised by typical communities of plants and animals.

Biosphere (terrestrial and marine) The part of the Earth system comprising all *ecosystems* and living organisms, in the *atmosphere*, on land (*terrestrial biosphere*) or in the oceans (*marine biosphere*), including derived dead organic matter, such as litter, soil organic matter and oceanic detritus.

Black carbon (BC) Operationally defined *aerosol* species based on measurement of light absorption and chemical reactivity and/or thermal stability; consists of *soot*, *charcoal* and/or possible light-absorbing refractory organic matter (Charlson and Heintzenberg, 1995, p. 401).

Blocking anticyclone An anticyclone that remains nearly stationary for a week or more at middle to high latitudes, so that it blocks the normal eastward progression of high- and low-pressure systems.

Bowen ratio The ratio of *sensible* to *latent heat fluxes* from the Earth's surface up into the *atmosphere*. Values are low (order 0.1) for wet surfaces like the ocean, and greater than 2 for deserts and *drought* regions.

Burden The total mass of a gaseous substance of concern in the *atmosphere*.

¹³C Stable isotope of carbon having an atomic weight of approximately 13. Measurements of the ratio of ¹³C/¹²C in *carbon dioxide* molecules are used to infer the importance of different *carbon cycle* and *climate* processes and the size of the terrestrial carbon *reservoir*.

¹⁴C Unstable isotope of carbon having an atomic weight of approximately 14, and a half-life of about 5,700 years. It is often used for dating purposes going back some 40 kyr. Its variation in time is affected by the magnetic fields of the Sun and Earth,

which influence its production from cosmic rays (see *Cosmogenic isotopes*).

C3 plants Plants that produce a three-carbon compound during *photosynthesis*, including most trees and agricultural crops such as rice, wheat, soybeans, potatoes and vegetables.

C4 plants Plants that produce a four-carbon compound during *photosynthesis*, mainly of tropical origin, including grasses and the agriculturally important crops maize, sugar cane, millet and sorghum.

Carbonaceous aerosol *Aerosol* consisting predominantly of organic substances and various forms of *black carbon* (Charlson and Heintzenberg, 1995, p. 401).

Carbon cycle The term used to describe the flow of carbon (in various forms, e.g., as *carbon dioxide*) through the *atmosphere*, ocean, terrestrial *biosphere* and *lithosphere*.

Carbon dioxide (CO₂) A naturally occurring gas, also a by-product of burning fossil fuels from fossil carbon deposits, such as oil, gas and coal, of burning *biomass* and of *land use* changes and other industrial processes. It is the principal *anthropogenic greenhouse gas* that affects the Earth's radiative balance. It is the reference gas against which other greenhouse gases are measured and therefore has a *Global Warming Potential* of 1.

Carbon dioxide (CO₂) fertilization The enhancement of the growth of plants as a result of increased atmospheric *carbon dioxide* (CO₂) concentration. Depending on their mechanism of *photosynthesis*, certain types of plants are more sensitive to changes in atmospheric CO₂ concentration. In particular, *C3 plants* generally show a larger response to CO₂ than *C4 plants*.

CFC See *Halocarbons*.

Chaos A *dynamical system* such as the *climate system*, governed by nonlinear deterministic equations (see *Nonlinearity*), may exhibit erratic or chaotic behaviour in the sense that very small changes in the initial state of the system in time lead to large and apparently unpredictable changes in its temporal evolution. Such chaotic behaviour may limit the *predictability* of nonlinear dynamical systems.

Charcoal Material resulting from charring of *biomass*, usually retaining some of the microscopic texture typical of plant tissues; chemically it consists mainly of carbon with a disturbed graphitic structure, with lesser amounts of oxygen and hydrogen (Charlson and Heintzenberg, 1995, p. 402). See *Black carbon*; *Soot*.

Chronology Arrangement of events according to dates or times of occurrence.

Clathrate (methane) A partly frozen slushy mix of methane gas and ice, usually found in sediments.

Climate Climate in a narrow sense is usually defined as the average weather, or more rigorously, as the statistical description in terms of the mean and variability of relevant quantities over a period of time ranging from months to thousands or millions of years. The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization. The relevant quantities are most often surface variables such as temperature, precipitation and wind. Climate in a wider sense is the state, including a statistical description, of the *climate system*. In various chapters in this report different averaging periods, such as a period of 20 years, are also used.

Climate change Climate change refers to a change in the state of the *climate* that can be identified (e.g., by using statistical tests) by changes in the mean and/or the variability of its properties, and that persists for an extended period, typically decades or longer. Climate change may be due to natural internal processes or *external forcings*, or to persistent *anthropogenic* changes in the composition of the *atmosphere* or in *land use*. Note that the *Framework Convention on Climate Change* (UNFCCC), in its Article 1, defines *climate change* as: ‘a change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods’. The UNFCCC thus makes a distinction between climate change attributable to human activities altering the atmospheric composition, and *climate variability* attributable to natural causes. See also *Climate variability; Detection and Attribution*.

Climate change commitment Due to the thermal inertia of the ocean and slow processes in the *biosphere*, the *cryosphere* and land surfaces, the *climate* would continue to change even if the atmospheric composition were held fixed at today’s values. Past change in atmospheric composition leads to a *committed climate change*, which continues for as long as a radiative imbalance persists and until all components of the *climate system* have adjusted to a new state. The further change in temperature after the composition of the *atmosphere* is held constant is referred to as the *constant composition temperature commitment* or simply *committed warming* or *warming commitment*. Climate change commitment includes other future changes, for example in the hydrological cycle, in *extreme weather* and climate events, and in *sea level change*.

Climate feedback An interaction mechanism between processes in the *climate system* is called a climate feedback when the result of an initial process triggers changes in a second process that in turn influences the initial one. A positive feedback intensifies the original process, and a negative feedback reduces it.

Climate Feedback Parameter A way to quantify the radiative response of the *climate system* to a *global surface temperature* change induced by a *radiative forcing* (units: $W\ m^{-2}\ ^\circ C^{-1}$). It varies as the inverse of the effective *climate sensitivity*. Formally, the Climate Feedback Parameter (Λ) is defined as: $\Lambda = (\Delta Q - \Delta F) / \Delta T$, where Q is the global mean radiative forcing, T is the global mean air surface temperature, F is the heat flux into the ocean and Δ represents a change with respect to an unperturbed *climate*.

Climate model (spectrum or hierarchy) A numerical representation of the *climate system* based on the physical, chemical and biological properties of its components, their interactions and *feedback* processes, and accounting for all or some of its known properties. The climate system can be represented by models of varying complexity, that is, for any one component or combination of components a *spectrum* or *hierarchy* of models can be identified, differing in such aspects as the number of spatial dimensions, the extent to which physical, chemical or biological processes are explicitly represented, or the level at which empirical *parametrizations* are involved. Coupled Atmosphere–Ocean General Circulation Models (AOGCMs) provide a representation of the climate system that is near the most comprehensive end of the spectrum currently available. There is an evolution towards more complex models with interactive chemistry and biology (see Chapter 8). Climate models are applied as a research tool to study and simulate the climate, and for operational purposes, including monthly, seasonal and interannual *climate predictions*.

Climate prediction A climate prediction or *climate forecast* is the result of an attempt to produce an estimate of the actual evolution

of the *climate* in the future, for example, at seasonal, interannual or long-term time scales. Since the future evolution of the *climate system* may be highly sensitive to initial conditions, such predictions are usually probabilistic in nature. See also *Climate projection; Climate scenario; Predictability*.

Climate projection A *projection* of the response of the *climate system* to *emission or concentration scenarios* of *greenhouse gases* and *aerosols*, or *radiative forcing* scenarios, often based upon simulations by *climate models*. Climate projections are distinguished from *climate predictions* in order to emphasize that climate projections depend upon the emission/concentration/radiative forcing scenario used, which are based on assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realised and are therefore subject to substantial *uncertainty*.

Climate response
See *Climate sensitivity*.

Climate scenario A plausible and often simplified representation of the future *climate*, based on an internally consistent set of climatological relationships that has been constructed for explicit use in investigating the potential consequences of *anthropogenic climate change*, often serving as input to impact models. *Climate projections* often serve as the raw material for constructing climate scenarios, but climate scenarios usually require additional information such as about the observed current climate. A *climate change scenario* is the difference between a climate scenario and the current climate.

Climate sensitivity In IPCC reports, *equilibrium climate sensitivity* refers to the equilibrium change in the annual mean *global surface temperature* following a doubling of the atmospheric *equivalent carbon dioxide concentration*. Due to computational constraints, the equilibrium climate sensitivity in a *climate model* is usually estimated by running an atmospheric general circulation model coupled to a mixed-layer ocean model, because equilibrium climate sensitivity is largely determined by atmospheric processes. Efficient models can be run to equilibrium with a dynamic ocean.

The *effective climate sensitivity* is a related measure that circumvents the requirement of equilibrium. It is evaluated from model output for evolving non-equilibrium conditions. It is a measure of the strengths of the *climate feedbacks* at a particular time and may vary with forcing history and *climate* state. The climate sensitivity parameter (units: $^\circ C\ (W\ m^{-2})^{-1}$) refers to the equilibrium change in the annual mean *global surface temperature* following a unit change in *radiative forcing*.

The *transient climate response* is the change in the global surface temperature, averaged over a 20-year period, centred at the time of atmospheric carbon dioxide doubling, that is, at year 70 in a 1% yr^{-1} compound carbon dioxide increase experiment with a global coupled climate model. It is a measure of the strength and rapidity of the surface temperature response to *greenhouse gas* forcing.

Climate shift or climate regime shift An abrupt shift or jump in mean values signalling a change in *regime*. Most widely used in conjunction with the 1976/1977 climate shift that seems to correspond to a change in *El Niño–Southern Oscillation* behavior.

Climate system The climate system is the highly complex system consisting of five major components: the *atmosphere*, the *hydrosphere*, the *cryosphere*, the land surface and the *biosphere*, and the interactions between them. The climate system evolves in time under the influence of its own internal dynamics and because of *external forcings* such as volcanic eruptions, solar variations and

anthropogenic forcings such as the changing composition of the atmosphere and *land use change*.

Climate variability Climate variability refers to variations in the mean state and other statistics (such as standard deviations, the occurrence of extremes, etc.) of the *climate* on all *spatial and temporal scales* beyond that of individual weather events. Variability may be due to natural internal processes within the *climate system* (*internal variability*), or to variations in natural or *anthropogenic external forcing* (*external variability*). See also *Climate change*.

Cloud condensation nuclei (CCN) Airborne particles that serve as an initial site for the condensation of liquid water, which can lead to the formation of cloud droplets. See also *Aerosols*.

Cloud feedback A *climate feedback* involving changes in any of the properties of clouds as a response to other atmospheric changes. Understanding cloud feedbacks and determining their magnitude and sign require an understanding of how a change in *climate* may affect the spectrum of cloud types, the cloud fraction and height, and the radiative properties of clouds, and an estimate of the impact of these changes on the Earth's radiation budget. At present, cloud feedbacks remain the largest source of *uncertainty in climate sensitivity* estimates. See also *Cloud radiative forcing*; *Radiative forcing*.

Cloud radiative forcing Cloud radiative forcing is the difference between the all-sky Earth's radiation budget and the clear-sky Earth's radiation budget (units: $W\ m^{-2}$).

CO₂-equivalent See *Equivalent carbon dioxide*.

Confidence The *level of confidence* in the correctness of a result is expressed in this report, using a standard terminology defined in Box 1.1. See also *Likelihood*; *Uncertainty*.

Convection Vertical motion driven by buoyancy forces arising from static instability, usually caused by near-surface cooling or increases in salinity in the case of the ocean and near-surface warming in the case of the *atmosphere*. At the location of convection, the horizontal scale is approximately the same as the vertical scale, as opposed to the large contrast between these scales in the *general circulation*. The net vertical mass transport is usually much smaller than the upward and downward exchange.

Cosmogenic isotopes Rare isotopes that are created when a high-energy cosmic ray interacts with the nucleus of an *in situ* atom. They are often used as indications of solar magnetic activity (which can shield cosmic rays) or as tracers of atmospheric transport, and are also called *cosmogenic nuclides*.

Cryosphere The component of the *climate system* consisting of all snow, ice and *frozen ground* (including *permafrost*) on and beneath the surface of the Earth and ocean. See also *Glacier*; *Ice sheet*.

Dansgaard-Oeschger events Abrupt warming events followed by gradual cooling. The abrupt warming and gradual cooling is primarily seen in Greenland *ice cores* and in *palaeoclimate* records from the nearby North Atlantic, while a more general warming followed by a gradual cooling has been observed in other areas as well, at intervals of 1.5 to 7 kyr during glacial times.

Deforestation Conversion of forest to non-forest. For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation*, and deforestation see the IPCC Special Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the report on Definitions and Methodological Options to Inventory

Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

Desertification Land degradation in arid, semi-arid, and dry sub-humid areas resulting from various factors, including climatic variations and human activities. The United Nations Convention to Combat Desertification defines land degradation as a reduction or loss in arid, semi-arid, and dry sub-humid areas, of the biological or economic productivity and complexity of rain-fed cropland, irrigated cropland, or range, pasture, *forest*, and woodlands resulting from *land uses* or from a process or combination of processes, including processes arising from human activities and habitation patterns, such as (i) soil erosion caused by wind and/or water; (ii) deterioration of the physical, chemical and biological or economic properties of soil; and (iii) long-term loss of natural vegetation.

Detection and attribution *Climate* varies continually on all time scales. *Detection of climate change* is the process of demonstrating that climate has changed in some defined statistical sense, without providing a reason for that change. *Attribution* of causes of climate change is the process of establishing the most likely causes for the detected change with some defined level of *confidence*.

Diatoms Silt-sized algae that live in surface waters of lakes, rivers and oceans and form shells of opal. Their species distribution in ocean cores is often related to past *sea surface temperatures*.

Diurnal temperature range The difference between the maximum and minimum temperature during a 24-hour period.

Dobson unit (DU) A unit to measure the total amount of *ozone* in a vertical column above the Earth's surface (*total column ozone*). The number of Dobson units is the thickness in units of 10^{-5} m that the ozone column would occupy if compressed into a layer of uniform density at a pressure of 1,013 hPa and a temperature of 0°C. One DU corresponds to a column of ozone containing $2.69 \times 1,020$ molecules per square metre. A typical value for the amount of ozone in a column of the Earth's atmosphere, although very variable, is 300 DU.

Downscaling Downscaling is a method that derives local- to regional-scale (10 to 100 km) information from larger-scale models or data analyses. Two main methods are distinguished: *dynamical downscaling* and *empirical/statistical downscaling*. The dynamical method uses the output of regional *climate models*, global models with variable spatial resolution or high-resolution global models. The empirical/statistical methods develop statistical relationships that link the large-scale atmospheric variables with local/regional climate variables. In all cases, the quality of the downscaled product depends on the quality of the driving model.

Drought In general terms, drought is a 'prolonged absence or marked deficiency of precipitation', a 'deficiency that results in water shortage for some activity or for some group', or a 'period of abnormally dry weather sufficiently prolonged for the lack of precipitation to cause a serious hydrological imbalance' (Heim, 2002). Drought has been defined in a number of ways. *Agricultural drought* relates to moisture deficits in the topmost 1 metre or so of soil (the root zone) that affect crops, *meteorological drought* is mainly a prolonged deficit of precipitation, and *hydrologic drought* is related to below-normal streamflow, lake and groundwater levels. A *megadrought* is a long-drawn out and pervasive drought, lasting much longer than normal, usually a decade or more. For further information, see Box 3.1.

Dynamical system A process or set of processes whose evolution in time is governed by a set of deterministic physical laws. The *climate system* is a dynamical system. See *Abrupt climate change*; *Chaos*; *Nonlinearity*; *Predictability*.

Ecosystem A system of living organisms interacting with each other and their physical environment. The boundaries of what could be called an ecosystem are somewhat arbitrary, depending on the focus of interest or study. Thus, the extent of an ecosystem may range from very small spatial scales to, ultimately, the entire Earth.

Efficacy A measure of how effective a *radiative forcing* from a given *anthropogenic* or natural mechanism is at changing the equilibrium *global surface temperature* compared to an equivalent *radiative forcing* from *carbon dioxide*. A carbon dioxide increase by definition has an efficacy of 1.0.

Ekman pumping Frictional stress at the surface between two fluids (*atmosphere* and ocean) or between a fluid and the adjacent solid surface (Earth's surface) forces a circulation. When the resulting mass transport is converging, mass conservation requires a vertical flow away from the surface. This is called Ekman pumping. The opposite effect, in case of divergence, is called *Ekman suction*. The effect is important in both the *atmosphere* and the ocean.

Ekman transport The total transport resulting from a balance between the Coriolis force and the frictional stress due to the action of the wind on the ocean surface. See also *Ekman pumping*.

El Niño-Southern Oscillation (ENSO) The term *El Niño* was initially used to describe a warm-water current that periodically flows along the coast of Ecuador and Perú, disrupting the local fishery. It has since become identified with a basin-wide warming of the tropical Pacific Ocean east of the dateline. This oceanic event is associated with a fluctuation of a global-scale tropical and subtropical surface pressure pattern called the Southern Oscillation. This coupled *atmosphere*-ocean phenomenon, with preferred time scales of two to about seven years, is collectively known as the El Niño-Southern Oscillation (ENSO). It is often measured by the surface pressure anomaly difference between Darwin and Tahiti and the *sea surface temperatures* in the central and eastern equatorial Pacific. During an ENSO event, the prevailing trade winds weaken, reducing upwelling and altering ocean currents such that the sea surface temperatures warm, further weakening the trade winds. This event has a great impact on the wind, sea surface temperature and precipitation patterns in the tropical Pacific. It has climatic effects throughout the Pacific *region* and in many other parts of the world, through global *teleconnections*. The cold phase of ENSO is called *La Niña*.

Emission scenario A plausible representation of the future development of emissions of substances that are potentially radiatively active (e.g., *greenhouse gases*, *aerosols*), based on a coherent and internally consistent set of assumptions about driving forces (such as demographic and socioeconomic development, technological change) and their key relationships. *Concentration scenarios*, derived from emission scenarios, are used as input to a *climate model* to compute *climate projections*. In IPCC (1992) a set of emission scenarios was presented which were used as a basis for the climate projections in IPCC (1996). These emission scenarios are referred to as the IS92 scenarios. In the IPCC Special Report on Emission Scenarios (Nakićenović and Swart, 2000) new emission scenarios, the so-called SRES scenarios, were published, some of which were used, among others, as a basis for the climate projections presented in Chapters 9 to 11 of IPCC (2001) and Chapters 10 and 11 of this report. For the meaning of some terms related to these scenarios, see *SRES scenarios*.

Energy balance The difference between the total incoming and total outgoing energy. If this balance is positive, warming occurs; if it is negative, cooling occurs. Averaged over the globe and over long time periods, this balance must be zero. Because the *climate system* derives virtually all its energy from the Sun, zero balance

implies that, globally, the amount of incoming *solar radiation* on average must be equal to the sum of the outgoing reflected solar radiation and the outgoing *thermal infrared radiation* emitted by the climate system. A perturbation of this global radiation balance, be it *anthropogenic* or natural, is called *radiative forcing*.

Ensemble A group of parallel model simulations used for *climate projections*. Variation of the results across the ensemble members gives an estimate of *uncertainty*. Ensembles made with the same model but different initial conditions only characterise the uncertainty associated with internal *climate variability*, whereas multi-model ensembles including simulations by several models also include the impact of model differences. Perturbed-parameter ensembles, in which model parameters are varied in a systematic manner, aim to produce a more objective estimate of modelling uncertainty than is possible with traditional multi-model ensembles.

Equilibrium and transient climate experiment An *equilibrium climate experiment* is an experiment in which a *climate model* is allowed to fully adjust to a change in *radiative forcing*. Such experiments provide information on the difference between the initial and final states of the model, but not on the time-dependent response. If the forcing is allowed to evolve gradually according to a prescribed *emission scenario*, the time-dependent response of a climate model may be analysed. Such an experiment is called a *transient climate experiment*. See *Climate projection*.

Equilibrium line The boundary between the region on a *glacier* where there is a net annual loss of ice mass (ablation area) and that where there is a net annual gain (accumulation area). The altitude of this boundary is referred to as *equilibrium line altitude*.

Equivalent carbon dioxide (CO₂) concentration

The concentration of *carbon dioxide* that would cause the same amount of *radiative forcing* as a given mixture of carbon dioxide and other *greenhouse gases*.

Equivalent carbon dioxide (CO₂) emission The amount of *carbon dioxide* emission that would cause the same integrated *radiative forcing*, over a given time horizon, as an emitted amount of a well mixed *greenhouse gas* or a mixture of well mixed greenhouse gases. The equivalent carbon dioxide emission is obtained by multiplying the emission of a well mixed greenhouse gas by its *Global Warming Potential* for the given time horizon. For a mix of greenhouse gases it is obtained by summing the equivalent carbon dioxide emissions of each gas. Equivalent carbon dioxide emission is a standard and useful *metric* for comparing emissions of different greenhouse gases but does not imply exact equivalence of the corresponding *climate change* responses (see Section 2.10).

Evapotranspiration The combined process of evaporation from the Earth's surface and transpiration from vegetation.

External forcing External forcing refers to a forcing agent outside the *climate system* causing a change in the climate system. Volcanic eruptions, solar variations and *anthropogenic* changes in the composition of the *atmosphere* and *land use change* are external forcings.

Extreme weather event An extreme weather event is an event that is rare at a particular place and time of year. Definitions of *rare* vary, but an extreme weather event would normally be as rare as or rarer than the 10th or 90th *percentile* of the observed *probability density function*. By definition, the characteristics of what is called *extreme weather* may vary from place to place in an absolute sense. Single extreme events cannot be simply and directly attributed to

anthropogenic climate change, as there is always a finite chance the event in question might have occurred naturally. When a pattern of extreme weather persists for some time, such as a season, it may be classed as an *extreme climate event*, especially if it yields an average or total that is itself extreme (e.g., *drought* or heavy rainfall over a season).

Faculae Bright patches on the Sun. The area covered by faculae is greater during periods of high *solar activity*.

Feedback See *Climate feedback*.

Fingerprint The *climate* response pattern in space and/or time to a specific forcing is commonly referred to as a fingerprint. Fingerprints are used to detect the presence of this response in observations and are typically estimated using forced *climate model* simulations.

Flux adjustment To avoid the problem of coupled *Atmosphere-Ocean General Circulation Models* (AOGCMs) drifting into some unrealistic *climate* state, adjustment terms can be applied to the atmosphere-ocean fluxes of heat and moisture (and sometimes the surface stresses resulting from the effect of the wind on the ocean surface) before these fluxes are imposed on the model ocean and atmosphere. Because these adjustments are pre-computed and therefore independent of the coupled model integration, they are uncorrelated with the anomalies that develop during the integration. Chapter 8 of this report concludes that most models used in this report (Fourth Assessment Report AOGCMs) do not use flux adjustments, and that in general, fewer models use them.

Forest A vegetation type dominated by trees. Many definitions of the term *forest* are in use throughout the world, reflecting wide differences in biogeophysical conditions, social structure and economics. For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation* and *deforestation* see the IPCC Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the Report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003).

Fossil fuel emissions Emissions of *greenhouse gases* (in particular *carbon dioxide*) resulting from the combustion of fuels from fossil carbon deposits such as oil, gas and coal.

Framework Convention on Climate Change See *United Nations Framework Convention on Climate Change* (UNFCCC).

Free atmosphere

The atmospheric layer that is negligibly affected by friction against the Earth's surface, and which is above the *atmospheric boundary layer*.

Frozen ground Soil or rock in which part or all of the *pore water* is frozen (Van Everdingen, 1998). Frozen ground includes *permafrost*. Ground that freezes and thaws annually is called *seasonally frozen ground*.

General circulation The large-scale motions of the *atmosphere* and the ocean as a consequence of differential heating on a rotating Earth, which tend to restore the *energy balance* of the system through transport of heat and momentum.

General Circulation Model (GCM) See *Climate model*.

Geoid The equipotential surface (i.e., having the same gravity potential at each point) that best fits the mean sea level (see *relative sea level*) in the absence of astronomical tides; ocean circulations;

hydrological, cryospheric and atmospheric effects; Earth rotation variations and polar motion; nutation and precession; tectonics and other effects such as *post-glacial rebound*. The geoid is global and extends over continents, oceans and *ice sheets*, and at present includes the effect of the permanent tides (zero-frequency gravitational effect from the Sun and the Moon). It is the surface of reference for astronomical observations, geodetic levelling, and for ocean, hydrological, glaciological and climate modelling. In practice, there exist various operational definitions of the geoid, depending on the way the time-variable effects mentioned above are modelled.

Geostrophic winds or currents A wind or current that is in balance with the horizontal pressure gradient and the Coriolis force, and thus is outside of the influence of friction. Thus, the wind or current is directly parallel to isobars and its speed is inversely proportional to the spacing of the isobaric contours.

Glacial isostatic adjustment See *Post-glacial rebound*.

Glacier A mass of land ice that flows downhill under gravity (through internal deformation and/or sliding at the base) and is constrained by internal stress and friction at the base and sides. A glacier is maintained by accumulation of snow at high altitudes, balanced by melting at low altitudes or discharge into the sea. See *Equilibrium line*; *Mass balance*.

Global dimming Global dimming refers to perceived widespread reduction of *solar radiation* received at the surface of the Earth from about the year 1961 to around 1990.

Global surface temperature The global surface temperature is an estimate of the global mean surface air temperature. However, for changes over time, only anomalies, as departures from a climatology, are used, most commonly based on the area-weighted global average of the *sea surface temperature* anomaly and *land surface air temperature* anomaly.

Global Warming Potential (GWP) An index, based upon radiative properties of well-mixed *greenhouse gases*, measuring the *radiative forcing* of a unit mass of a given well-mixed greenhouse gas in the present-day *atmosphere* integrated over a chosen time horizon, relative to that of *carbon dioxide*. The GWP represents the combined effect of the differing times these gases remain in the atmosphere and their relative effectiveness in absorbing outgoing *thermal infrared radiation*. The *Kyoto Protocol* is based on GWPs from pulse emissions over a 100-year time frame.

Greenhouse effect *Greenhouse gases* effectively absorb *thermal infrared radiation*, emitted by the Earth's surface, by the *atmosphere* itself due to the same gases, and by clouds. Atmospheric radiation is emitted to all sides, including downward to the Earth's surface. Thus, greenhouse gases trap heat within the surface-*troposphere* system. This is called the *greenhouse effect*. Thermal infrared radiation in the troposphere is strongly coupled to the temperature of the atmosphere at the altitude at which it is emitted. In the troposphere, the temperature generally decreases with height. Effectively, infrared radiation emitted to space originates from an altitude with a temperature of, on average, -19°C , in balance with the net incoming *solar radiation*, whereas the Earth's surface is kept at a much higher temperature of, on average, $+14^{\circ}\text{C}$. An increase in the concentration of greenhouse gases leads to an increased infrared opacity of the atmosphere, and therefore to an effective radiation into space from a higher altitude at a lower temperature. This causes a *radiative forcing* that leads to an enhancement of the greenhouse effect, the so-called *enhanced greenhouse effect*.

Greenhouse gas (GHG) Greenhouse gases are those gaseous constituents of the *atmosphere*, both natural and *anthropogenic*, that absorb and emit radiation at specific wavelengths within the spectrum of *thermal infrared radiation* emitted by the Earth's surface, the atmosphere itself, and by clouds. This property causes the *greenhouse effect*. Water vapour (H₂O), *carbon dioxide* (CO₂), nitrous oxide (N₂O), methane (CH₄) and *ozone* (O₃) are the primary greenhouse gases in the Earth's atmosphere. Moreover, there are a number of entirely human-made greenhouse gases in the atmosphere, such as the *halocarbons* and other chlorine- and bromine-containing substances, dealt with under the *Montreal Protocol*. Beside CO₂, N₂O and CH₄, the *Kyoto Protocol* deals with the greenhouse gases sulphur hexafluoride (SF₆), hydrofluorocarbons (HFCs) and perfluorocarbons (PFCs).

Gross Primary Production (GPP) The amount of energy fixed from the *atmosphere* through *photosynthesis*.

Ground ice A general term referring to all types of ice contained in freezing and seasonally *frozen ground* and *permafrost* (Van Everdingen, 1998).

Ground temperature The temperature of the ground near the surface (often within the first 10 cm). It is often called *soil temperature*.

Grounding line/zone The junction between a *glacier* or *ice sheet* and *ice shelf*; the place where ice starts to float.

Gyre Basin-scale ocean horizontal circulation pattern with slow flow circulating around the ocean basin, closed by a strong and narrow (100–200 km wide) boundary current on the western side. The subtropical gyres in each ocean are associated with high pressure in the centre of the gyres; the subpolar gyres are associated with low pressure.

Hadley Circulation A direct, thermally driven overturning cell in the *atmosphere* consisting of poleward flow in the upper *troposphere*, subsiding air into the subtropical anticyclones, return flow as part of the trade winds near the surface, and with rising air near the equator in the so-called *Inter-Tropical Convergence Zone*.

Halocarbons A collective term for the group of partially halogenated organic species, including the chlorofluorocarbons (CFCs), hydrochlorofluorocarbons (HCFCs), hydrofluorocarbons (HFCs), halons, methyl chloride, methyl bromide, etc. Many of the halocarbons have large *Global Warming Potentials*. The chlorine- and bromine-containing halocarbons are also involved in the depletion of the *ozone layer*.

Halosteric See *Sea level change*.

HCFC See *Halocarbons*.

HFC See *Halocarbons*.

Heterotrophic respiration The conversion of organic matter to *carbon dioxide* by organisms other than plants.

Holocene The Holocene geological epoch is the latter of two *Quaternary* epochs, extending from about 11.6 ka to and including the present.

Hydrosphere The component of the *climate system* comprising liquid surface and subterranean water, such as oceans, seas, rivers, fresh water lakes, underground water, etc.

Ice age An ice age or *glacial period* is characterised by a long-term reduction in the temperature of the Earth's *climate*,

resulting in growth of continental *ice sheets* and mountain *glaciers* (*glaciation*).

Ice cap A dome shaped ice mass, usually covering a highland area, which is considerably smaller in extent than an *ice sheet*.

Ice core A cylinder of ice drilled out of a *glacier* or *ice sheet*.

Ice sheet A mass of land ice that is sufficiently deep to cover most of the underlying bedrock topography, so that its shape is mainly determined by its dynamics (the flow of the ice as it deforms internally and/or slides at its base). An ice sheet flows outward from a high central ice plateau with a small average surface slope. The margins usually slope more steeply, and most ice is discharged through fast-flowing *ice streams* or outlet *glaciers*, in some cases into the sea or into *ice shelves* floating on the sea. There are only three large ice sheets in the modern world, one on Greenland and two on Antarctica, the East and West Antarctic Ice Sheets, divided by the Transantarctic Mountains. During glacial periods there were others.

Ice shelf A floating slab of ice of considerable thickness extending from the coast (usually of great horizontal extent with a level or gently sloping surface), often filling embayments in the coastline of the *ice sheets*. Nearly all ice shelves are in Antarctica, where most of the ice discharged seaward flows into ice shelves.

Ice stream A stream of ice flowing faster than the surrounding *ice sheet*. It can be thought of as a *glacier* flowing between walls of slower-moving ice instead of rock.

Indirect aerosol effect *Aerosols* may lead to an indirect *radiative forcing* of the *climate system* through acting as *cloud condensation nuclei* or modifying the optical properties and lifetime of clouds. Two indirect effects are distinguished:

Cloud albedo effect A radiative forcing induced by an increase in *anthropogenic* aerosols that cause an initial increase in droplet concentration and a decrease in droplet size for fixed liquid water content, leading to an increase in cloud *albedo*. This effect is also known as the *first indirect effect* or *Twomey effect*.

Cloud lifetime effect A forcing induced by an increase in anthropogenic aerosols that cause a decrease in droplet size, reducing the precipitation efficiency, thereby modifying the liquid water content, cloud thickness and cloud life time. This effect is also known as the *second indirect effect* or *Albrecht effect*.

Apart from these indirect effects, aerosols may have a *semi-direct effect*. This refers to the absorption of *solar radiation* by absorbing aerosol, which heats the air and tends to increase the static stability relative to the surface. It may also cause evaporation of cloud droplets.

Industrial revolution A period of rapid industrial growth with far-reaching social and economic consequences, beginning in Britain during the second half of the eighteenth century and spreading to Europe and later to other countries including the United States. The invention of the steam engine was an important trigger of this development. The industrial revolution marks the beginning of a strong increase in the use of fossil fuels and emission of, in particular, fossil *carbon dioxide*. In this report the terms *pre-industrial* and *industrial* refer, somewhat arbitrarily, to the periods before and after 1750, respectively.

Infrared radiation See *Thermal infrared radiation*.

Insolation The amount of *solar radiation* reaching the Earth by latitude and by season. Usually *insolation* refers to the radiation arriving at the top of the *atmosphere*. Sometimes it is specified as referring to the radiation arriving at the Earth's surface. See also: *Total Solar Irradiance*.

Interglacials The warm periods between *ice age* glaciations. The previous interglacial, dated approximately from 129 to 116 ka, is referred to as the *Last Interglacial* (AMS, 2000)

Internal variability See *Climate variability*.

Inter-Tropical Convergence Zone (ITCZ) The Inter-Tropical Convergence Zone is an equatorial zonal belt of low pressure near the equator where the northeast trade winds meet the southeast trade winds. As these winds converge, moist air is forced upward, resulting in a band of heavy precipitation. This band moves seasonally.

Isostatic or Isostasy Isostasy refers to the way in which the *lithosphere* and mantle respond visco-elastically to changes in surface loads. When the loading of the lithosphere and/or the mantle is changed by alterations in land ice mass, ocean mass, sedimentation, erosion or mountain building, vertical isostatic adjustment results, in order to balance the new load.

Kyoto Protocol The Kyoto Protocol to the *United Nations Framework Convention on Climate Change* (UNFCCC) was adopted in 1997 in Kyoto, Japan, at the Third Session of the Conference of the Parties (COP) to the UNFCCC. It contains legally binding commitments, in addition to those included in the UNFCCC. Countries included in Annex B of the Protocol (most Organisation for Economic Cooperation and Development countries and countries with economies in transition) agreed to reduce their *anthropogenic greenhouse gas* emissions (*carbon dioxide*, methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons, and sulphur hexafluoride) by at least 5% below 1990 levels in the commitment period 2008 to 2012. The Kyoto Protocol entered into force on 16 February 2005.

Land use and Land use change *Land use* refers to the total of arrangements, activities and inputs undertaken in a certain land cover type (a set of human actions). The term land use is also used in the sense of the social and economic purposes for which land is managed (e.g., grazing, timber extraction and conservation). *Land use change* refers to a change in the use or management of land by humans, which may lead to a change in land cover. Land cover and land use change may have an impact on the surface *albedo*, *evapotranspiration*, *sources* and *sinks* of *greenhouse gases*, or other properties of the *climate system* and may thus have a *radiative forcing* and/or other impacts on *climate*, locally or globally. See also the IPCC Report on Land Use, Land-Use Change, and Forestry (IPCC, 2000).

La Niña See *El Niño-Southern Oscillation*.

Land surface air temperature The surface air temperature as measured in well-ventilated screens over land at 1.5 m above the ground.

Lapse rate The rate of change of an atmospheric variable, usually temperature, with height. The lapse rate is considered positive when the variable decreases with height.

Last Glacial Maximum (LGM) The Last Glacial Maximum refers to the time of maximum extent of the *ice sheets* during the last glaciation, approximately 21 ka. This period has been widely studied because the *radiative forcings* and boundary conditions are relatively well known and because the global cooling during that period is comparable with the projected warming over the 21st century.

Last Interglacial (LIG) See *Interglacial*.

Latent heat flux The flux of heat from the Earth's surface to the *atmosphere* that is associated with evaporation or condensation of water vapour at the surface; a component of the surface energy budget.

Level of Scientific Understanding (LOSU) This is an index on a 5-step scale (high, medium, medium-low, low and very low) designed to characterise the degree of scientific understanding of the *radiative forcing* agents that affect *climate change*. For each agent, the index represents a subjective judgement about the evidence for the physical/chemical mechanisms determining the forcing and the consensus surrounding the quantitative estimate and its *uncertainty*.

Lifetime Lifetime is a general term used for various time scales characterising the rate of processes affecting the concentration of trace gases. The following lifetimes may be distinguished:

Turnover time (T) (also called *global atmospheric lifetime*) is the ratio of the mass *M* of a *reservoir* (e.g., a gaseous compound in the *atmosphere*) and the total rate of removal *S* from the reservoir: $T = M / S$. For each removal process, separate turnover times can be defined. In soil carbon biology, this is referred to as *Mean Residence Time*.

Adjustment time or *response time (T_a)* is the time scale characterising the decay of an instantaneous pulse input into the reservoir. The term adjustment time is also used to characterise the adjustment of the mass of a reservoir following a step change in the *source* strength. *Half-life* or *decay constant* is used to quantify a first-order exponential decay process. See *response time* for a different definition pertinent to *climate* variations.

The term *lifetime* is sometimes used, for simplicity, as a surrogate for *adjustment time*.

In simple cases, where the global removal of the compound is directly proportional to the total mass of the reservoir, the adjustment time equals the turnover time: $T = T_a$. An example is *CFC-11*, which is removed from the *atmosphere* only by photochemical processes in the *stratosphere*. In more complicated cases, where several reservoirs are involved or where the removal is not proportional to the total mass, the equality $T = T_a$ no longer holds. *Carbon dioxide (CO₂)* is an extreme example. Its turnover time is only about four years because of the rapid exchange between the atmosphere and the ocean and terrestrial biota. However, a large part of that CO₂ is returned to the atmosphere within a few years. Thus, the adjustment time of CO₂ in the atmosphere is actually determined by the rate of removal of carbon from the surface layer of the oceans into its deeper layers. Although an approximate value of 100 years may be given for the adjustment time of CO₂ in the atmosphere, the actual adjustment is faster initially and slower later on. In the case of methane (CH₄), the adjustment time is different from the turnover time because the removal is mainly through a chemical reaction with the hydroxyl radical OH, the concentration of which itself depends on the CH₄ concentration. Therefore, the CH₄ removal rate *S* is not proportional to its total mass *M*.

Likelihood The likelihood of an occurrence, an outcome or a result, where this can be estimated probabilistically, is expressed in this report using a standard terminology, defined in Box 1.1. See also *Uncertainty*; *Confidence*.

Lithosphere The upper layer of the solid Earth, both continental and oceanic, which comprises all crustal rocks and the cold, mainly elastic part of the uppermost mantle. Volcanic activity, although part of the lithosphere, is not considered as part of the *climate system*, but acts as an *external forcing* factor. See *Isostatic*.

Little Ice Age (LIA) An interval between approximately AD 1400 and 1900 when temperatures in the Northern Hemisphere were generally colder than today's, especially in Europe.

Mass balance (of glaciers, ice caps or ice sheets) The balance between the mass input to the ice body (accumulation) and the mass loss (ablation, iceberg calving). Mass balance terms include the following:

Specific mass balance: net mass loss or gain over a hydrological cycle at a point on the surface of a *glacier*.

Total mass balance (of the glacier): The specific mass balance spatially integrated over the entire glacier area; the total mass a glacier gains or loses over a hydrological cycle.

Mean specific mass balance: The total mass balance per unit area of the glacier. If *surface* is specified (*specific surface mass balance*, etc.) then ice flow contributions are not considered; otherwise, mass balance includes contributions from ice flow and iceberg calving. The specific surface mass balance is positive in the accumulation area and negative in the ablation area.

Mean sea level See *Relative sea level*.

Medieval Warm Period (MWP) An interval between AD 1000 and 1300 in which some Northern Hemisphere *regions* were warmer than during the *Little Ice Age* that followed.

Meridional Overturning Circulation (MOC) Meridional (north-south) overturning circulation in the ocean quantified by zonal (east-west) sums of mass transports in depth or density layers. In the North Atlantic, away from the subpolar *regions*, the MOC (which is in principle an observable quantity) is often identified with the *Thermohaline Circulation* (THC), which is a conceptual interpretation. However, it must be borne in mind that the MOC can also include shallower, wind-driven overturning cells such as occur in the upper ocean in the tropics and subtropics, in which warm (light) waters moving poleward are transformed to slightly denser waters and *subducted* equatorward at deeper levels.

Metadata Information about meteorological and climatological data concerning how and when they were measured, their quality, known problems and other characteristics.

Metric A consistent measurement of a characteristic of an object or activity that is otherwise difficult to quantify.

Mitigation A human intervention to reduce the *sources* or enhance the *sinks* of *greenhouse gases*.

Mixing ratio See *Mole fraction*.

Model hierarchy See *Climate model* (spectrum or hierarchy).

Modes of climate variability Natural variability of the *climate system*, in particular on seasonal and longer time scales, predominantly occurs with preferred spatial patterns and time scales, through the dynamical characteristics of the atmospheric circulation and through interactions with the land and ocean surfaces. Such patterns are often called *regimes*, *modes* or *teleconnections*. Examples are the *North Atlantic Oscillation* (NAO), the *Pacific-North American pattern* (PNA), the *El Niño-Southern Oscillation* (ENSO), the *Northern Annular Mode* (NAM; previously called Arctic Oscillation, AO) and the *Southern Annular Mode* (SAM; previously called the Antarctic Oscillation, AAO). Many of the prominent modes of climate variability are discussed in section 3.6. See also *Patterns of climate variability*.

Mole fraction Mole fraction, or *mixing ratio*, is the ratio of the number of moles of a constituent in a given volume to the total number of moles of all constituents in that volume. It is usually reported for dry air. Typical values for long-lived *greenhouse gases* are in the order of $\mu\text{mol mol}^{-1}$ (parts per million: *ppm*), nmol mol^{-1} (parts per billion: *ppb*), and fmol mol^{-1} (parts per trillion: *ppt*). Mole

fraction differs from *volume mixing ratio*, often expressed in ppmv etc., by the corrections for non-ideality of gases. This correction is significant relative to measurement precision for many greenhouse gases. (Schwartz and Warneck, 1995).

Monsoon A monsoon is a tropical and subtropical seasonal reversal in both the surface winds and associated precipitation, caused by differential heating between a continental-scale land mass and the adjacent ocean. Monsoon rains occur mainly over land in summer.

Montreal Protocol The Montreal Protocol on Substances that Deplete the Ozone Layer was adopted in Montreal in 1987, and subsequently adjusted and amended in London (1990), Copenhagen (1992), Vienna (1995), Montreal (1997) and Beijing (1999). It controls the consumption and production of chlorine- and bromine-containing chemicals that destroy stratospheric *ozone*, such as chlorofluorocarbons, methyl chloroform, carbon tetrachloride and many others.

Microwave Sounding Unit (MSU) A satellite-borne microwave sounder that estimates the temperature of thick layers of the *atmosphere* by measuring the thermal emission of oxygen molecules from a complex of emission lines near 60 GHz. A series of nine MSUs began making this kind of measurement in late 1978. Beginning in mid 1998, a follow-on series of instruments, the Advanced Microwave Sounding Units (AMSUs), began operation.

MSU See *Microwave Sounding Unit*.

Nonlinearity A process is called *nonlinear* when there is no simple proportional relation between cause and effect. The *climate system* contains many such nonlinear processes, resulting in a system with a potentially very complex behaviour. Such complexity may lead to *abrupt climate change*. See also *Chaos*; *Predictability*.

North Atlantic Oscillation (NAO) The North Atlantic Oscillation consists of opposing variations of barometric pressure near Iceland and near the Azores. It therefore corresponds to fluctuations in the strength of the main westerly winds across the Atlantic into Europe, and thus to fluctuations in the embedded cyclones with their associated frontal systems. See NAO Index, Box 3.4.

Northern Annular Mode (NAM) A winter fluctuation in the amplitude of a pattern characterised by low surface pressure in the Arctic and strong mid-latitude westerlies. The NAM has links with the northern polar vortex into the *stratosphere*. Its pattern has a bias to the North Atlantic and has a large correlation with the *North Atlantic Oscillation*. See NAM Index, Box 3.4.

Ocean acidification A decrease in the *pH* of sea water due to the *uptake* of *anthropogenic carbon dioxide*.

Ocean heat uptake efficiency This is a measure ($\text{W m}^{-2} \text{ } ^\circ\text{C}^{-1}$) of the rate at which heat storage by the global ocean increases as global surface temperature rises. It is a useful parameter for *climate change* experiments in which the *radiative forcing* is changing monotonically, when it can be compared with the climate sensitivity parameter to gauge the relative importance of climate response and ocean heat uptake in determining the rate of climate change. It can be estimated from a $1\% \text{ yr}^{-1}$ atmospheric *carbon dioxide* increase experiment as the ratio of the global average top-of-*atmosphere* net downward radiative flux to the *transient climate response* (see *climate sensitivity*).

Organic aerosol *Aerosol* particles consisting predominantly of organic compounds, mainly carbon, hydrogen, oxygen and lesser amounts of other elements. (Charlson and Heintzenberg, 1995, p. 405). See *Carbonaceous aerosol*.

Ozone Ozone, the triatomic form of oxygen (O₃), is a gaseous atmospheric constituent. In the *troposphere*, it is created both naturally and by photochemical reactions involving gases resulting from human activities (*smog*). Tropospheric ozone acts as a *greenhouse gas*. In the *stratosphere*, it is created by the interaction between solar ultraviolet radiation and molecular oxygen (O₂). Stratospheric ozone plays a dominant role in the stratospheric radiative balance. Its concentration is highest in the *ozone layer*.

Ozone hole See *Ozone layer*.

Ozone layer The *stratosphere* contains a layer in which the concentration of *ozone* is greatest, the so-called ozone layer. The layer extends from about 12 to 40 km above the Earth's surface. The ozone concentration reaches a maximum between about 20 and 25 km. This layer is being depleted by human emissions of chlorine and bromine compounds. Every year, during the Southern Hemisphere spring, a very strong depletion of the ozone layer takes place over the antarctic *region*, caused by *anthropogenic* chlorine and bromine compounds in combination with the specific meteorological conditions of that region. This phenomenon is called the *ozone hole*. See *Montreal Protocol*.

Pacific decadal variability Coupled decadal-to-inter-decadal variability of the atmospheric circulation and underlying ocean in the Pacific Basin. It is most prominent in the North Pacific, where fluctuations in the strength of the winter Aleutian Low pressure system co-vary with North Pacific *sea surface temperatures*, and are linked to decadal variations in atmospheric circulation, sea surface temperatures and ocean circulation throughout the whole Pacific Basin. Such fluctuations have the effect of modulating the *El Niño-Southern Oscillation* cycle. Key measures of Pacific decadal variability are the *North Pacific Index (NPI)*, the *Pacific Decadal Oscillation (PDO)* index and the *Inter-decadal Pacific Oscillation (IPO)* index, all defined in Box 3.4.

Pacific-North American (PNA) pattern An atmospheric large-scale wave pattern featuring a sequence of tropospheric high- and low-pressure anomalies stretching from the subtropical west Pacific to the east coast of North America. See PNA pattern index, Box 3.4.

Palaeoclimate *Climate* during periods prior to the development of measuring instruments, including historic and geologic time, for which only *proxy* climate records are available.

Parametrization In *climate models*, this term refers to the technique of representing processes that cannot be explicitly resolved at the spatial or temporal resolution of the model (sub-grid scale processes) by relationships between model-resolved larger-scale flow and the area- or time-averaged effect of such sub-grid scale processes.

Patterns of climate variability See *Modes of climate variability*.

Percentile A percentile is a value on a scale of one hundred that indicates the percentage of the data set values that is equal to or below it. The percentile is often used to estimate the extremes of a distribution. For example, the 90th (10th) percentile may be used to refer to the threshold for the upper (lower) extremes.

Permafrost Ground (soil or rock and included ice and organic material) that remains at or below 0°C for at least two consecutive years (Van Everdingen, 1998).

pH pH is a dimensionless measure of the acidity of water (or any solution) given by its concentration of hydrogen ions (H⁺). pH is measured on a logarithmic scale where

$\text{pH} = -\log_{10}(\text{H}^+)$. Thus, a pH decrease of 1 unit corresponds to a 10-fold increase in the concentration of H⁺, or acidity.

Photosynthesis The process by which plants take carbon dioxide from the air (or bicarbonate in water) to build carbohydrates, releasing oxygen in the process. There are several pathways of photosynthesis with different responses to atmospheric carbon dioxide concentrations. See Carbon dioxide fertilization; C3 plants; C4 plants.

Plankton Microorganisms living in the upper layers of aquatic systems. A distinction is made between *phytoplankton*, which depend on *photosynthesis* for their energy supply, and *zooplankton*, which feed on phytoplankton.

Pleistocene The earlier of two *Quaternary* epochs, extending from the end of the Pliocene, about 1.8 Ma, until the beginning of the *Holocene* about 11.6 ka.

Pollen analysis A technique of both relative dating and environmental *reconstruction*, consisting of the identification and counting of pollen types preserved in peat, lake sediments and other deposits. See *Proxy*.

Post-glacial rebound The vertical movement of the land and sea floor following the reduction of the load of an ice mass, for example, since the *Last Glacial Maximum* (21 ka). The rebound is an *isostatic* land movement.

Precipitable water The total amount of atmospheric water vapour in a vertical column of unit cross-sectional area. It is commonly expressed in terms of the height of the water if completely condensed and collected in a vessel of the same unit cross section.

Precursors Atmospheric compounds that are not *greenhouse gases* or *aerosols*, but that have an effect on greenhouse gas or aerosol concentrations by taking part in physical or chemical processes regulating their production or destruction rates.

Predictability The extent to which future states of a system may be predicted based on knowledge of current and past states of the system.

Since knowledge of the *climate system*'s past and current states is generally imperfect, as are the models that utilise this knowledge to produce a *climate prediction*, and since the climate system is inherently *nonlinear* and *chaotic*, predictability of the climate system is inherently limited. Even with arbitrarily accurate models and observations, there may still be limits to the predictability of such a nonlinear system (AMS, 2000)

Pre-industrial See *Industrial revolution*.

Probability Density Function (PDF) A probability density function is a function that indicates the relative chances of occurrence of different outcomes of a variable. The function integrates to unity over the domain for which it is defined and has the property that the integral over a sub-domain equals the probability that the outcome of the variable lies within that sub-domain. For example, the probability that a temperature anomaly defined in a particular way is greater than zero is obtained from its PDF by integrating the PDF over all possible temperature anomalies greater than zero. Probability density functions that describe two or more variables simultaneously are similarly defined.

Projection A projection is a potential future evolution of a quantity or set of quantities, often computed with the aid of a model.

Projections are distinguished from *predictions* in order to emphasize that projections involve assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realised, and are therefore subject to substantial *uncertainty*. See also *Climate projection*; *Climate prediction*.

Proxy A proxy *climate* indicator is a local record that is interpreted, using physical and biophysical principles, to represent some combination of climate-related variations back in time. Climate-related data derived in this way are referred to as proxy data. Examples of proxies include *pollen analysis*, *tree ring* records, characteristics of corals and various data derived from *ice cores*.

Quaternary The period of geological time following the *Tertiary* (65 Ma to 1.8 Ma). Following the current definition (which is under revision at present) the Quaternary extends from 1.8 Ma until the present. It is formed of two epochs, the *Pleistocene* and the *Holocene*.

Radiative forcing Radiative forcing is the change in the net, downward minus upward, irradiance (expressed in W m^{-2}) at the *tropopause* due to a change in an external driver of *climate change*, such as, for example, a change in the concentration of *carbon dioxide* or the output of the Sun. Radiative forcing is computed with all tropospheric properties held fixed at their unperturbed values, and after allowing for stratospheric temperatures, if perturbed, to readjust to radiative-dynamical equilibrium. Radiative forcing is called *instantaneous* if no change in stratospheric temperature is accounted for. For the purposes of this report, radiative forcing is further defined as the change relative to the year 1750 and, unless otherwise noted, refers to a global and annual average value. Radiative forcing is not to be confused with *cloud radiative forcing*, a similar terminology for describing an unrelated measure of the impact of clouds on the irradiance at the top of the *atmosphere*.

Radiative forcing scenario A plausible representation of the future development of *radiative forcing* associated, for example, with changes in atmospheric composition or *land use change*, or with external factors such as variations in *solar activity*. Radiative forcing scenarios can be used as input into simplified *climate models* to compute *climate projections*.

Rapid climate change See *Abrupt climate change*.

Reanalysis Reanalyses are atmospheric and oceanic analyses of temperature, wind, current, and other meteorological and oceanographic quantities, created by processing past meteorological and oceanographic data using fixed state-of-the-art weather forecasting models and data assimilation techniques. Using fixed data assimilation avoids effects from the changing analysis system that occurs in operational analyses. Although continuity is improved, global reanalyses still suffer from changing coverage and biases in the observing systems.

Reconstruction The use of *climate* indicators to help determine (generally past) climates.

Reforestation Planting of forests on lands that have previously contained forests but that have been converted to some other use. For a discussion of the term *forest* and related terms such as *afforestation*, reforestation and *deforestation*, see the IPCC Report on Land Use, Land-Use Change and Forestry (IPCC, 2000). See also the Report on Definitions and Methodological Options to Inventory Emissions from Direct Human-induced Degradation of Forests and Devegetation of Other Vegetation Types (IPCC, 2003)

Regime A regime is preferred states of the *climate system*, often representing one phase of dominant patterns or *modes of climate variability*.

Region A region is a territory characterised by specific geographical and climatological features. The *climate* of a region is affected by regional and local scale forcings like topography, *land use* characteristics, lakes, etc., as well as remote influences from other regions. See *Teleconnection*.

Relative sea level Sea level measured by a *tide gauge* with respect to the land upon which it is situated. *Mean sea level* is normally defined as the average relative sea level over a period, such as a month or a year, long enough to average out transients such as waves and tides. See *Sea level change*.

Reservoir A component of the *climate system*, other than the *atmosphere*, which has the capacity to store, accumulate or release a substance of concern, for example, carbon, a *greenhouse gas* or a *precursor*. Oceans, soils and *forests* are examples of reservoirs of carbon. *Pool* is an equivalent term (note that the definition of pool often includes the atmosphere). The absolute quantity of the substance of concern held within a reservoir at a specified time is called the *stock*.

Respiration The process whereby living organisms convert organic matter to *carbon dioxide*, releasing energy and consuming molecular oxygen.

Response time The response time or *adjustment time* is the time needed for the *climate system* or its components to re-equilibrate to a new state, following a forcing resulting from external and internal processes or *feedbacks*. It is very different for various components of the climate system. The response time of the *troposphere* is relatively short, from days to weeks, whereas the *stratosphere* reaches equilibrium on a time scale of typically a few months. Due to their large heat capacity, the oceans have a much longer response time: typically decades, but up to centuries or millennia. The response time of the strongly coupled surface-troposphere system is, therefore, slow compared to that of the stratosphere, and mainly determined by the oceans. The *biosphere* may respond quickly (e.g., to *droughts*), but also very slowly to imposed changes. See *lifetime* for a different definition of response time pertinent to the rate of processes affecting the concentration of trace gases.

Return period The average time between occurrences of a defined event (AMS, 2000).

Return value The highest (or, alternatively, lowest) value of a given variable, on average occurring once in a given period of time (e.g., in 10 years).

Scenario A plausible and often simplified description of how the future may develop, based on a coherent and internally consistent set of assumptions about driving forces and key relationships. Scenarios may be derived from *projections*, but are often based on additional information from other sources, sometimes combined with a *narrative storyline*. See also *SRES scenarios*; *Climate scenario*; *Emission scenario*.

Sea ice Any form of ice found at sea that has originated from the freezing of seawater. Sea ice may be discontinuous pieces (ice floes) moved on the ocean surface by wind and currents (pack ice), or a motionless sheet attached to the coast (land-fast ice). Sea ice less than one year old is called *first-year ice*. *Multi-year ice* is sea ice that has survived at least one summer melt season.

Sea level change Sea level can change, both globally and locally, due to (i) changes in the shape of the ocean basins, (ii) changes in the total mass of water and (iii) changes in water density. Sea level changes induced by changes in water density are called *steric*. Density changes induced by temperature changes only are called *thermosteric*, while density changes induced by salinity changes are called *halosteric*. See also *Relative Sea Level*; *Thermal expansion*.

Sea level equivalent (SLE) The change in global average sea level that would occur if a given amount of water or ice were added to or removed from the oceans.

Seasonally frozen ground See *Frozen ground*.

Sea surface temperature (SST) The sea surface temperature is the temperature of the subsurface bulk temperature in the top few metres of the ocean, measured by ships, buoys and drifters. From ships, measurements of water samples in buckets were mostly switched in the 1940s to samples from engine intake water. Satellite measurements of *skin temperature* (uppermost layer; a fraction of a millimetre thick) in the infrared or the top centimetre or so in the microwave are also used, but must be adjusted to be compatible with the bulk temperature.

Sensible heat flux The flux of heat from the Earth's surface to the *atmosphere* that is not associated with phase changes of water; a component of the surface energy budget.

Sequestration See *Uptake*.

Significant wave height The average height of the highest one-third of the wave heights (sea and swell) occurring in a particular time period.

Sink Any process, activity or mechanism that removes a *greenhouse gas*, an *aerosol* or a *precursor* of a greenhouse gas or aerosol from the *atmosphere*.

Slab-ocean model A simplified presentation in a *climate model* of the ocean as a motionless layer of water with a depth of 50 to 100 m. Climate models with a slab ocean can only be used for estimating the equilibrium response of climate to a given forcing, not the transient evolution of climate. See *Equilibrium and transient climate experiment*.

Snow line The lower limit of permanent snow cover, below which snow does not accumulate.

Soil moisture Water stored in or at the land surface and available for evaporation.

Soil temperature See *Ground temperature*.

Solar activity The Sun exhibits periods of high activity observed in numbers of *sunspots*, as well as radiative output, magnetic activity and emission of high-energy particles. These variations take place on a range of time scales from millions of years to minutes. See *Solar cycle*.

Solar ('11 year') cycle A quasi-regular modulation of *solar activity* with varying amplitude and a period of between 9 and 13 years.

Solar radiation Electromagnetic radiation emitted by the Sun. It is also referred to as *shortwave radiation*. Solar radiation has a distinctive range of wavelengths (spectrum) determined by the temperature of the Sun, peaking in visible wavelengths. See also: *Thermal infrared radiation*, *Insolation*.

Soot Particles formed during the quenching of gases at the outer edge of flames of organic vapours, consisting predominantly of carbon, with lesser amounts of oxygen and hydrogen present as carboxyl and phenolic groups and exhibiting an imperfect graphitic structure. See *Black carbon*; *Charcoal* (Charlson and Heintzenberg, 1995, p. 406).

Source Any process, activity or mechanism that releases a *greenhouse gas*, an *aerosol* or a *precursor* of a greenhouse gas or aerosol into the *atmosphere*.

Southern Annular Mode (SAM) The fluctuation of a pattern like the *Northern Annular Mode*, but in the Southern Hemisphere. See SAM Index, Box 3.4.

Southern Oscillation See *El Niño-Southern Oscillation* (ENSO).

Spatial and temporal scales *Climate* may vary on a large range of spatial and temporal scales. Spatial scales may range from local (less than 100,000 km²), through regional (100,000 to 10 million km²) to continental (10 to 100 million km²). Temporal scales may range from seasonal to geological (up to hundreds of millions of years).

SRES scenarios SRES scenarios are *emission scenarios* developed by Nakićenović and Swart (2000) and used, among others, as a basis for some of the *climate projections* shown in Chapter 10 of this report. The following terms are relevant for a better understanding of the structure and use of the set of SRES scenarios:

Scenario family Scenarios that have a similar demographic, societal, economic and technical change storyline. Four scenario families comprise the SRES scenario set: A1, A2, B1 and B2.

Illustrative Scenario A scenario that is illustrative for each of the six scenario groups reflected in the Summary for Policymakers of Nakićenović and Swart (2000). They include four revised *scenario markers* for the scenario groups A1B, A2, B1, B2, and two additional scenarios for the A1FI and A1T groups. All scenario groups are equally sound.

Marker Scenario A scenario that was originally posted in draft form on the SRES website to represent a given scenario family. The choice of markers was based on which of the initial quantifications best reflected the storyline, and the features of specific models. Markers are no more likely than other scenarios, but are considered by the SRES writing team as illustrative of a particular storyline. They are included in revised form in Nakićenović and Swart (2000). These scenarios received the closest scrutiny of the entire writing team and via the SRES open process. Scenarios were also selected to illustrate the other two scenario groups.

Storyline A narrative description of a scenario (or family of scenarios), highlighting the main scenario characteristics, relationships between key driving forces and the dynamics of their evolution.

Steric See *Sea level change*.

Stock See *Reservoir*.

Storm surge The temporary increase, at a particular locality, in the height of the sea due to extreme meteorological conditions (low atmospheric pressure and/or strong winds). The storm surge is defined as being the excess above the level expected from the tidal variation alone at that time and place.

Storm tracks Originally, a term referring to the tracks of individual cyclonic weather systems, but now often generalised to refer to the *regions* where the main tracks of extratropical disturbances occur as sequences of low (cyclonic) and high (anticyclonic) pressure systems.

Stratosphere The highly stratified region of the *atmosphere* above the *troposphere* extending from about 10 km (ranging from 9 km at high latitudes to 16 km in the tropics on average) to about 50 km altitude.

Subduction Ocean process in which surface waters enter the ocean interior from the surface mixed layer through *Ekman pumping* and lateral *advection*. The latter occurs when surface waters are advected to a region where the local surface layer is less dense and therefore must slide below the surface layer, usually with no change in density.

Sunspots Small dark areas on the Sun. The number of sunspots is higher during periods of high *solar activity*, and varies in particular with the *solar cycle*.

Surface layer See *Atmospheric boundary layer*.

Surface temperature See *Global surface temperature*; *Ground temperature*; *Land surface air temperature*; *Sea surface temperature*.

Teleconnection A connection between *climate variations* over widely separated parts of the world. In physical terms, teleconnections are often a consequence of large-scale wave motions, whereby energy is transferred from source regions along preferred paths in the *atmosphere*.

Thermal expansion In connection with sea level, this refers to the increase in volume (and decrease in density) that results from warming water. A warming of the ocean leads to an expansion of the ocean volume and hence an increase in sea level. See *Sea level change*.

Thermal infrared radiation Radiation emitted by the Earth's surface, the *atmosphere* and the clouds. It is also known as *terrestrial* or *longwave radiation*, and is to be distinguished from the near-infrared radiation that is part of the solar spectrum. Infrared radiation, in general, has a distinctive range of wavelengths (*spectrum*) longer than the wavelength of the red colour in the visible part of the spectrum. The spectrum of thermal infrared radiation is practically distinct from that of shortwave or *solar radiation* because of the difference in temperature between the Sun and the Earth-atmosphere system.

Thermocline The layer of maximum vertical temperature gradient in the ocean, lying between the surface ocean and the abyssal ocean. In subtropical regions, its source waters are typically surface waters at higher latitudes that have *subducted* and moved equatorward. At high latitudes, it is sometimes absent, replaced by a *halocline*, which is a layer of maximum vertical salinity gradient.

Thermohaline circulation (THC) Large-scale circulation in the ocean that transforms low-density upper ocean waters to higher-density intermediate and deep waters and returns those waters back to the upper ocean. The circulation is asymmetric, with conversion to dense waters in restricted regions at high latitudes and the return to the surface involving slow upwelling and diffusive processes over much larger geographic regions. The THC is driven by high densities at or near the surface, caused by cold temperatures and/or high salinities, but despite its suggestive though common name, is also driven by mechanical forces such as wind and tides. Frequently,

the name THC has been used synonymously with *Meridional Overturning Circulation*.

Thermokarst The process by which characteristic landforms result from the thawing of ice-rich *permafrost* or the melting of massive *ground ice* (Van Everdingen, 1998).

Thermosteric See *Sea level change*.

Tide gauge A device at a coastal location (and some deep-sea locations) that continuously measures the level of the sea with respect to the adjacent land. Time averaging of the sea level so recorded gives the observed secular changes of the *relative sea level*.

Total solar irradiance (TSI) The amount of *solar radiation* received outside the Earth's *atmosphere* on a surface normal to the incident radiation, and at the Earth's mean distance from the Sun.

Reliable measurements of solar radiation can only be made from space and the precise record extends back only to 1978. The generally accepted value is 1,368 W m⁻² with an accuracy of about 0.2%. Variations of a few tenths of a percent are common, usually associated with the passage of *sunspots* across the solar disk. The *solar cycle* variation of TSI is of the order of 0.1% (AMS, 2000). See also *Insolation*.

Transient climate response See *Climate sensitivity*.

Tree rings Concentric rings of secondary wood evident in a cross-section of the stem of a woody plant. The difference between the dense, small-celled late wood of one season and the wide-celled early wood of the following spring enables the age of a tree to be estimated, and the ring widths or density can be related to *climate* parameters such as temperature and precipitation. See *Proxy*.

Trend In this report, the word *trend* designates a change, generally monotonic in time, in the value of a variable.

Tropopause The boundary between the *troposphere* and the *stratosphere*.

Troposphere The lowest part of the *atmosphere*, from the surface to about 10 km in altitude at mid-latitudes (ranging from 9 km at high latitudes to 16 km in the tropics on average), where clouds and weather phenomena occur. In the troposphere, temperatures generally decrease with height.

Turnover time See *Lifetime*.

Uncertainty An expression of the degree to which a value (e.g., the future state of the *climate system*) is unknown. Uncertainty can result from lack of information or from disagreement about what is known or even knowable. It may have many types of sources, from quantifiable errors in the data to ambiguously defined concepts or terminology, or uncertain *projections* of human behaviour. Uncertainty can therefore be represented by quantitative measures, for example, a range of values calculated by various models, or by qualitative statements, for example, reflecting the judgement of a team of experts (see Moss and Schneider, 2000; Manning et al., 2004). See also *Likelihood*; *Confidence*.

United Nations Framework Convention on Climate Change (UNFCCC)

The Convention was adopted on 9 May 1992 in New York and signed at the 1992 Earth Summit in Rio de Janeiro by more than 150 countries and the European Community. Its ultimate objective is the 'stabilisation of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system'. It contains commitments for all Parties. Under the Convention, Parties included in Annex I (all OECD

countries and countries with economies in transition) aim to return *greenhouse gas* emissions not controlled by the *Montreal Protocol* to 1990 levels by the year 2000. The convention entered in force in March 1994. See *Kyoto Protocol*.

Uptake The addition of a substance of concern to a *reservoir*. The uptake of carbon containing substances, in particular *carbon dioxide*, is often called (carbon) *sequestration*.

Urban heat island (UHI) The relative warmth of a city compared with surrounding rural areas, associated with changes in runoff, the *concrete jungle* effects on heat retention, changes in surface *albedo*, changes in pollution and *aerosols*, and so on.

Ventilation The exchange of ocean properties with the *atmospheric surface layer* such that property concentrations are brought closer to equilibrium values with the *atmosphere* (AMS, 2000).

Volume mixing ratio See *Mole fraction*.

Walker Circulation Direct thermally driven zonal overturning circulation in the *atmosphere* over the tropical Pacific Ocean, with rising air in the western and sinking air in the eastern Pacific.

Water mass A volume of ocean water with identifiable properties (temperature, salinity, density, chemical tracers) resulting from its unique formation process. Water masses are often identified through a vertical or horizontal extremum of a property such as salinity.

Younger Dryas A period 12.9 to 11.6 kya, during the deglaciation, characterised by a temporary return to colder conditions in many locations, especially around the North Atlantic.

REFERENCES

- AMS, 2000: *AMS Glossary of Meteorology*, 2nd Ed. American Meteorological Society, Boston, MA, <http://amsglossary.allenpress.com/glossary/browse>.
- Charlson, R.J., and J. Heintzenberg (eds.), 1995: *Aerosol Forcing of Climate*. John Wiley and Sons Limited, pp. 91–108. Copyright 1995 ©John Wiley and Sons Limited. Reproduced with permission.
- Heim, R.R., 2002: *A Review of Twentieth-Century Drought Indices Used in the United States*. *Bull. Am. Meteorol. Soc.*, **83**, 1149–1165
- IPCC, 1992: *Climate Change 1992: The Supplementary Report to the IPCC Scientific Assessment* [Houghton, J.T., B.A. Callander, and S.K. Varney (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 116 pp.
- IPCC, 1996: *Climate Change 1995: The Science of Climate Change. Contribution of Working Group I to the Second Assessment Report of the Intergovernmental Panel on Climate Change* [Houghton, J.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 572 pp.
- IPCC, 2000: *Land Use, Land-Use Change, and Forestry. Special Report of the Intergovernmental Panel on Climate Change* [Watson, R.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 377 pp.
- IPCC, 2001: *Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the Intergovernmental Panel on Climate Change* [Houghton, J.T., et al. (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881 pp.
- IPCC, 2003: *Definitions and Methodological Options to Inventory Emissions from Direct Human-Induced Degradation of Forests and Devegetation of Other Vegetation Types* [Penman, J., et al. (eds.)]. The Institute for Global Environmental Strategies (IGES), Japan, 32 pp.
- Manning, M., et al., 2004: *IPCC Workshop on Describing Scientific Uncertainties in Climate Change to Support Analysis of Risk of Options*. Workshop Report. Intergovernmental Panel on Climate Change, Geneva.
- Moss, R., and S. Schneider, 2000: *Uncertainties in the IPCC TAR: Recommendations to Lead Authors for More Consistent Assessment and Reporting*. In: IPCC Supporting Material: Guidance Papers on Cross Cutting Issues in the Third Assessment Report of the IPCC. [Pachauri, R., T. Taniguchi, and K. Tanaka (eds.)]. Intergovernmental Panel on Climate Change, Geneva, pp. 33–51.
- Nakićenović, N., and R. Swart (eds.), 2000: *Special Report on Emissions Scenarios. A Special Report of Working Group III of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 599 pp.
- Schwartz, S.E., and P. Warneck, 1995: Units for use in atmospheric chemistry. *Pure Appl. Chem.*, **67**, 1377–1406.
- Van Everdingen, R. (ed.): 1998. *Multi-Language Glossary of Permafrost and Related Ground-Ice Terms*, revised May 2005. National Snow and Ice Data Center/World Data Center for Glaciology, Boulder, CO, <http://nsidc.org/fgdc/glossary/>.

Annex II

Contributors to the IPCC WGI Fourth Assessment Report

ACHUTARAO, Krishna

Lawrence Livermore National Laboratory
USA

ADLER, Robert

National Aeronautics and
Space Administration
USA

ALEXANDER, Lisa

Hadley Centre for Climate Prediction
and Research, Met Office
UK, Australia, Ireland

ALEXANDERSSON, Hans

Swedish Meteorological and
Hydrological Institute
Sweden

ALLAN, Richard

Environmental Systems Science
Centre, University of Reading
UK

ALLEN, Myles

Climate Dynamics Group, Atmospheric,
Oceanic and Planetary Physics, Department
of Physics, University of Oxford
UK

ALLEY, Richard B.

Department of Geosciences,
Pennsylvania State University
USA

ALLISON, Ian

Australian Antarctic Division and
Antarctic Climate and Ecosystems
Cooperative Research Centre
Australia

AMBENJE, Peter

Kenya Meteorological Department
Kenya

AMMANN, Caspar

Climate and Global Dynamics Division,
National Center for Atmospheric Research
USA

ANDRONOVA, Natalia

University of Michigan
USA

ANNAN, James

Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology
Japan, UK

ANTONOV, John

National Oceanic and
Atmospheric Administration
USA, Russian Federation

ARBLASTER, Julie

National Center for Atmospheric Research
and Bureau of Meteorology Research Center
USA, Australia

ARCHER, David

University of Chicago
USA

ARORA, Vivek

Canadian Centre for Climate Modelling
and Analysis, Environment Canada
Canada

ARRITT, Raymond

Iowa State University
USA

ARTALE, Vincenzo

Italian National Agency for
New Technologies, Energy and
the Environment (ENEA)
Italy

ARTAXO, Paulo

Instituto de Fisica, Universidade
de Sao Paulo
Brazil

AUER, Ingeborg

Central Institute for Meteorology
and Geodynamics
Austria

AUSTIN, John

National Oceanic and Atmospheric
Administration, Geophysical
Fluid Dynamics Laboratory
USA

BAEDE, Alphonsus

Royal Netherlands Meteorological
Institute (KNMI) and Ministry of Housing,
Spatial Planning and the Environment
Netherlands

BAKER, David

National Center for Atmospheric Research
USA

BALDWIN, Mark P.

Northwest Research Associates
USA

BARNOLA, Jean-Marc

Laboratoire de Glaciologie et
Géophysique de l'Environnement
France

BARRY, Roger

National Snow and Ice Data
Center, University of Colorado
USA

BATES, Nicholas Robert

Bermuda Institute of Ocean Sciences
Bermuda

BAUER, Eva

Potsdam Institute for Climate
Impact Research
Germany

BENESTAD, Rasmus

Norwegian Meteorological Institute
Norway

BENISTON, Martin

University of Geneva
Switzerland

BERGER, André

Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaître
Belgium

BERNTSEN, Terje

Centre for International Climate and
Environmental Research (CICERO)
Norway

BERRY, Joseph A.

Carnegie Institute of Washington,
Department of Global Ecology
USA

BETTS, Richard A.

Hadley Centre for Climate Prediction
and Research, Met Office
UK

BIERCAMP, Joachim

Deutsches Klimarechenzentrum GmbH
Germany

BINDOFF, Nathaniel L.

Antarctic Climate and Ecosystems
Cooperative Research Centre and CSIRO
Marine and Atmospheric Research
Australia

BITZ, Cecilia

University of Washington
USA

BLATTER, Heinz

Institute for Atmospheric and
Climate Science, ETH Zurich
Switzerland

BODEKER, Greg

National Institute of Water and
Atmospheric Research
New Zealand

BOJARIU, Roxana

National Institute of Meteorology
and Hydrology (NIMH)
Romania

BONAN, Gordon

National Center for Atmospheric Research
USA

Coordinating lead authors, lead authors, and contributing authors are listed alphabetically by surname.

BONFILS, C line

School of Natural Sciences,
University of California, Merced
USA, France

BONY, Sandrine

Laboratoire de M t eorologie Dynamique,
Institut Pierre Simon Laplace
France

BOONE, Aaron

CNRS CNRM at M teo France
France, USA

BOONPRAGOB, Kansri

Department of Biology, Faculty of
Science, Ramkhamhaeng University
Thailand

BOUCHER, Olivier

Hadley Centre for Climate Prediction
and Research, Met Office
UK, France

BOUSQUET, Philippe

Institut Pierre Simon Laplace,
Laboratoire des Sciences du
Climat et de l'Environnement
France

BOX, Jason

Ohio State University
USA

BOYER, Tim

National Oceanic and
Atmospheric Administration
USA

BRACONNOT, Pascale

Pascale Braconnot Institut Pierre Simon
Laplace, Laboratoire des Sciences
du Climat et de l'Environnement
France

BRADY, Esther

National Center for Atmospheric Research
USA

BRASSEUR, Guy

Earth and Sun Systems Laboratory,
National Center for Atmospheric Research
USA, Germany

BREHERTON, Christopher

Department of Atmospheric Sciences,
University of Washington
USA

BRIFFA, Keith R.

Climatic Research Unit, School
of Environmental Sciences,
University of East Anglia
UK

BROCCOLI, Anthony J.

Rutgers University
USA

BROCKMANN, Patrick

Laboratoire des Sciences du
Climat et de l'Environnement
France

BROMWICH, David

Byrd Polar Research Center,
The Ohio State University
USA

BROVKIN, Victor

Potsdam Institute for Climate
Impact Research
Germany, Russian Federation

BROWN, Ross

Environment Canada
Canada

BUJA, Lawrence

National Center for Atmospheric Research
USA

BUSUIOC, Aristita

National Meteorological Administration
Romania

CADULE, Patricia

Institut Pierre Simon Laplace
France

CAI, Wenju

CSIRO Marine and Atmospheric Research
Australia

CAMILLONI, In s

Universidad de Buenos Aires, Centro de
Investigaciones del Mar y la Atm sfera
Argentina

CANADELL, Josep

Global Carbon Project, CSIRO
Australia

CARRASCO, Jorge

Direccion Meteorologica de Chile
and Centro de Estudios Cientificos
Chile

CASSOU, Christophe

Centre National de Recherche Scientifique,
Centre Europeen de Recherche et de
Formation Avancee en Calcul Scientifique
France

CAYA, Daniel

Consortium Ouranos
Canada

CAYAN, Daniel R.

Scripps Institution of Oceanography,
University of California, San Diego
USA

CAZENAVE, Anny

Laboratoire d'Etudes en G ophysique et
Oc anographie Spatiale (LEGOS), CNES
France

CHAMBERS, Don

Center for Space Research, The
University of Texas at Austin
USA

CHANDLER, Mark

Columbia University and NASA
Goddard Institute for Space Studies
USA

CHANG, Edmund K.M.

Stony Brook University, State
University of New York
USA

CHAO, Ben

NASA Goddard Institute for Space Studies
USA

CHEN, Anthony

Department of Physics, University
of the West Indies
Jamaica

CHEN, Zhenlin

Dept of International Cooperation,
China Meteorological Administration
China

CHIDTHAISONG, Amnat

The Joint Graduate School of Energy
and Environment, King Mongkut's
University of Technology Thonburi
Thailand

CHRISTENSEN, Jens Hesselbjerg

Danish Meteorological Institute
Denmark

CHRISTIAN, James

Fisheries and Oceans, Canada, Canadian
Centre for Climate Modelling and Analysis
Canada

CHRISTY, John

University of Alabama in Huntsville
USA

CHURCH, John

CSIRO Marine and Atmospheric
Research and Ecosystems
Cooperative Research Centre
Australia

CIAIS, Philippe

Laboratoire des Sciences du
Climat et de l'Environnement
France

CLARK, Deborah A.

University of Missouri, St. Louis
USA

CLARKE, Garry

Earth and Ocean Sciences,
University of British Columbia
Canada

CLAUSSEN, Martin

Potsdam Institute for Climate
Impact Research
Germany

CLEMENT, Amy

University of Miami, Rosenstiel School
of Marine and Atmospheric Science
USA

COGLEY, J. Graham

Department of Geography, Trent University
Canada

COLE, Julia

University of Arizona
USA

- COLLIER, Mark**
CSIRO Marine and Atmospheric Research
Australia
- COLLINS, Matthew**
Hadley Centre for Climate Prediction
and Research, Met Office
UK
- COLLINS, William D.**
Climate and Global Dynamics Division,
National Center for Atmospheric Research
USA
- COLMAN, Robert**
Bureau of Meteorology Research Centre
Australia
- COMISO, Josefino**
National Aeronautics and Space
Administration, Goddard
Space Flight Center
USA
- CONWAY, Thomas J.**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
USA
- COOK, Edward**
Lamont-Doherty Earth Observatory
USA
- CORTIJO, Elsa**
Laboratoire des Sciences du Climat et de
l'Environnement, CNRS-CEA-UVSQ
France
- COVEY, Curt**
Lawrence Livermore National Laboratory
USA
- COX, Peter M.**
School of Engineering, Computer Science
and Mathematics, University of Exeter
UK
- CROOKS, Simon**
University of Oxford
UK
- CUBASCH, Ulrich**
Institut für Meteorologie,
Freie Universität Berlin
Germany
- CURRY, Ruth**
Woods Hole Oceanographic Institution
USA
- DAI, Aiguo**
National Center for Atmospheric Research
USA
- DAMERIS, Martin**
German Aerospace Center
Germany
- DE ELÍA, Ramón**
Ouranos Consortium
Canada, Argentina
- DELWORTH, Thomas L.**
Geophysical Fluid Dynamics
Laboratory, National Oceanic and
Atmospheric Administration
USA
- DENMAN, Kenneth L.**
Canadian Centre for Climate Modelling
and Analysis, Environment Canada and
Department of Fisheries and Oceans
Canada
- DENTENER, Frank**
European Commission Joint Research
Centre; Institute of Environment and
Sustainability Climate Change Unit
EU
- DESER, Clara**
National Center for Atmospheric Research
USA
- DETHLOFF, Klaus**
Alfred Wegener Institute for Polar and
Marine Research, Research Unit Potsdam
Germany
- DIANSKY, Nikolay A.**
Institute of Numerical Mathematics,
Russian Academy of Sciences
Russian Federation
- DICKINSON, Robert E.**
School of Earth and Atmospheric Sciences,
Georgia Institute of Technology
USA
- DING, Yihui**
National Climate Centre, China
Meteorological Administration
China
- DIRMEYER, Paul**
Center for Ocean-Land-Atmosphere Studies
USA
- DIX, Martin**
CSIRO
Australia
- DIXON, Keith**
National Oceanic and
Atmospheric Administration
USA
- DLUGOKENCKY, Ed**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
USA
- DOKKEN, Trond**
Bjerknes Centre for Climate Research
Norway
- DOTZEK, Nikolai**
Deutsches Zentrum für Luft und Raumfahrt,
Institut für Physik der Atmosphäre
Germany
- DOUTRIAUX, Charles**
Program for Climate Model
Diagnosis and Intercomparison
USA, France
- DRANGE, Helge**
Nansen Environmental and
Remote Sensing Center, Bjerknes
Centre for Climate Research
Norway
- DRIESSCHAERT, Emmanuelle**
Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaitre
Belgium
- DUFRESNE, Jean-Louis**
Laboratoire de Météorologie Dynamique,
Institut Pierre Simon Laplace
France
- DUPLESSY, Jean-Claude**
Centre National de la Recherche
Scientifique, Laboratoire des Sciences
du Climat et de l'Environnement
France
- DYURGEROV, Mark**
Institute of Arctic and Alpine Research,
University of Colorado at Boulder
& Department of Geography and
Quaternary Geology at Stockholm
Sweden, USA
- EASTERLING, David**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
USA
- EBY, Michael**
University of Victoria
Canada
- EDWARDS, Neil R.**
The Open University
UK
- ELKINS, James W.**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
USA
- EMERSON, Steven**
School of Oceanography,
University of Washington
USA
- EMORI, Seita**
National Institute for Environmental
Studies and Frontier Research Center
for Global Change, Japan Agency for
Marine-Earth Science and Technology
Japan
- ETHERIDGE, David**
CSIRO Marine and Atmospheric Research
Australia
- EYRING, Veronika**
Deutsches Zentrum für Luft und Raumfahrt,
Institut für Physik der Atmosphäre
Germany
- FAHEY, David W.**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
USA

- FASULLO, John**
National Center for Atmospheric Research
USA
- FEDDEMA, Johannes**
University of Kansas
USA
- FEELY, Richard**
National Oceanic and Atmospheric
Administration, Pacific Marine
Environmental Laboratory
USA
- FEICHTER, Johann**
Max Planck Institute for Meteorology
Germany
- FICHEFET, Thierry**
Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaître
Belgium
- FITZHARRIS, Blair**
Department of Geography,
University of Otago
New Zealand
- FLATO, Gregory**
Canadian Centre for Climate Modelling
and Analysis, Environment Canada
Canada
- FLEITMANN, Dominik**
Institute of Geological Sciences,
University of Bern
Switzerland, Germany
- FLEMING, James Rodger**
Colby College
USA
- FOGT, Ryan**
Polar Meteorology Group, Byrd Polar
Research Center and Atmospheric
Sciences Program, Department of
geography, The Ohio State University
USA
- FOLLAND, Christopher**
Hadley Centre for Climate Prediction
and Research, Met Office
UK
- FOREST, Chris**
Massachusetts Institute of Technology
USA
- FORSTER, Piers**
School of Earth and Environment,
University of Leeds
UK
- FOUKAL, Peter**
Heliophysics, Inc.
USA
- FRASER, Paul**
CSIRO Marine and Atmospheric Research
Australia
- FRAUENFELD, Oliver**
National Snow and Ice Data Center,
University of Colorado at Boulder
USA, Austria
- FREE, Melissa**
Air Resources Laboratory, National
Oceanic and Atmospheric Administration
USA
- FREI, Allan**
Hunter College, City
University of New York
USA
- FREI, Christoph**
Federal Office of Meteorology
and Climatology MeteoSwiss
Switzerland
- FRICKER, Helen**
Scripps Institution of Oceanography,
University of California, San Diego
USA
- FRIEDLINGSTEIN, Pierre**
Institut Pierre Simon Laplace,
Laboratoire des Sciences du
Climat et de l'Environnement
France, Belgium
- FU, Congbin**
Start Regional Center for Temperate
East Asia, Institute of Atmospheric
Physics, Chinese Academy of Science
China
- FUJII, Yoshiyuki**
Arctic Environment Research Center,
National Institute of Polar Research
Japan
- FUNG, Inez**
University of California, Berkeley
USA
- FURRER, Reinhard**
Colorado School of Mines
USA, Switzerland
- FUZZI, Sandro**
National Research Council, Institute of
Atmospheric Sciences and Climate
Italy
- FYFE, John**
Canadian Centre for Climate Modelling
and Analysis, Environment Canada
Canada
- GANOPOLSKI, Andrey**
Potsdam Institute for Climate
Impact Research
Germany
- GAO, Xuejie**
Laboratory for Climate Change,
National Climate Centre, China
Meteorological Administration
China
- GARCIA, Hernan**
National Oceanic and Atmospheric
Administration, National
Oceanographic Data Center
USA
- GARCÍA-HERRERA, Ricardo**
Universidad Complutense de Madrid
Spain
- GAYE, Amadou Thierno**
Laboratory of Atmospheric Physics,
ESP/CAD, Dakar University
Senegal
- GELLER, Marvin**
Stony Brook University
USA
- GENT, Peter**
National Center for Atmospheric Research
USA
- GERDES, Rüdiger**
Alfred-Wegener-Institute für
Polar und Meeresforschung
Germany
- GILLETT, Nathan P.**
Climatic Research Unit, School
of Environmental Sciences,
University of East Anglia
UK
- GIORGI, Filippo**
Abdus Salam International Centre
for Theoretical Physics
Italy
- GLEASON, Byron**
National Climatic Data Center, National
Oceanic and Atmospheric Administration
USA
- GLECKLER, Peter**
Lawrence Livermore National Laboratory
USA
- GONG, Sunling**
Air Quality Research Division, Science &
Technology Branch, Environment Canada
Canada
- GONZÁLEZ-DAVILA, Melchor**
University of Las Palmas de Gran Canaria
Spain
- GONZÁLEZ-ROUCO, Jesus Fidel**
Universidad Complutense de Madrid
Spain
- GOOSSE, Hugues**
Université catholique de Louvain
Belgium
- GRAHAM, Richard**
Hadley Centre, Met Office
UK
- GREGORY, Jonathan M.**
Department of Meteorology, University of
Reading and Hadley Centre for Climate
Prediction and Research, Met Office
UK
- GRIESER, Jürgen**
Deutscher Wetterdienst, Global
Precipitation Climatology Centre
Germany
- GRIGGS, David**
Hadley Centre for Climate Prediction
and Research, Met Office
UK

GROISMAN, Pavel

University Corporation for Atmospheric Research at the National Climatic Data Center, National Oceanic and Atmospheric Administration
USA, Russian Federation

GRUBER, Nicolas

Institute of Geophysics and Planetary Physics, University of California, Los Angeles and Department of Environmental Sciences, ETH Zurich
USA, Switzerland

GUJGEL, Richard

National Oceanic and Atmospheric Administration
USA

GUDMUNDSSON, G. Hilmar

British Antarctic Survey
UK, Iceland

GUENTHER, Alex

National Center for Atmospheric Research
USA

GULEV, Sergey

P. P. Shirshov Institute of Oceanography
Russian Federation

GURNEY, Kevin

Department of Earth and Atmospheric Science, Purdue University
USA

GUTOWSKI, William

Iowa State University
USA

HAAS, Christian

Alfred Wegener Institute
Germany

HABIBI NOKHANDAN, Majid

National Center for Climatology
Iran

HAGEN, Jon Ove

University of Oslo
Norway

HAIGH, Joanna

Imperial College London
UK

HALL, Alex

Department of Atmospheric and Oceanic Sciences, University of California, Los Angeles
USA

HALLEGATTE, Stéphane

Centre International de Recherche sur l'Environnement et le Développement, Ecole Nationale des Ponts-et-Chaussées and Centre National de Recherches Meteorologique, Meteo-France
USA, France

HANAWA, Kimio

Physical Oceanography Laboratory, Department of Geophysics, Graduate School of Science, Tohoku University
Japan

HANSEN, James

Goddard Institute for Space Studies
USA

HANSSEN-BAUER, Inger

Norwegian Meteorological Institute
Norway

HARRIS, Charles

School of Earth, Ocean and Planetary Science, Cardiff University
UK

HARRIS, Glen

Hadley Centre for Climate Prediction and Research, Met Office
UK, New Zealand

HARVEY, Danny

University of Toronto
Canada

HASUMI, Hiroyasu

Center for Climate System Research, University of Tokyo
Japan

HAUGLUSTAINE, Didier

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ
France

HAYWOOD, James

Hadley Centre for Climate Prediction and Research, Met Office
UK

HEGERL, Gabriele C.

Division of Earth and Ocean Sciences, Nicholas School for the Environment and Earth Sciences, Duke University
USA, Germany

HEIMANN, Martin

Max-Planck-Institut für Biogeochemie
Germany, Switzerland

HEINZE, Christoph

University of Bergen, Geophysical Institute and Bjerknes Centre for Climate Research
Norway, Germany

HELD, Isaac

National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory
USA

HENDERSON-SELLERS, Ann

World Meteorological Organization
Switzerland

HENDON, Henry

Bureau of Meteorology Research Centre
Australia

HEWITSON, Bruce

Department of Environmental and Geographical Sciences, University of Cape Town
South Africa

HINZMAN, Larry

University of Alaska, Fairbanks
USA

HOCK, Regine

Stockholm University
Sweden

HODGES, Kevin

Environmental Systems Science Centre
UK

HOELZLE, Martin

University of Zürich, Department of Geography
Switzerland

HOLLAND, Elisabeth

Atmospheric Chemistry Division, National Center for Atmospheric Research (NCAR)
USA

HOLLAND, Marika

National Center for Atmospheric Research
USA

HOLTSLAG, Albert A. M.

Wageningen University
Netherlands

HOSKINS, Brian J.

Department of Meteorology, University of Reading
UK

HOUSE, Joanna

Quantifying and Understanding the Earth System Programme, University of Bristol
UK

HU, Aixue

National Center for Atmospheric Research
USA, China

HUNKE, Elizabeth

Los Alamos National Laboratory
USA

HURRELL, James

National Center for Atmospheric Research
USA

HUYBRECHTS, Philippe

Departement Geografie, Vrije Universiteit Brussel
Belgium

INGRAM, William

Hadley Centre for Climate Prediction and Research, Met Office
UK

ISAKSEN, Ketil

Norwegian Meteorological Institute
Norway

ISHII, Masayoshi

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology
Japan

JACOB, Daniel

Department of Earth and Planetary Sciences, Harvard University
USA, France

JALLOW, Bubou

Department of Water Resources
The Gambia

JANSEN, Eystein

University of Bergen, Department of Earth Sciences and Bjerknes Centre for Climate Research Norway

JANSSON, Peter

Department of Physical Geography and Quaternary Geology, Stockholm University Sweden

JENKINS, Adrian

British Antarctic Survey, Natural Environment Research Council UK

JONES, Andy

Hadley Centre for Climate Prediction and Research, Met Office UK

JONES, Christopher

Hadley Centre for Climate Prediction and Research, Met Office UK

JONES, Colin

Universite du Quebec a Montreal, Canadian Regional Climate Modelling Network Canada

JONES, Gareth S.

Hadley Centre for Climate Prediction and Research, Met Office UK

JONES, Julie

GKSS Research Centre Germany, UK

JONES, Philip D.

Climatic Research Unit, School of Environmental Sciences, University of East Anglia UK

JONES, Richard

Hadley Centre for Climate Prediction and Research, Met Office UK

JOOS, Fortunat

Climate and Environmental Physics, Physics Institute, University of Bern Switzerland

JOSEY, Simon

National Oceanography Centre, University of Southampton UK

JOUGHIN, Ian

Applied Physics Laboratory, University of Washington USA

JOUZEL, Jean

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ France

JOYCE, Terrence

Woods Hole Oceanographic Institution USA

JUNGCLAUS, Johann H.

Max Planck Institute for Meteorology Germany

KAGEYAMA, Masa

Laboratoire des Sciences du Climat et de l'Environnement France

KÅLLBERG, Per

European Centre for Medium-Range Weather Forecasts ECMWF

KÄRCHER, Bernd

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre Germany

KARL, Thomas R.

National Oceanic and Atmospheric Administration, National Climatic Data Center USA

KAROLY, David J.

University of Oklahoma USA, Australia

KASER, Georg

Institut für Geographie, University of Innsbruck Austria, Italy

KATTSOV, Vladimir

Voeikov Main Geophysical Observatory Russian Federation

KATZ, Robert

National Center for Atmospheric Research USA

KAWAMIYA, Michio

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology Japan

KEELING, C. David

Scripps Institution of Oceanography USA

KEELING, Ralph

Scripps Institution of Oceanography USA

KENNEDY, John

Hadley Centre, Met Office UK

KENYON, Jesse

Duke University USA

KETTLEBOROUGH, Jamie

British Atmospheric Data Centre, Space Science and Technology Department, Council for the Central Laboratory of the Research Councils UK

KHARIN, Viatcheslar

Canadian Centre for Climate Modelling and Analysis, Environment Canada Canada

KHODRI, Myriam

Institut de Recherche Pour le Developpement France

KILADIS, George

National Oceanic and Atmospheric Administration USA

KIM, Kuh

Seoul National University Republic of Korea

KIMOTO, Masahide

Center for Climate System Research, University of Tokyo Japan

KING, Brian

National Oceanography Centre, Southampton UK

KINNE, Stefan

Max-Planck Institute for Meteorology Germany

KIRTMAN, Ben

Center for Ocean-Land-Atmosphere Studies, George Mason University USA

KITOH, Akio

First Research Laboratory, Climate Research Department, Meteorological Research Institute, Japan Meteorological Agency Japan

KLEIN, Stephen A.

Lawrence Livermore National Laboratory USA

KLEIN TANK, Albert

Royal Netherlands Meteorological Institute (KNMI) Netherlands

KNUTSON, Thomas

Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration USA

KNUTTI, Reto

Climate and Global Dynamics Division, National Center for Atmospheric Research Switzerland

KOERTZINGER, Arne

Leibniz Institut für Meereswissenschaften an der Universität Kiel and Institut für Ostseeforschung Warnemunde Germany

KOIKE, Toshio

Department of Civil Engineering, University of Tokyo Japan

KOLLI, Rupa Kumar

Climatology and Hydrometeorology Division, Indian Institute of Tropical Meteorology India

KOSTER, Randal

National Aeronautics and
Space Administration
USA

KOTTMEIER, Christoph

Institut für Meteorologie, und
Klimaforschung, Universität Karlsruhe/
Forschungszentrum Karlsruhe
Germany

KRIPALANI, Ramesh

Indian Institute of Tropical Meteorology
India

KRYNYTZKY, Marta

University of Washington
USA

KUNKEL, Kenneth

Illinois State Water Survey
USA

KUSHNER, Paul J.

Department of Physics,
University of Toronto
Canada

KWOK, Ron

Jet Propulsion Laboratory, California
Institute of Technology
USA

KWON, Won-Tae

Climate Research Laboratory,
Meteorological Research Institute (METRI),
Korean Meteorological Administration
Republic of Korea

LABEYRIE, Laurent

Laboratoire des Sciences du
Climat et de l'Environnement
France

LAINE, Alexandre

Laboratoire des Sciences du
Climat et de l'Environnement
France

LAM, Chiu-Ying

Hong Kong Observatory
China

LAMBECK, Kurt

Australia National University
Australia

LAMBERT, F. Hugo

Atmospheric, Oceanic and Planetary
Physics, University of Oxford
UK

LANZANTE, John

National Oceanic and
Atmospheric Administration
USA

LAPRISE, René

Département des Sciences de la Terre
et de l'Atmosphère, University
of Quebec at Montreal
Canada

LASSEY, Keith

National Institute of Water and
Atmospheric Research
New Zealand

LATIF, Mojib

Leibniz Institut für Meereswissenschaften,
IFM-GEOMAR
Germany

LAU, Ngar-Cheung

Geophysical Fluid Dynamics
Laboratory, National Oceanic and
Atmospheric Administration
USA

LAVAL, Katia

Laboratoire de Météorologie
Dynamique du CNRS
France

LAVINE, Michael

Duke University
USA

LAWRENCE, David

National Center for Atmospheric Research
USA

LAWRIMORE, Jay

National Oceanic and Atmospheric
Administration, National
Climatic Data Center
USA

LAXON, Seymour

Centre for Polar Observation and
Modelling, University College London
UK

LE BROCCQ, Anne

Centre for Polar Observation and
Modelling, University of Bristol
UK

LE QUÉRÉ, Corinne

University of East Anglia and
British Antarctic Survey
UK, France, Canada

LE TREUT, Hervé

Laboratoire de Météorologie
Dynamique du CNRS
France

LEAN, Judith

Naval Research Laboratory
USA

LECK, Caroline

Department of Meteorology,
Stockholm University
Sweden

LEE, Terry C.K.

University of Victoria
Canada

LEE-TAYLOR, Julia

National Center for Atmospheric Research
USA, UK

LEFEVRE, Nathalie

Institut de Recherche Pour le
Développement, Laboratoire
d'Océanographie et de Climatologie
France

LEMKE, Peter

Alfred Wegener Institute for
Polar and Marine Research
Germany

LEULIETTE, Eric

University of Colorado, Boulder
USA

LEUNG, Ruby

Pacific Northwest National
Laboratory, National Oceanic and
Atmospheric Administration
USA

LEVERMANN, Anders

Potsdam Institute for Climate
Impact Research
Germany

LEVINSON, David

National Oceanic and Atmospheric
Administration, National
Climatic Data Center
USA

LEVITUS, Sydney

National Oceanic and
Atmospheric Administration
USA

LIE, Øyvind

Bjerknes Centre for Climate Research
Norway

LIEPERT, Beate

Lamont-Doherty Earth Observatory,
Columbia University
USA

LIU, Shiyin

Cold and Arid Regions Environmental
and Engineering Research Institute,
Chinese Academy of Sciences
China

LOHMANN, Ulrike

ETH Zürich, Institute for Atmospheric
and Climate Science
Switzerland

LOUTRE, Marie-France

Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaitre
Belgium

LOWE, David C.

National Institute of Water and
Atmospheric Research
New Zealand

LOWE, Jason

Hadley Centre for Climate Prediction
and Research, Met Office
UK

LUO, Yong

Laboratory for Climate Change,
National Climate Centre, China
Meteorological Administration
China

LUTERBACHER, Jürg

Institute of Geography, Climatology
and Meteorology, and National
Centre of Competence in Research
on Climate, University of Bern
Switzerland

- LYNCH, Amanda H.**
School of Geography and Environmental Science, Monash University
Australia
- MACAYEAL, Douglas**
University of Chicago
USA
- MACCRACKEN, Michael**
Climate Institute
USA
- MAGAÑA RUEDA, Victor**
Centro de Ciencias de la Atmósfera, Ciudad Universitaria, Universidad Nacional Autónoma de México
Mexico
- MALHI, Yadvinder**
University of Oxford
UK
- MALANOTTE-RIZZOLI, Paola**
Massachusetts Institute of Technology
USA, Italy
- MANNING, Andrew C.**
University of East Anglia
UK, New Zealand
- MANNING, Martin**
IPCC WGI TSU, National Oceanic and Atmospheric Administration, Earth System Research Laboratory
USA, New Zealand
- MANZINI, Elisa**
National Institute for Geophysics and Volcanology
Italy
- MARENGO ORSINI, Jose Antonio**
CPTEC/INPE
Brazil, Peru
- MARSH, Robert**
National Oceanography Centre, University of Southampton
UK
- MARSHALL, Gareth**
British Antarctic Survey
UK
- MARTELO, Maria**
Ministerio del Ambiente y los Recursos Naturales, Dir. de Hidrología y Meteorología
Venezuela
- MASARIE, Ken**
National Oceanic and Atmospheric Administration, Earth System Research Laboratory, Global Monitoring Division
USA
- MASSON-DELMOTTE, Valérie**
Laboratoire des Sciences du Climat et de l'Environnement
France
- MATSUMOTO, Katsumi**
University of Minnesota, Twin Cities
USA
- MATSUNO, Taroh**
Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology
Japan
- MATTHEWS, H. Damon**
University of Calgary and Concordia University
Canada
- MATULLA, Christoph**
Environment Canada
Canada, Austria
- MAURITZEN, Cecilie**
Norwegian Meteorological Institute
Norway
- MCAVANEY, Bryant**
Bureau of Meteorology Research Centre
Australia
- MCFIGGANS, Gordon**
University of Manchester
UK
- MCINNES, Kathleen**
CSIRO, Marine and Atmospheric Chemistry Research
Australia
- MCPHADEN, Michael**
National Oceanic and Atmospheric Administration
USA
- MEARNS, Linda**
National Center for Atmospheric Research
USA
- MEARS, Carl**
Remote Sensing Systems
USA
- MEEHL, Gerald A.**
Climate and Global Dynamics Division, National Center for Atmospheric Research
USA
- MEINSHAUSEN, Malte**
Potsdam Institute for Climate Impact Research
Germany
- MELLING, Humphrey**
Fisheries and Oceans Canada
Canada
- MENÉNDEZ, Claudio Guillermo**
Centro de Investigaciones del Mar y de la Atmósfera, (CONICET-UBA)
Argentina
- MENON, Surabi**
Lawrence Berkeley National Laboratory
USA
- MESCHERSKAYA, Anna V.**
Russian Federation
- MILLER, John B.**
National Oceanic and Atmospheric Administration
USA
- MILLOT, Claude**
Centre National de la Recherche Scientifique
France
- MILLY, Chris**
United States Geological Survey
USA
- MITCHELL, John**
Hadley Centre for Climate Prediction and Research, Met Office
UK
- MOKSSIT, Abdalah**
Direction de la météorologie Nationale
Morocco
- MOLINA, Mario**
Scripps Institution of Oceanography, Dept. of Chemistry and Biochemistry, University of California, San Diego
USA, Mexico
- MOLINARI, Robert**
National Oceanic and Atmospheric Administration, Atlantic Oceanographic and Meteorological Laboratory
USA
- MONAHAN, Adam H.**
School of Earth and Ocean Sciences, University of Victoria
Canada
- MONNIN, Eric**
Climate and Environmental Physics, Physics Institute, University of Bern
Switzerland
- MONTZKA, Steve**
National Oceanic and Atmospheric Administration
USA
- MOSLEY-THOMPSON, Ellen**
Ohio State University
USA
- MOTE, Philip**
Climate Impacts Group, Joint Institute for the Study of the Atmosphere and Oceans (JIASO), University of Washington
USA
- MUHS, Daniel**
United States Geological Survey
USA
- MULLAN, A. Brett**
National Institute of Water and Atmospheric Research
New Zealand
- MÜLLER, Simon A.**
Climate and Environmental Physics, Physics Institute, University of Bern
Switzerland
- MURPHY, James M.**
Hadley Centre for Climate Prediction and Research, Met Office
UK

MUSCHELER, Raimund

Goddard Earth Sciences and Technology Center, University of Maryland & NASA/Goddard Space Flight Center, Climate & Radiation Branch
USA

MYHRE, Gunnar

Department of Geosciences, University of Oslo
Norway

NAKAJIMA, Teruyuki

Center for Climate System Research, University of Tokyo
Japan

NAKAMURA, Hisashi

Department of Earth, Planetary Science, University of Tokyo
Japan

NAWRATH, Susanne

Potsdam Institute for Climate Impact Research
Germany

NEREM, R. Steven

University of Colorado at Boulder
USA

NEW, Mark

Centre for the Environment, University of Oxford
UK

NGANGA, John

University of Nairobi
Kenya

NICHOLLS, Neville

Monash University
Australia

NODA, Akira

Meteorological Research Institute, Japan Meteorological Agency
Japan

NOJIRI, Yukihiro

Secretariat of Council for Science and Technology Policy, Cabinet Office
Japan

NOKHANDAN, Majid Habibi

Iranian Meteorological Organization
Iran

NORRIS, Joel

Scripps Institution of Oceanography
USA

NOZAWA, Toru

National Institute for Environmental Studies
Japan

OERLEMANS, Johannes

Institute for Marine and Atmospheric Research, Utrecht University
Netherlands

OGALLO, Laban

IGAD Climate Prediction and Application Centre
Kenya

OHMURA, Atsumu

Swiss Federal Institute of Technology
Switzerland

OKI, Taikan

Institute of Industrial Science, The University of Tokyo
Japan

OLAGO, Daniel

Department of Geology, University of Nairobi
Kenya

ONO, Tsuneo

Hokkaido National Fisheries Research Institute, Fisheries Research Agency
Japan

OPPENHEIMER, Michael

Princeton University
USA

ORAM, David

University of East Anglia
UK

ORR, James C.

Marine Environment Laboratories, International Atomic Energy Agency
Monaco, USA

OSBORN, Tim

University of East Anglia
UK

O'SHAUGHNESSY, Kath

National Institute of Water and Atmospheric Research
New Zealand

OTTO-BLIESNER, Bette

Climate and Global Dynamics Division, National Center for Atmospheric Research
USA

OVERPECK, Jonathan

Institute for the Study of Planet Earth, University of Arizona
USA

PAASCHE, Øyvind

Bjerknes Centre for Climate Research
Norway

PAHLOW, Markus

Dalhousie University, Bedford Institute of Oceanography
Canada

PAL, Jeremy S.

Loyola Marymount University, The Abdus Salam International Centre for Theoretical Physics
USA, Italy

PALMER, Timothy

European Centre for Medium-Range Weather Forecasting
ECMWF, UK

PANT, Govind Ballabh

Indian Institute of Tropical Meteorology
India

PARKER, David

Hadley Centre for Climate Prediction and Research, Met Office
UK

PARRENIN, Frédéric

Laboratoire de Glaciologie et Géophysique de l'Environnement
France

PAVLOVA, Tatyana

Voikov Main Geophysical Observatory
Russian Federation

PAYNE, Antony

University of Bristol
UK

PELTIER, W. Richard

Department of Physics, University of Toronto
Canada

PENG, Tsung-Hung

Atlantic Oceanographic and Meteorological Laboratory, National Oceanic and Atmospheric Administration
USA

PENNER, Joyce E.

Department of Atmospheric, Oceanic, and Space Sciences, University of Michigan
USA

PETERSON, Thomas

National Oceanic and Atmospheric Administration, National Climatic Data Center
USA

PETOUKHOV, Vladimir

Potsdam Institute for Climate Impact Research
Germany

PEYLIN, Philippe

Laboratoire des Modélisation du Climat et de l'Environnement
France

PFISTER, Christian

University of Bern
Switzerland

PHILLIPS, Thomas

Program for Climate Model Diagnosis and Intercomparison, Lawrence Livermore National Laboratory
USA

PIERCE, David

Scripps Institution of Oceanography
USA

PIPER, Stephen

Scripps Institution of Oceanography
USA

PITMAN, Andrew

Department of Physical Geography, Macquarie University
Australia

PLANTON, Serge

Météo-France
France

PLATTNER, Gian-Kasper

Climate and Environmental Physics,
Physics Institute, University of Bern
Switzerland

PLUMMER, David

Environment Canada
Canada

POLLACK, Henry

University of Michigan
USA

PONATER, Michael

Deutsches Zentrum für Luft und Raumfahrt,
Institut für Physik der Atmosphäre
Germany

POWER, Scott

Bureau of Meteorology Research Centre
Australia

PRATHER, Michael

Earth System Science Department,
University of California at Irvine
USA

PRINN, Ronald

Department of Earth, Atmospheric
and Planetary Sciences, Massachusetts
Institute of Technology
USA, New Zealand

PROSHUTINSKY, Andrey

Woods Hole Oceanographic Institution
USA

PROWSE, Terry

Environment Canada, University of Victoria
Canada

QIN, Dahe

Co-Chair, IPCC WGI, China
Meteorological Administration
China

QIU, Bo

University of Hawaii
USA

QUAAS, Johannes

Max Planck Institute for Meteorology
Germany

QUADFASSEL, Detlef

Institut für Meereskunde, Centre for Marine
and Atmospheric Sciences Hamburg
Germany

RAGA, Graciela

Centro de Ciencias de la Atmósfera,
Universidad Nacional Autónoma de México
México, Argentina

RAHIMZADEH, Fatemeh

Atmospheric Science & Meteorological
Research Center (ASMER), I.R. of Iran
Meteorological Organization (IRIMO)
Iran

RAHMSTORF, Stefan

Potsdam Institute for Climate
Impact Research
Germany

RÄISÄNEN, Jouni

Department of Physical Sciences,
University of Helsinki
Finland

RAMACHANDRAN, Srikanthan

Space & Atmospheric Sciences Division,
Physical Research Laboratory
India

RAMANATHAN, Veerabhadran

Scripps Institution of Oceanography
USA

RAMANKUTTY, Navin

University of Wisconsin, Madison
USA, India

RAMASWAMY, Venkatachalam

National Oceanic and Atmospheric
Administration, Geophysical
Fluid Dynamics Laboratory
USA

RAMESH, Rengaswamy

Physical Research Laboratory
India

RANDALL, David A.

Department of Atmospheric Science,
Colorado State University
USA

RAPER, Sarah C.B.

Manchester Metropolitan University
UK

RAUP, Bruce H.

National Snow and Ice Data
Center, University of Colorado
USA

RAUPACH, Michael

CSIRO
Australia

RAYMOND, Charles

University of Washington, Department
of Earth and Space Sciences
USA

RAYNAUD, Dominique

Laboratoire de Glaciologie et
Géophysique de l'Environnement
France

RAYNER, Peter

Institut Pierre Simon Laplace,
Laboratoire des Sciences du
Climat et de l'Environnement
France

REHDER, Gregor

Leibniz Institut für Meereswissenschaften
an der Universität Kiel and Institut
für Ostseeforschung Warnemünde
Germany

REID, George

National Oceanic and
Atmospheric Administration
USA

REN, Jiawen

Cold and Arid Regions Environmental
and Engineering Research Institute,
Chinese Academy of Sciences
China

RENSSEN, Hans

Faculty of Earth and Life Sciences,
Vrije Universiteit Amsterdam
Netherlands

RENWICK, James A.

National Institute of Water and
Atmospheric Research
New Zealand

RIEBESELL, Ulf

Leibniz Institute for Marine
Sciences, IFM-GEOMAR
Germany

RIGNOT, Eric

Jet Propulsion Laboratory
USA

RIGOR, Ignatius

Polar Science Center, Applied Physics
Laboratory, University of Washington
USA

RIND, David

National Aeronautics and Space
Administration, Goddard
Institute for Space Studies
USA

RINKE, Annette

Alfred Wegener Institute for
Polar and Marine Research
Germany

RINTOUL, Stephen

CSIRO, Marine and Atmospheric
Research and Antarctic Climate and
Ecosystems Cooperative Research Centre
Australia

RIXEN, Michel

University of Liege and NATO
Undersea Research Center
NATO, Belgium

RIZZOLI, Paola

Massachusetts Institute of Technology
USA, Italy

ROBERTS, Malcolm

Hadley Centre for Climate Prediction
and Research, Met Office
UK

ROBERTSON, Franklin R.

National Aeronautics and
Space Administration
USA

ROBINSON, David

Rutgers University
USA

RÖDENBECK, Christian

Max Planck Institute for
Biogeochemistry Jena
Germany

- ROECKNER, Erich**
Max Planck Institute for Meteorology
Germany
- ROSATI, Anthony**
National Oceanic and
Atmospheric Administration
USA
- ROSENLOF, Karen**
National Oceanic and
Atmospheric Administration
USA
- ROTHROCK, David**
University of Washington
USA
- ROTSTAYN, Leon**
CSIRO Marine and Atmospheric Research
Australia
- ROULET, Nigel**
McGill University
Canada
- RUMMUKAINEN, Markku**
Rossby Centre, Swedish Meteorological
and Hydrological Institute
Sweden, Finland
- RUSSELL, Gary L.**
National Aeronautics and Space
Administration, Goddard
Institute for Space Studies
USA
- RUSTICUCCI, Matilde**
Departamento de Ciencias de la
Atmósfera y los Océanos, FCEN,
Universidad de Buenos Aires
Argentina
- SABINE, Christopher**
National Oceanic and Atmospheric
Administration, Pacific Marine
Environmental Laboratory
USA
- SAHAGIAN, Dork**
Lehigh University
USA
- SALAS Y MÉLIA, David**
Météo-France, Centre National de
Recherches Météorologiques
France
- SANTER, Ben D.**
Program for Climate Model Diagnosis
and Intercomparison, Lawrence
Livermore National Laboratory
USA
- SARR, Abdoulaye**
Service Météorologique, DMN Sénégal
Senegal
- SAUSEN, Robert**
Deutsches Zentrum für Luft und Raumfahrt,
Institut für Physik der Atmosphäre
Germany
- SCHÄR, Christoph**
ETH Zürich, Institute for Atmospheric
and Climate Science
Switzerland
- SCHERRER, Simon Christian**
Federal Office of Meteorology
and Climatology MeteoSwiss
Switzerland
- SCHMIDT, Gavin**
National Aeronautics and Space
Administration, Goddard
Institute for Space Studies
USA, UK
- SCHMITTNER, Andreas**
College of Oceanic and Atmospheric
Sciences, Oregon State University
USA, Germany
- SCHNEIDER, Birgit**
Leibniz Institut für Meereswissenschaften
Germany
- SCHOTT, Friedrich**
Leibniz Institut für Meereswissenschaften,
IFM-GEOMAR
Germany
- SCHULTZ, Martin G.**
Max Planck Institute for Meteorology
Germany
- SCHULZ, Michael**
Institut Pierre Simon Laplace,
Laboratoire des Sciences du Climat et de
l'Environnement, CEA-CNRS-UVSQ
France, Germany
- SCHWARTZ, Stephen E.**
Brookhaven National Laboratory
USA
- SCHWARZKOPF, Dan**
National Oceanic and
Atmospheric Administration
USA
- SCINOCICA, John**
Canadian Centre for Climate Modelling
and Analysis, Environment Canada
Canada
- SEIDOV, Dan**
Pennsylvania State University
USA
- SEMAZZI, Fred H.**
North Carolina State University
USA
- SENIOR, Catherine**
Hadley Centre for Climate Prediction
and Research, Met Office
UK
- SEXTON, David**
Hadley Centre for Climate Prediction
and Research, Met Office
UK
- SHEA, Dennis**
National Center for Atmospheric Research
USA
- SHEPHERD, Andrew**
School of Geosciences, The
University of Edinburgh
UK
- SHEPHERD, J. Marshall**
University of Georgia,
Department of Geography
USA
- SHEPHERD, Theodore G.**
University of Toronto
Canada
- SHERWOOD, Steven**
Yale University
USA
- SHUKLA, Jagadish**
Center for Ocean-Land-Atmosphere
Studies, George Mason University
USA
- SHUM, C.K.**
Geodetic Science, School of Earth
Sciences, The Ohio State University
USA
- SIEGMUND, Peter**
Royal Netherlands Meteorological
Institute (KNMI)
Netherlands
- SILVA DIAS, Pedro Leite da**
Universidade de Sao Paulo
Brazil
- SIMMONDS, Ian**
University of Melbourne
Australia
- SIMMONS, Adrian**
European Centre for Medium-
Range Weather Forecasts
ECMWF, UK
- SIROCKO, Frank**
University of Mainz
Germany
- SLATER, Andrew G.**
Cooperative Institute for Research
in Environmental Sciences,
University of Colorado, Boulder
USA, Australia
- SLINGO, Julia**
National Centre for Atmospheric
Science, University of Reading
UK
- SMITH, Doug**
Hadley Centre for Climate Prediction
and Research, Met Office
UK
- SMITH, Sharon**
Geological Survey of Canada,
Natural Resources Canada
Canada
- SODEN, Brian**
University of Miami, Rosentiel School
for Marine and Atmospheric Science
USA
- SOKOLOV, Andrei**
Massachusetts Institute of Technology
USA, Russian Federation

SOLANKI, Sami K.

Max Planck Institute for
Solar System Research
Germany, Switzerland

SOLOMINA, Olga

Institute of Geography RAS
Russian Federation

SOLOMON, Susan

Co-Chair, IPCC WGI, National Oceanic
and Atmospheric Administration,
Earth System Research Laboratory
USA

SOMERVILLE, Richard

Scripps Institution of Oceanography,
University of California, San Diego
USA

SOMOT, Samuel

Météo-France, Centre National de
Recherches Météorologiques
France

SONG, Yuhe

Jet Propulsion Laboratory
USA

SPAHLI, Renato

Climate and Environmental Physics,
Physics Institute, University of Bern
Switzerland

SRINIVASAN, Jayaraman

Centre for Atmospheric and Oceanic
Sciences, Indian Institute of Science
India

STAINFORTH, David

Atmospheric, Oceanic and
Planetary Physics, Department of
Physics, University of Oxford
UK

STAMMER, Detlef

Institut fuer Meereskunde Zentrum
fuer Meeres und Klimaforschung
Universitaet Hamburg
Germany

STANFORTH, Andrew

Hadley Centre for Climate Prediction
and Research, Met Office
UK

STARK, Sheila

Hadley Centre for Climate Prediction
and Research, Met Office
UK

STEFFEN, Will

Australian National University
Australia

STENCHIKOV, Georgiy

Rutgers, The State University of New Jersey
USA

STERN, William

National Oceanic and
Atmospheric Administration
USA

STEVENSON, David

University of Edinburgh
UK

STOCKER, Thomas F.

Climate and Environmental Physics,
Physics Institute, University of Bern
Switzerland

STONE, Daithí A.

University of Oxford
UK, Canada

STOTT, Lowell D.

Department of Earth Sciences,
University of Southern California
USA

STOTT, Peter A.

Hadley Centre for Climate Prediction
and Research, Met Office
UK

STOUFFER, Ronald J.

National Oceanic and Atmospheric
Administration, Geophysical
Fluid Dynamics Laboratory
USA

STUBER, Nicola

Department of Meteorology,
University of Reading
UK, Germany

SUDO, Kengo

Nagoya University
Japan

SUGA, Toshio

Tohoku University
Japan

SUMI, Akimasa

Center for Climate System
Research, University of Tokyo
Japan

SUPPIAH, Ramasamy

CSIRO
Australia

SWEENEY, Colm

Princeton University
USA

TADROSS, Mark

Climate Systems Analysis Group,
University of Cape Town
South Africa

TAKEMURA, Toshihiko

Research Institute for Applied
Mechanics, Kyushu University
Japan

TALLEY, Lynne D.

Scripps Institution of Oceanography,
University of California, San Diego
USA

TAMISIEA, Mark

Harvard-Smithsonian Center
for Astrophysics
USA

TAYLOR, Karl E.

Program for Climate Model Diagnosis
and Intercomparison, Lawrence
Livermore National Laboratory
USA

TEBALDI, Claudia

National Center for Atmospheric Research
USA

TENG, Haiyan

National Center for Atmospheric Research
USA, China

TENNANT, Warren

South African Weather Service
South Africa

TERRAY, Laurent

European Centre for Research and Advanced
Training in Scientific Computation
France

TETT, Simon

Hadley Centre for Climate Prediction
and Research, Met Office
UK

TEXTOR, Christiane

Laboratoire des Sciences du
Climat et de l'Environnement
France, Germany

THOMAS, Robert H.

EG&G Technical Services, Inc. and
Centro de Estudios Científicos (CECS)
USA, Chile

THOMPSON, Lonnie

Ohio State University
USA

THORNCROFT, Chris

Department of Earth and Atmospheric
Science, University at Albany, SUNY
USA, UK

THORNE, Peter

Hadley Centre for Climate Prediction
and Research, Met Office
UK

TIAN, Yuhong

Georgia Institute of Technology
USA, China

TRENBERTH, Kevin E.

Climate Analysis Section, National
Center for Atmospheric Research
USA

TSELIODIS, George

National Aeronautics and Space
Administration, Goddard Institute for
Space Studies, Columbia University
USA, Greece

TSIMPLIS, Michael

National Oceanography Centre,
University of Southampton
UK, Greece

UNNIKISHNAN, Alakkat S.

National Institute of Oceanography
India

UPPALA, Sakari

European Centre for Medium-
Range Weather Forecasts
ECMWF

VAN DE WAL, Roderik Sylvester Willo
Institute for Marine and Atmospheric
Research, Utrecht University
Netherlands

VAN DORLAND, Robert
Royal Netherlands Meteorological
Institute (KNMI)
Netherlands

VAN NOIJE, Twan
Royal Netherlands Meteorological
Institute (KNMI)
Netherlands

VAUGHAN, David
British Antarctic Survey
UK

VILLALBA, Ricardo
Departamento de Dendrocronología e
Historia Ambiental, Instituto Argentino
de Novología, Glaciología y Ciencias
Ambientales (IANIGLA - CRICYT)
Argentina

VOLODIN, Evgeny M.
Institute of Numerical Mathematics
of Russian Academy of Sciences
Russian Federation

VOSE, Russell
National Oceanic and Atmospheric
Administration, National
Climatic Data Center
USA

WAELBROECK, Claire
Institut Pierre Simon Laplace,
Laboratoire des Sciences du Climat
et de l'Environnement, CNRS
France

WALSH, John
University of Alaska
USA

WANG, Bin
National Key Laboratory of Numerical
Modeling for Atmospheric Sciences
and Geophysical Fluid Dynamics,
Institute of Atmospheric Physics,
Chinese Academy of Sciences
China

WANG, Bin
University of Hawaii
USA

WANG, Minghuai
Department of Atmospheric, Oceanic, and
Space Sciences, University of Michigan
USA

WANG, Ray
Georgia Institute of Technology
USA

WANNINKHOF, Rik
Atlantic Oceanographic and Meteorological
Laboratory, National Oceanic and
Atmospheric Administration
USA

WARREN, Stephen
University of Washington
USA

WASHINGTON, Richard
UK, South Africa

WATTERSON, Ian G.
CSIRO Marine and Atmospheric Research
Australia

WEAVER, Andrew J.
School of Earth and Ocean
Sciences, University of Victoria
Canada

WEBB, Mark
Hadley Centre for Climate Prediction
and Research, Met Office
UK

WEISHEIMER, Antje
European Centre for Medium-
Range Weather Forecasting and
Free University, Berlin
ECMWF, Germany

WEISS, Ray
Scripps Institution of Oceanography,
University of California, San Diego
USA

WHEELER, Matthew
Bureau of Meteorology Research Centre
Australia

WHETTON, Penny
CSIRO Marine and Atmospheric Research
Australia

WHORF, Tim
Scripps Institution of Oceanography,
University of California, San Diego
USA

WIDMANN, Martin
GKSS Research Centre, Geesthacht
and School of Geography, Earth
and Environmental Sciences,
University of Birmingham
Germany, UK

WIELICKI, Bruce
National Aeronautics and Space
Administration, Langley Research Center
USA

WIGLEY, Tom M.L.
National Center for Atmospheric Research
USA

WILBY, Rob
Environment Agency of England and Wales
UK

WILD, Martin
ETH Zürich, Institute for Atmospheric
and Climate Science
Switzerland

WILD, Oliver
Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology
Japan, UK

WILES, Gregory
The College of Wooster
USA

WILLEBRAND, Jürgen
Leibniz Institut für Meereswissenschaften
an der Universität Kiel
Germany

WILLIS, Josh
Jet Propulsion Laboratory
USA

WOFSY, Steven C.
Division of Engineering and Applied
Science, Harvard University
USA

WONG, A.P.S.
School of Oceanography,
University of Washington
USA, Australia

WONG, Takmeng
National Aeronautics and Space
Administration, Langley Research Center
USA

WOOD, Richard A.
Hadley Centre for Climate Prediction
and Research, Met Office
UK

WOODWORTH, Philip
Proudman Oceanographic Laboratory
UK

WORBY, Anthony
Australian Antarctic Division and
Antarctic Climate and Ecosystems
Cooperative Research Centre
Australia

WRATT, David
National Climate Centre, National Institute
of Water and Atmospheric Research
New Zealand

WUERTZ, David
National Oceanic and Atmospheric
Administration, National
Climatic Data Center
USA

WYMAN, Bruce L.
Geophysical Fluid Dynamics
Laboratory, National Oceanic and
Atmospheric Administration
USA

XU, Li
Department of Atmospheric, Oceanic, and
Space Sciences, University of Michigan
USA, China

YAMADA, Tomomi
Japanese Society of Snow and Ice
Japan

YASHAYAEV, Igor
Maritimes Region of the Department
of Fisheries and Oceans
Canada

YASUDA, Ichiro
University of Tokyo
Japan

YOSHIMURA, Jun

Meteorological Research Institute
Japan

YU, Rucong

China Meteorological Administration
China

YUKIMOTO, Seiji

Meteorological Research Institute
Japan

ZACHOS, James

University of California, Santa Cruz
USA

ZHAI, Panmao

National Climate Center, China
Meteorological Administration
China

ZHANG, De'er

National Climate Center, China
Meteorological Administration
China

ZHANG, Tingjun

National Snow and Ice Data Center, CIRES,
University of Colorado at Boulder
USA, China

ZHANG, Xiaoye

Chinese Academy of Meteorological
Sciences, Centre for Atmosphere
Watch & Services
China

ZHANG, Xuebin

Climate Research Division,
Environment Canada
Canada

ZHAO, Lin

Cold and Arid Regions Environmental
and Engineering Research Institute,
Chinese Academy of Science
China

ZHAO, Zong-Ci

National Climate Center, China
Meteorological Administration
China

ZHENGTEG, Guo

Institute of Geology and Geophysics,
Chinese Academy of Science
China

ZHOU, Liming

Georgia Institute of Technology
USA, China

ZORITA, Eduardo

Helmholtz Zentrum Geesthacht
Germany, Spain

ZWIERS, Francis

Canadian Centre for Climate Modelling
and Analysis, Environment Canada
Canada

Annex III

Reviewers of the IPCC WGI Fourth Assessment Report

Algeria

AMAR, Matari
IHFR, Oran

MATARI, Amar
IHFR, Oran

Australia

CAI, Wenju
CSIRO Marine and Atmospheric Research

CHURCH, John
CSIRO Marine and Atmospheric
Research and Ecosystems
Cooperative Research Centre

COLMAN, Robert
Bureau of Meteorology Research Centre

ENTING, Ian
University of Melbourne

GIFFORD, Roger
CSIRO Plant Industry

HIRST, Anthony
CSIRO Marine and Atmospheric Research

HOBBINS, Michael
Australian National University

HOWARD, William
Antarctic Climate and Ecosystems
Cooperative Research Centre

HUNTER, John
Antarctic Climate and Ecosystems
Cooperative Research Centre

JONES, Roger
CSIRO Marine and Atmospheric Research

KININMONTH, William

LYNCH, Amanda H.
School of Geography and Environmental
Science, Monash University

MANTON, Michael
Bureau of Meteorology Research Centre

MCAVANEY, Bryant
Bureau of Meteorology Research Centre

MCDUGALL, Trevor
CSIRO Marine and Atmospheric Research

MCGREGOR, John
CSIRO Marine and Atmospheric Research

MCNEIL, Ben
University of New South Wales

MOISE, Aurel
Bureau of Meteorology Research Centre

NICHOLLS, Neville
Monash University

PITMAN, Andrew
Department of Physical Geography,
Macquarie University

RAUPACH, Michael
CSIRO

RINTOUL, Stephen
CSIRO, Marine and Atmospheric
Research and Antarctic Climate and
Ecosystems Cooperative Research Centre

RODERICK, Michael
Australian National University

ROTSTAYN, Leon
CSIRO Marine and Atmospheric Research

SIEMS, Steven
Monash University

SIMMONDS, Ian
University of Melbourne

TREWIN, Blair
National Climate Centre,
Bureau of Meteorology

VAN OMMEN, Tas
Australian Antarctic Division

WALSH, Kevin
School of Earth Sciences,
University of Melbourne

WATKINS, Andrew
National Climate Centre,
Bureau of Meteorology

WHEELER, Matthew
Bureau of Meteorology Research Centre

WHITE, Neil
CSIRO Marine and Atmospheric Research

Austria

BÖHM, Reinhard
Central Institute for Meteorology
and Geodynamics

KIRCHENGAST, Gottfried
University of Graz

O'NEILL, Brian
IIASA and Brown University

RADUNSKY, Klaus
Umweltbundesamt

Belgium

BERGER, André
Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaître

DE BACKER, Hugo
Royal Meteorological Institute

GOOSSE, Hugues
Université catholique de Louvain

JANSSENS, Ivan A.
University of Antwerp

LOUTRE, Marie-France
Université catholique de Louvain,
Institut d'Astronomie et de
Géophysique G. Lemaître

VAN LIPZIG, Nicole
Katholieke Universiteit Leuven

Benin

BOKO, Michel
Université de Bourgogne

GUENDEHOU, G. H. Sabin
Benin Centre for Scientific
and Technical Review

VISSIN, Expédit Wilfrid
LECREDE/DGAT/FLASH/
Université d'Abomey-Calavi

YABI, Ibouaïma
Laboratoire de Climatologie/DGAT/UAC

Brazil

CARDIA SIMÕES, Jefferson
Departamento de Geografia, Instituto
de Geociências, Universidade
Federal do Rio Grande do Sul

GOMES, Marcos S.P.
Department of Mechanical
Research, Pontifical Catholic
University of Rio de Janeiro

MARENGO ORSINI, Jose Antonio
CPTEC/INPE

Canada

BELTRAMI, Hugo
St. Francis Xavier University

BROWN, Ross
Environment Canada

Expert reviewers are listed by country. Experts from international organizations are listed at the end.

CAYA, Daniel

Consortium Ouranos

CHYLEK, Petr

Dalhousie University, Departments of Physics and Oceanography

CLARKE, Garry

Earth and Ocean Sciences, University of British Columbia

CLARKE, R. Allyn

Bedford Institute of Oceanography

CULLEN, John

Dalhousie University

DERKSEN, Chris

Climate Research Branch, Meteorological Service of Canada

FERNANDES, Richard

Canada Centre for Remote Sensing, Natural Resources Canada

FORBES, Donald L.

Natural Resources Canada, Geological Survey of Canada

FREELAND, Howard

Department of Fisheries and Oceans

GARRETT, Chris

University of Victoria

HARVEY, Danny

University of Toronto

ISAAC, George

Environment Canada

JAMES, Thomas

Geological Survey of Canada, Natural Resources Canada

LEWIS, C.F. Michael

Geological Survey of Canada, Natural Resources Canada

MACDONALD, Robie

Department of Fisheries and Oceans

MATTHEWS, H. Damon

University of Calgary and Concordia University

MCINTYRE, Stephen

University of Toronto

MCKITRICK, Ross

University of Guelph

PELTIER, Wm. Richard

Department of Physics, University of Toronto

SAVARD, Martine M.

Geological Survey of Canada, Natural Resources Canada

SMITH, Sharon

Geological Survey of Canada, Natural Resources Canada

TRISHCHENKO, Alexander P.

Canada Centre for Remote Sensing, Natural Resources Canada

WANG, Shusen

Canada Centre for Remote Sensing, Natural Resources Canada

WANG, Xiaolan L.

Climate Research Branch, Meteorological Service of Canada

ZWIERS, Francis

Canadian Centre for Climate Modelling and Analysis, Environment Canada

Chile**ACEITUNO, Patricio**

Department Geophysics, Universidad de Chile

China**CAI, Zucong**

Institute of Soil Science, Chinese Academy of Sciences

CHAN, Johnny

City University of Hong Kong

DONG, Zhaoqian

Polar Research Institute of China

GONG, Dao-Yi

College of Resources Science and Technology, Beijing Normal University

GUO, Xueliang

Institute of Atmospheric Physics, Chinese Academy of Sciences

LAM, Chiu-Ying

Hong Kong Observatory

REN, Guoyu

National Climate Center, China Meteorological Administration

SHI, Guang-yu

Institute of Atmospheric Physics, Chinese Academy of Sciences

SU, Jilan

Lab of Ocean Dynamic Processes and Satellite Oceanography, Second Institute of Oceanography, State Oceanic Administration

SUN, Junying

Centre for Atmosphere Watch and Services, Chinese Academy of Meteorological Sciences, CMA

WANG, Dongxiao

South China Sea Institute of Oceanology, Chinese Academy of Sciences

WANG, Mingxing

Institute of Atmospheric Physics, Chinese Academy of Sciences

XIE, Zhenghui

Institute of Atmospheric Physics, Chinese Academy of Sciences

XU, Xiaobin

Chinese Academy of Meteorological Sciences

YU, Rucong

China Meteorological Administration

ZHAO, Zong-Ci

National Climate Center, China Meteorological Administration

ZHOU, Tianjun

Institute of Atmospheric Physics, Chinese Academy of Sciences

Denmark**GLEISNER, Hans**

Atmosphere Space Research Division, Danish Met. Institute

STENDEL, Martin

Danish Meteorological Institute

Egypt**EL-SHAHAWY, Mohamed**

Cairo University, Egyptian Environmental Affairs Agency

Estonia**JAAGUS, Jaak**

University of Tartu

Fiji**LAL, Murari**

University of the South Pacific

Finland**CARTER, Timothy**

Finnish Environment Institute

KORTELAINEEN, Pirkko

Finnish Environment Institute

KULMALA, Markku

University of Helsinki

LAAKSONEN, Ari

University of Kuopio

MÄKIPÄÄ, Raisa

Finnish Forest Research Institute

RÄISÄNEN, Jouni

Department of Physical Sciences, University of Helsinki

SAVOLAINEN, Iikka

Technical Research Centre of Finland

France**BONY, Sandrine**

Laboratoire de Météorologie Dynamique, Institut Pierre Simon Laplace

BOUSQUET, Philippe

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

BRACONNOT, Pascale

Pascale Braconnot Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

CAZENAVE, Anny

Laboratoire d'Etudes en Géophysique et Océanographie Spatiale (LEGOS), CNES

CLERBAUX, Cathy

Centre National de Recherche Scientifique

CORTIJO, Elsa

Laboratoire des Sciences du Climat et de l'Environnement, CNRS-CEA-UVSQ

DELECLUSE, Pascale

CEA, CNRS

DÉQUÉ, Michel

Météo-France

DUFRESNE, Jean-Louis

Laboratoire de Météorologie Dynamique, Institut Pierre Simon Laplace

FRIEDLINGSTEIN, Pierre

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement

GENTHON, Christophe

Centre National de Recherche Scientifique, Laboratoire de Glaciologie et Géophysique de l'Environnement

GUILYARDI, Eric

Laboratoire des Sciences du Climat et de l'Environnement

GUIOT, Joel

CEREGE, Centre National de Recherche Scientifique

HAUGLUSTAINE, Didier

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ

JOUSSAUME, Sylvie

Centre National de Recherche Scientifique

KANDEL, Robert

Laboratoire de Météorologie Dynamique, Ecole Polytechnique

KHODRI, Myriam

Institut de Recherche Pour le Développement

LABEYRIE, Laurent

Laboratoire des Sciences du Climat et de l'Environnement

MARTIN, Eric

Météo-France

MOISSELIN, Jean-Marc

Météo-France

PAILLARD, Didier

Laboratoire des Sciences du Climat et de l'Environnement

PETIT, Michel

CGTI

PLANTON, Serge

Météo-France

RAMSTEIN, Gilles

Laboratoire des Sciences du Climat et de l'Environnement

SCHULZ, Michael

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CEA-CNRS-UVSQ

SEGUIN, Bernard

INRA

TEXTOR, Christiane

Laboratoire des Sciences du Climat et de l'Environnement

WELBROECK, Claire

Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement, CNRS

Germany**BANGE, Hermann W.**

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

BAUER, Eva

Potsdam Institute for Climate Impact Research

BECK, Christoph

Global Precipitation Climatology Centre

BROVKIN, Victor

Potsdam Institute for Climate Impact Research

CHURKINA, Galina

Max Planck Institute for Biogeochemistry

COTRIM DA CUNHA, Leticia

Max-Planck-Institut für Biogeochemie

DOTZEK, Nikolai

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

FEICHTER, Johann

Max Planck Institute for Meteorology

GANOPOLSKI, Andrey

Potsdam Institute for Climate Impact Research

GIORGETTA, Marco A.

Max Planck Institute for Meteorology

GRASSL, Hartmut

Max Planck Institute for Meteorology

GREWE, Volker

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

GRIESER, Jürgen

Deutscher Wetterdienst, Global Precipitation Climatology Centre

HARE, William

Potsdam Institute for Climate Impact Research

HELD, Hermann

Potsdam Institute for Climate Impact Research

HOFZUMAHUS, Andreas

Forschungszentrum Jülich, Institut für Chemie und Dynamik der Geosphäre II: Troposphäre

KOPPMANN, Ralf

Institut für Chemie und Dynamik der Geosphäre, Institut II: Troposphäre, Forschungszentrum Jülich, Jülich, Germany

LATIF, Mojib

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

LAWRENCE, Mark

Max Planck Institute for Chemistry

LELIEVELD, Jos

Max Planck Institute for Chemistry

LEVERMANN, Anders

Potsdam Institute for Climate Impact Research

LINGNER, Stephan

Europäische Akademie Bad Neuenahr-Ahrweiler GmbH

LUCHT, Wolfgang

Potsdam Institute for Climate Impact Research

MAROTZKE, Jochem

Max Planck Institute for Meteorology

MATA, Louis Jose

Center for Development Research, University of Bonn

MEINSHAUSEN, Malte

Potsdam Institute for Climate Impact Research

MICHAELOWA, Axel

Hamburg Institute of International Economics

MÜLLER, Rolf

Research Centre Jülich

RAHMSTORF, Stefan

Potsdam Institute for Climate Impact Research

RHEIN, Monika

Institute for Environmental Physics, University Bremen

SAUSEN, Robert

Deutsches Zentrum für Luft und Raumfahrt, Institut für Physik der Atmosphäre

SCHOENWIESE, Christian-D.

University Frankfurt a.M., Institute for Atmosphere and Environment

SCHOTT, Friedrich

Leibniz Institut für Meereswissenschaften, IFM-GEOMAR

SCHULZ, Michael
University of Bremen

SCHÜTZENMEISTER, Falk
Technische Universität Dresden,
Institut für Soziologie

STAMMER, Detlef
Institut fuer Meereskunde Zentrum
fuer Meeres und Klimaforschung
Universitaet Hamburg

TEGEN, Ina
Institute for Tropospheric Research

VÖLKER, Christoph
Alfred Wegener Institute for
Polar and Marine Research

WEFER, Gerold
University of Bremen, Research
Center Ocean Margins

WURZLER, Sabine
North Rhine-Westphalia State
Environment Agency

ZENK, Walter
Leibniz Institut für Meereswissenschaften,
IFM-GEOMAR

ZOLINA, Olga
Meteorologisches Institut
der Universität Bonn

ZORITA, Eduardo
Helmholtz Zentrum Geesthacht

Hungary

ZAGONI, Miklos
Budapest University

India

SRIKANTHAN, Ramachandran
Physical Research Laboratory

TULKENS, Philippe
The Energy and Research Institute (TERI)

Iran

RAHIMZADEH, Fatemeh
Atmospheric Science & Meteorological
Research Center (ASMER), I.R. of Iran
Meteorological Organization (IRIMO)

Ireland

FEALY, Rowan
National University of Ireland, Maynooth

SWEENEY, John
National University of Ireland, Maynooth

Italy

ARTALE, Vincenzo
Italian National Agency for
New Technologies, Energy and
the Environment (ENEA)

BALDI, Marina
Consiglio Nazionale delle Ricerche
(CNR), Inst of Biometeorology

BERGAMASCHI, Peter
European Commission, Joint
Research Centre, Institute for
Environment and Sustainability

BRUNETTI, Michele
Istituto di Scienze dell'atmosfera
e del Clima (ISAC) Consiglio
Nazionale delle Ricerche (CNR)

CAMPOSTRINI, Pierpaolo
CORILA

COLOMBO, Tiziano
Italian Met Service

CORTI, Susanna
Istituto di Scienze dell'atmosfera
e del Clima (ISAC) Consiglio
Nazionale delle Ricerche (CNR)

DESIATO, Franco
Agenzia per la protezione dell'ambiente
e per i servizi tecnici (APAT)

DI SARRA, Alcide
Italian National Agency for
New Technologies, Energy and
the Environment (ENEA)

DRAGONI, Walter
Perugia University

ETIOPE, Giuseppe
Istituto Nazionale di Geofisica e
Vulcanologia

FACCHINI, Maria Cristina
Consiglio Nazionale delle Ricerche (CNR)

GIORGI, Filippo
Abdus Salam International Centre
for Theoretical Physics

LIONELLO, Piero
Univ. of Lecce, Dept. "Scienza dei materiali"

MARIOTTI, Annarita
Italian National Agency for New
Technologies, Energy and the Environment
(ENEA) and Earth System Science
Interdisciplinary Center (ESSIC-USA)

MOSETTI, Renzo
OGS

NANNI, Teresa
Istituto di Scienze dell'atmosfera e
del Clima (ISAC) Consiglio
Nazionale delle Ricerche (CNR)

RUTI, Paolo Michele
Italian National Agency for New
Technologies, Energy and the Environment

SANTINELLI, Chiara
Consiglio Nazionale delle Ricerche (CNR)

VAN DINGENEN, Rita
European Commission, Joint
Research Centre, Institute for
Environment and Sustainability

VIGNUDELLI, Stefano
Consiglio Nazionale delle Ricerche
(CNR), Istituto di Biofisica

Japan

ALEXANDROV, Georgii
National Institute for Environmental Studies

ANNAN, James
Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology

AOKI, Teruo
Meteorological Research Institute,
Japan Meteorological Agency

AWAJI, Toshiyuki
Kyoto University

EMORI, Seita
National Institute for Environmental
Studies and Frontier Research Center
for Global Change, Japan Agency for
Marine-Earth Science and Technology

HARGREAVES, Julia
Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology

HAYASAKA, Tadahiro
Research Institute for Humanity and Nature

IKEDA, Motoyoshi
Hokkaido University

ITOH, Kiminori
Yokohama National University

KAWAMIYA, Michio
Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology

KIMOTO, Masahide
Center for Climate System
Research, University of Tokyo

KITOH, Akio
First Research Laboratory, Climate Research
Department, Meteorological Research
Institute, Japan Meteorological Agency

KOBAYASHI, Shigeki
TRDL

KONDO, Hiroki
Frontier Research Center for Global
Change, Japan Agency for Marine-
Earth Science and Technology

MAKI, Takashi
Meteorological Research Institute,
Japan Meteorological Agency

MAKSYUTOV, Shamil

National Institute for Environmental Studies

MARUYAMA, Koki

CRIEPI

MATSUNO, Taroh

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology

MIKAMI, Masao

Meteorological Research Institute, Japan Meteorological Agency

MIKAMI, Takehiko

Tokyo Metropolitan University

NAKAJIMA, Teruyuki

Center for Climate System Research, University of Tokyo

NAKAWO, Masayoshi

Research Institute for Humanity and Nature

NODA, Akira

Meteorological Research Institute, Japan Meteorological Agency

OHATO, Tetsuo

JAMSTEC

ONO, Tsuneo

Hokkaido National Fisheries Research Institute, Fisheries Research Agency

SASAKI, Hidetaka

Meteorological Research Institute, Japan Meteorological Agency

SATO, Yasuo

Meteorological Research Institute, Japan Meteorological Agency

SEKIYA, Akira

National Institute of Advanced Industrial Science and Technology (AIST)

SHINODA, Masato

Tottori University, Arid Land Research Center

SUGA, Toshio

Tohoku University

SUGI, Masato

Meteorological Research Institute, Japan Meteorological Agency

TOKIOKA, Tatsushi

Frontier Research Center for Global Change, Japan Agency for Marine-Earth Science and Technology

TOKUHASHI, Kazuaki

National Institute of Advanced Industrial Science and Technology (AIST)

TSUSHIMA, Yoko

Japan Agency for Marine-Earth Science and Technology

UCHIYAMA, Akihiro

Meteorological Research Institute, Japan Meteorological Agency

YAMAMOTO, Susumu

Graduate School of Environmental Science, Okayama University

YAMANOUCI, Takashi

National Institute of Polar Research

YAMASAKI, Masanori

Japan Agency for Marine-Earth Science and Technology

YAMAZAKI, Koji

Graduate School of Environmental Science, Hokkaido University

YOKOYAMA, Yusuke

Department of Earth and Planetary Sciences, University of Tokyo

TSUTSUMI, Yukitomo

Meteorological Research Institute, Japan Meteorological Agency

Republic of Korea**KIM, Kyung-Ryul**

Seoul National University, School of Earth and Environmental Services

Mexico**LLUCH-BELDA, Daniel**

Centro Interdisciplinario de Ciencias Marinas del IPN

Mozambique**QUEFACE, Antonio Joaquim**

Physics Department, Eduardo Mondlane University

Netherlands, Antilles and Aruba**MARTIS, Albert**

Climate Research Center, Meteorological Service Netherlands, Antilles & Aruba

Netherlands**BAEDE, Alphonsus**

Royal Netherlands Meteorological Institute (KNMI) and Ministry of Housing, Spatial Planning and the Environment

BURGERS, Gerrit

Royal Netherlands Meteorological Institute (KNMI)

DE BRUIN, Henk

Meteorology and Air Quality Group, Wageningen University

DE WIT, Florens**DILLINGH, Douwe**

National Institute for Coastal and Marine Management / RIKZ

HAARSMA, Reindert

Royal Netherlands Meteorological Institute (KNMI)

HAZELEGER, Wilco

Royal Netherlands Meteorological Institute (KNMI)

HOLTSLAG, Albert A. M.

Wageningen University

KROON, Dick

Vrije Universiteit, Amsterdam

SIEGMUND, Peter

Royal Netherlands Meteorological Institute (KNMI)

STERL, Andreas

Royal Netherlands Meteorological Institute (KNMI)

VAN AKEN, Hendrik M.

Royal Netherlands Institute for Sea Research (NIOZ)

VAN DE WAL, Roderik Sylvester Willo

Institute for Marine and Atmospheric Research, Utrecht University

VAN DEN HURK, Bart

Royal Netherlands Meteorological Institute (KNMI)

VAN NOIJE, Twan

Royal Netherlands Meteorological Institute (KNMI)

VAN VELTHOVEN, Peter

Royal Netherlands Meteorological Institute (KNMI)

VANDEBERGHE, Jef

Vrije Universiteit, Inst. of Earth Sciences

VEEFKIND, Pepijn

Royal Netherlands Meteorological Institute (KNMI)

VELDERS, Guus J.M.

Netherlands Environmental Assessment Agency (MNP)

New Zealand**ALLOWAY, Brent**

Institute of Geological and Nuclear Sciences

BARRETT, Peter

Antarctic Research Centre, Victoria University of Wellington

BODEKER, Greg

National Institute of Water and Atmospheric Research

BOWEN, Melissa

National Institute of Water and Atmospheric Research

CRAMPTON, James

Institute of Geological and Nuclear Sciences

GRAY, Vincent

Climate Consultant

LASSEY, Keith

National Institute of Water and Atmospheric Research

LAW, Cliff

National Institute of Water and Atmospheric Research

MACLAREN, Piers

NZ Forest Research Institute

MULLAN, A. Brett

National Institute of Water and Atmospheric Research

NODDER, Scott

National Institute of Water and Atmospheric Research

RENWICK, James A.

National Institute of Water and Atmospheric Research

SALINGER, M. James

National Institute of Water and Atmospheric Research

SHULMEISTER, James

University of Canterbury

WILLIAMS, Paul W.

Auckland University

WRATT, David

National Climate Centre, National Institute of Water and Atmospheric Research

Norway**BENESTAD, Rasmus**

Norwegian Meteorological Institute

FUGLESTVEDT, Jan

Centre for International Climate and Environmental Research (CICERO)

GODAL, Odd

Department of Economics, University of Bergen

HANSSSEN-BAUER, Inger

Norwegian Meteorological Institute

ISAKSEN, Ketil

Norwegian Meteorological Institute

JOHANNESEN, Ola M.

Nansen Environmental and Remote Sensing Center

KRISTJÁNSSON, Jón Egill

University of Oslo

NESJE, Atle

Department of Earth Science, University of Bergen

PAASCHE, Øyvind

Bjerknes Centre for Climate Research

Peru**GAMBOA, Nadia**

Pontificia Universidad Católica del Perú

Romania**BOJARIU, Roxana**

National Institute of Meteorology and Hydrology (NIMH)

BORONEANT, Constanta-Emilia

National Meteorological Administration

BUSUIOC, Aristita

National Meteorological Administration

MARES, Constantin

Romanian Academy, Geodynamics Institute

MARES, Ileana

Romanian Academy of Technical Studies

Russian Federation**MELESHKO, Valentin**

Voeykov Main Geophysical Observatory

Slovakia**LAPIN, Milan**

Slovak National Climate Program

Spain**AGUILAR, Enric**

Climate Change Research Group, Universitat Rovira i Virgili de Tarragona

BLADÉ, Ileana

Department of Astronomy and Meteorology, University of Barcelona

BRUNET, Manola

University Rovira i Virgili

CALVO COSTA, Eva

Institut de Ciències del Mar

GARCÍA-HERRERA, Ricardo

Universidad Complutense de Madrid

GONZÁLEZ-ROUCO, Jesus Fidel

Universidad Complutense de Madrid

LAVIN, Alicia M.

Instituto Español de Oceanografía

MARTIN-VIDE, Javier

Physical Geography of the University of Barcelona

MONTOYA, Marisa

Dpto. Astrofísica y Física de la Atmosfera, Facultad de Ciencias Físicas, Universidad Complutense de Madrid

PELEJERO, Carles

Institut de Ciències del Mar, CMIMA-CSIC

RIBERA, Pedro

Universidad Pablo de Olavide

Sweden**HOLMLUND, Per**

Stockholm University

KJELLSTRÖM, Erik

Swedish Meteorological and Hydrological Institute

LECK, Caroline

Department of Meteorology, Stockholm University

RUMM AINEN, Markku

Rosby Centre, Swedish Meteorological and Hydrological Institute

Switzerland**APPENZELLER, Christof**

Federal Office of Meteorology and Climatology MeteoSwiss

BLUNIER, Thomas

Climate and Environmental Physics, University of Bern

BRÖNNIMANN, Stefan

ETH Zürich

CASTY, Carlo

Climate and Environmental Physics

CHERUBINI, Paolo

Swiss Federal Research Institute WSL

ESPER, Jan

Swiss Federal Research Institute WSL

FREI, Christoph

Federal Office of Meteorology and Climatology MeteoSwiss

GHOSH, Sucharita

Swiss Federal Research Institute WSL

HAEBERLI, Wilfried

Geography Department, University of Zürich

JOOS, Fortunat

Climate and Environmental Physics, Physics Institute, University of Bern

KNUTTI, Reto

Climate and Global Dynamics Division, National Center for Atmospheric Research

LUTERBACHER, Jürg

Institute of Geography, Climatology and Meteorology, and National Centre of Competence in Research on Climate, University of Bern

MARCOLLI, Claudia

ETH Zürich, Institute for Atmosphere and Climate

PETER, Thomas

ETH Zürich

PHILIPONA, Rolf

Observatory Davos

PLATTNER, Gian-Kasper

Climate and Environmental Physics, Physics Institute, University of Bern

RAIBLE, C. Christoph

Climate and Environmental Physics, University of Bern

REBETEZ, Martine

Swiss Federal Research Institute WSL

ROSSI, Michel J.

Ecole Polytechnique Fédérale de Lausanne, Laboratoire de Pollution Atmosphérique et Sol

ROZANOV, Eugene

IAC ETHZ and PMOD/WRC

SCHÄR, Christoph

ETH Zürich, Institute for Atmospheric and Climate Science

SIDDALL, Mark

Climate and Environmental Physics, University of Bern

SPAHNI, Renato

Climate and Environmental Physics, Physics Institute, University of Bern

STAEHELIN, Johannes

ETH Zürich

STOCKER, Thomas F.

Climate and Environmental Physics, Physics Institute, University of Bern

WANNER, Heinz

National Centre of Competence in Research on Climate, University of Bern

WILD, Martin

ETH Zürich, Institute for Atmospheric and Climate Science

Thailand**GARIVAIT, Savitri**

The Joint Graduate School of Energy and Environment, King Mongkut's University of Technology Thonburi

LIMMEECHOKCHAI, Bundit

Sirindhorn International Institute of Technology, Thammasat Univ.

Togo**AJAVON, Ayite-Lo N.**

Atmospheric Chemistry Laboratory

UK**ALEXANDER, Lisa**

Hadley Centre for Climate Prediction and Research, Met Office

ALLAN, Richard

Environmental Systems Science Centre, University of Reading

BANKS, Helene

Hadley Centre for Climate Prediction and Research, Met Office

BETTS, Richard A.

Hadley Centre for Climate Prediction and Research, Met Office

BODAS-SALCEDO, Alejandro

Hadley Centre for Climate Prediction and Research, Met Office

BOUCHER, Olivier

Hadley Centre for Climate Prediction and Research, Met Office

BROWN, Simon

Hadley Centre for Climate Prediction and Research, Met Office

BRYDEN, Harry

University of Southampton

CAESAR, John

Hadley Centre for Climate Prediction and Research, Met Office

CARSLAW, Kenneth

University of Leeds

COLLINS, Matthew

Hadley Centre for Climate Prediction and Research, Met Office

COLLINS, William

Hadley Centre for Climate Prediction and Research, Met Office

CONNOLLEY, William

British Antarctic Survey

COURTNEY, Richard S.

European Science and Environment Forum

CRUCIFIX, Michel

Hadley Centre for Climate Prediction and Research, Met Office

FALLOON, Pete

Hadley Centre for Climate Prediction and Research, Met Office

FOLLAND, Christopher

Hadley Centre for Climate Prediction and Research, Met Office

FORSTER, Piers

School of Earth and Environment, University of Leeds

FOWLER, Hayley

Newcastle University

GEDNEY, Nicola

Hadley Centre for Climate Prediction and Research, Met Office

GILLETT, Nathan P.

Climatic Research Unit, School of Environmental Sciences, University of East Anglia

GRAY, Lesley

Reading University

GREGORY, Jonathan M.

Department of Meteorology, University of Reading and Hadley Centre for Climate Prediction and Research, Met Office

GRIGGS, David

Hadley Centre for Climate Prediction and Research, Met Office

HAIGH, Joanna

Imperial College London

HARANGOZO, Steve

British Antarctic Survey

HAWKINS, Stephen J.

The Marine Biological Association of the UK

HIGHWOOD, Eleanor

University of Reading

HINDMARSH, Richard

British Antarctic Survey

HOSKINS, Brian J.

Department of Meteorology, University of Reading

HOUSE, Joanna

Quantifying and Understanding the Earth System Programme, University of Bristol

INGRAM, William

Hadley Centre for Climate Prediction and Research, Met Office

JOHNS, Timothy

Hadley Centre for Climate Prediction and Research, Met Office

JONES, Christopher

Hadley Centre for Climate Prediction and Research, Met Office

JONES, Gareth S.

Hadley Centre for Climate Prediction and Research, Met Office

JONES, Philip D.

Climatic Research Unit, School of Environmental Sciences, University of East Anglia

JOSEY, Simon

National Oceanography Centre, University of Southampton

KING, John

British Antarctic Survey

LE QUÉRÉ, Corrine

University of East Anglia and British Antarctic Survey

LEE, David

Manchester Metropolitan University

LOWE, Jason

Hadley Centre for Climate Prediction and Research, Met Office

MARSH, Robert

National Oceanography Centre, University of Southampton

MARTIN, Gill

Hadley Centre for Climate Prediction and Research, Met Office

MCCARTHY, Mark

Hadley Centre for Climate Prediction and Research, Met Office

- MCDONALD, Ruth**
Hadley Centre for Climate Prediction and Research, Met Office
- MITCHELL, John**
Hadley Centre for Climate Prediction and Research, Met Office
- MURPHY, James**
Hadley Centre for Climate Prediction and Research, Met Office
- NICHOLLS, Robert**
School of Civil Engineering and the Environment, University of Southampton
- PARKER, David**
Hadley Centre for Climate Prediction and Research, Met Office
- PRENTICE, Iain Colin**
Quantifying and Understanding the Earth System Programme, Department of Earth Sciences, University of Bristol
- RAPER, Sarah**
Manchester Metropolitan University
- RAYNER, Nick**
Hadley Centre for Climate Prediction and Research, Met Office
- REISINGER, Andy**
IPCC Synthesis Report TSU
- RIDLEY, Jeff**
Hadley Centre for Climate Prediction and Research, Met Office
- ROBERTS, C. Neil**
University of Plymouth, School of Geography
- RODGER, Alan**
British Antarctic Survey
- ROSCOE, Howard**
British Antarctic Survey
- ROUGIER, Jonathan**
Durham University
- ROWELL, Dave**
Hadley Centre for Climate Prediction and Research, Met Office
- SENIOR, Catherine**
Hadley Centre for Climate Prediction and Research, Met Office
- SEXTON, David**
Hadley Centre for Climate Prediction and Research, Met Office
- SHINE, Keith**
University of Reading
- SLINGO, Julia**
National Centre for Atmospheric Science, University of Reading
- SMITH, Leonard A.**
London School of Economics
- SROKOSZ, Meric**
National Oceanography Centre
- STARK, Sheila**
Hadley Centre for Climate Prediction and Research, Met Office
- STEPHENSON, David**
Department of Meteorology, University of Reading
- STONE, Daithí A.**
University of Oxford
- STOTT, Peter A.**
Hadley Centre for Climate Prediction and Research, Met Office
- THORNE, Peter**
Hadley Centre for Climate Prediction and Research, Met Office
- TSIMPLIS, Michael**
National Oceanography Centre, University of Southampton
- TURNER, John**
British Antarctic Survey
- VAUGHAN, David**
British Antarctic Survey
- VELLINGA, Michael**
Hadley Centre for Climate Prediction and Research, Met Office
- WASDELL, David**
Meridian Programme
- WILLIAMS, Keith**
Hadley Centre for Climate Prediction and Research, Met Office
- WOLFF, Eric**
British Antarctic Survey
- WOOD, Richard A.**
Hadley Centre for Climate Prediction and Research, Met Office
- WOODWORTH, Philip**
Proudman Oceanographic Laboratory
- WU, Peili**
Hadley Centre for Climate Prediction and Research, Met Office
- Uruguay**
- BIDEGAIN, Mario**
Universidad de la Republica
- USA**
- ALEXANDER, Becky**
University of Washington
- ALEXANDER, Michael**
National Oceanic and Atmospheric Administration, Climate Diagnostics Branch, Physical Science Division, Earth System Research Lab
- ALLEY, Richard B.**
Department of Geosciences, Pennsylvania State University
- ANDERSON, David M.**
National Center for Atmospheric Research, Paleoclimatology
- ANDERSON, Theodore**
University of Washington
- ANDERSON, Wilmer**
University of Wisconsin, Madison, Physics Department
- ANTHES, Richard**
University Corporation for Atmospheric Research
- ARRITT, Raymond**
Iowa State University
- AVERYT, Kristen**
IPCC WGI TSU, National Oceanic and Atmospheric Administration, Earth System Research Laboratory
- BAER, Paul**
Stanford University, Center for Environmental Science and Policy
- BAKER, Marcia**
University of Washington
- BARRY, Roger**
National Snow and Ice Data Center, University of Colorado
- BATES, Timothy**
National Oceanic and Atmospheric Administration
- BAUGHCUUM, Steven**
Boeing Company
- BENTLEY, Charles R.**
University of Wisconsin, Madison
- BERNSTEIN, Lenny**
International Petroleum Industry Environmental Conservation Association & L.S. Bernstein & Associates, LLC
- BOND, Tami**
University of Illinois at Urbana-Champaign
- BROCCOLI, Anthony J.**
Rutgers University
- BROMWICH, David**
Byrd Polar Research Center, The Ohio State University
- BROOKS, Harold**
National Oceanic and Atmospheric Administration, National Severe Storms Laboratory
- BRYAN, Frank**
National Center for Atmospheric Research
- CAMERON-SMITH, Philip**
Lawrence Livermore National Laboratory
- CHIN, Mian**
National Aeronautics and Space Administration, Goddard Space Flight Center

- CHRISTY, John**
University of Alabama in Huntsville
- CLEMENS, Steven**
Brown University
- COFFEY, Michael**
National Center for Atmospheric Research
- COLLINS, William D.**
Climate and Global Dynamics Division,
National Center for Atmospheric Research
- CROWLEY, Thomas**
Duke University
- CUNNOLD, Derek**
School of Earth and Atmospheric Sciences,
Georgia Institute of Technology
- DAI, Aiguo**
National Center for Atmospheric Research
- DANIEL, John S.**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
- DANILIN, Mikhail**
The Boeing Company
- D'ARRIGO, Rosanne**
Lamont Doherty Earth Observatory
- DAVIES, Roger**
Jet Propulsion Laboratory, California
Institute of Technology
- DEL GENIO, Anthony**
National Aeronautics and Space
Administration, Goddard
Institute for Space Studies
- DIAZ, Henry**
National Oceanic and Atmospheric
Administration, Climate Diagnostics
Branch, Physical Science Division,
Earth System Research Lab
- DICKINSON, Robert E.**
School of Earth and Atmospheric Sciences,
Georgia Institute of Technology
- DIXON, Keith**
National Oceanic and
Atmospheric Administration
- DONNER, Leo**
Geophysical Fluid Dynamics
Laboratory, National Oceanic and
Atmospheric Administration
- DOUGLAS, Bruce**
International Hurricane Research Center
- DOUGLASS, Anne**
National Aeronautics and Space
Administration, Goddard
Space Flight Center
- DUTTON, Ellsworth**
National Oceanic and Atmospheric
Administration, Earth System Research
Laboratory, Global Monitoring Division
- EASTERLING, David**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
- EMANUEL, Kerry A.**
Massachusetts Institute of Technology
- EVANS, Wayne F.J.**
North West Research Associates
- FAHEY, David W.**
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory
- FEELY, Richard**
National Oceanic and Atmospheric
Administration, Pacific Marine
Environmental Laboratory
- FEINGOLD, Graham**
National Oceanic and
Atmospheric Administration
- FELDMAN, Howard**
American Petroleum Institute
- FEYNMAN, Joan**
Jet Propulsion Laboratory, California
Institute of Technology
- FITZPATRICK, Melanie**
University of Washington
- FOGT, Ryan**
Polar Meteorology Group, Byrd Polar
Research Center and Atmospheric
Sciences Program, Department of
geography, The Ohio State University
- FREE, Melissa**
Air Resources Laboratory, National
Oceanic and Atmospheric Administration
- FU, Qiang**
Department of Atmospheric Sciences,
University of Washington
- GALLO, Kevin**
National Oceanic and Atmospheric
Administration, NESDIS
- GARCIA, Hernan**
National Oceanic and Atmospheric
Administration, National
Oceanographic Data Center
- GASSÓ, Santiago**
University of Maryland, Baltimore
County and NASA
- GENT, Peter**
National Center for Atmospheric Research
- GERHARD, Lee C.**
Thomasson Partner Associates
- GHAN, Steven**
Pacific Northwest National Laboratory
- GNANADESIKAN, Anand**
National Oceanic and Atmospheric
Administration, Geophysical
Fluid Dynamics Laboratory
- GORNITZ, Vivien**
National Aeronautics and Space
Administration, Goddard Institute for
Space Studies, Columbia University
- GROISMAN, Pavel**
University Corporation for Atmospheric
Research at the National Climatic
Data Center, National Oceanic and
Atmospheric Administration
- GRUBER, Nicolas**
Institute of Geophysics and Planetary
Physics, University of California,
Los Angeles and Department of
Environmental Sciences, ETH Zurich
- GURWICK, Noel**
Carnegie Institution of Washington,
Department of Global Ecology
- HAKKARINEN, Chuck**
Electric Power Research Institute, retired
- HALLEGATTE, Stéphane**
Centre International de Recherche sur
l'Environnement et le Développement,
Ecole Nationale des Ponts-et-Chaussées
and Centre National de Recherches
Météorologique, Météo-France
- HALLETT, John**
Desert Research Institute
- HAMILL, Patrick**
San Jose State University
- HARTMANN, Dennis**
University of Washington
- HAYHOE, Katharine**
Texas Tech University
- HEGERL, Gabriele**
Division of Earth and Ocean Sciences,
Nicholas School for the Environment
and Earth Sciences, Duke University
- HELD, Isaac**
National Oceanic and Atmospheric
Administration, Geophysical
Fluid Dynamics Laboratory
- HEMMING, Sidney**
Lamont Doherty Earth Observatory,
Columbia University
- HOULTON, Benjamin**
Stanford University, Dept. of Biological
Sciences; Carnegie Institution of
Washington, Dept. of Global Ecology
- HU, Aixue**
National Center for Atmospheric Research
- HUGHES, Dan**
Hughes and Associates
- ICHOKU, Charles**
Science Systems & Applications,
Inc. (SSAI), NASA-GSFC
- JACOB, Daniel**
Department of Earth and Planetary
Sciences, Harvard University

JACOBSON, Mark
Stanford University

JIN, Menglin
Department of Atmospheric and
Oceanic Sciences, University of
Maryland, College Park

JOYCE, Terrence
Woods Hole Oceanographic Institution

KARL, Thomas R.
National Oceanic and Atmospheric
Administration, National
Climatic Data Center

KAROLY, David J.
University of Oklahoma

KAUFMAN, Yoram
National Aeronautics and Space
Administration, Goddard
Space Flight Center

KELLER, Klaus
Pennsylvania State University

KHESHGI, Haroon
ExxonMobil Research and
Engineering Company

KNUTSON, Thomas
Geophysical Fluid Dynamics
Laboratory, National Oceanic and
Atmospheric Administration

KO, Malcolm
National Aeronautics and Space
Administration, Langley Research Center

KOUTNIK, Michelle
University of Washington

KUETER, Jeffrey
Marshall Institute

LACIS, Andrew
National Aeronautics and Space
Administration, Goddard
Institute for Space Studies

LASZLO, Istvan
National Oceanic and
Atmospheric Administration

LEULIETTE, Eric
University of Colorado, Boulder

LEVY, Robert
Science Systems & Applications,
Inc. (SSAI), NASA-GSFC

LEWITT, Martin

LI, Zhanqing
University of Maryland,
Department of Atmospheric and
Oceanic Science and ESSIC

LIU, Yangang
Brookhaven National Laboratory

LOVEJOY, Edward R.
National Oceanic and
Atmospheric Administration

LUNCH, Claire
Stanford University, Carnegie
Institution of Washington

LUPO, Anthony
University of Missouri, Columbia

MACCRACKEN, Michael
Climate Institute

MAGI, Brian
University of Washington

MAHLMAN, Jerry
National Center for Atmospheric Research

MAHOWALD, Natalie
National Center for Atmospheric Research

MANN, Michael
Pennsylvania State University

MANNING, Martin
IPCC WGI TSU, National Oceanic
and Atmospheric Administration,
Earth System Research Laboratory

MARQUIS, Melinda
IPCC WGI TSU, National Oceanic
and Atmospheric Administration,
Earth System Research Laboratory

MARTIN, Scot
Harvard University

MASSIE, Steven
National Center for Atmospheric Research

MASTRANDREA, Michael
Stanford University

MATSUMOTO, Katsumi
University of Minnesota, Twin Cities

MATSUOKA, Kenichi
University of Washington

MAURICE, Lourdes
Federal Aviation Administration

MICHAELS, Patrick
University of Virginia

MILLER, Charles
Jet Propulsion Laboratory, California
Institute of Technology

MILLER, Laury
National Oceanic and Atmospheric
Administration, Lab for Satellite Altimetry

MILLER, Ron
National Aeronautics and Space
Administration, Goddard
Institute for Space Studies

MILLET, Dylan
Harvard University

MILLY, Chris
United States Geological Survey

MINNIS, Patrick
National Aeronautics and Space
Administration, Langley Research Center

MOLINARI, Robert
National Oceanic and Atmospheric
Administration, Atlantic Oceanographic
and Meteorological Laboratory

MOTE, Philip
Climate Impacts Group, Joint Institute for
the Study of the Atmosphere and Oceans
(JIASO), University of Washington

MURPHY, Daniel
National Oceanic and Atmospheric
Administration, Earth System
Research Laboratory

MUSCHELER, Raimund
Goddard Earth Sciences and Technology
Center, University of Maryland &
NASA/Goddard Space Flight Center,
Climate & Radiation Branch

NEELIN, J. David
University of California, Los Angeles

NELSON, Frederick
Department of Geography,
University of Delaware

NEREM, R. Steven
University of Colorado at Boulder

NOLIN, Anne
Oregon State University

NORRIS, Joel
Scripps Institution of Oceanography

OPPENHEIMER, Michael
Princeton University

OTTO-BLIESNER, Bette
Climate and Global Dynamics Division,
National Center for Atmospheric Research

OVERPECK, Jonathan
Institute for the Study of Planet
Earth, University of Arizona

OWENS, John
3M

PATT, Anthony
Boston University

PENNER, Joyce E.
Department of Atmospheric, Oceanic, and
Space Sciences, University of Michigan

PETERS, Halton
Carnegie Institution of Washington,
Department of Global Ecology

PRINN, Ronald
Department of Earth, Atmospheric
and Planetary Sciences, Massachusetts
Institute of Technology

PROFETA, Timothy H.
Nicholas Institute of Environmental
Policy Solutions, De University

RAMANATHAN, Veerabhadran
Scripps Institution of Oceanography

RAMASWAMY, Venkatachalam
National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory

RANDERSON, James
University of California, Irvine

RAVISHANKARA, A. R.
National Oceanic and Atmospheric Administration

RIGNOT, Eric
Jet Propulsion Laboratory

RIND, David
National Aeronautics and Space Administration, Goddard Institute for Space Studies

RITSON, David
Stanford University

ROBOCK, Alan
Rutgers University

RUSSO, Felicita
UMBC/JCET

SABINE, Christopher
National Oceanic and Atmospheric Administration, Pacific Marine Environmental Laboratory

SCHIMEL, David
National Center for Atmospheric Research

SCHMIDT, Gavin
National Aeronautics and Space Administration, Goddard Institute for Space Studies

SCHWARTZ, Stephen E.
Brookhaven National Laboratory

SCHWING, Franklin
National Oceanic and Atmospheric Administration Fisheries Service, SWFSC/ERD

SEIDEL, Dian
National Oceanic and Atmospheric Administration, Air Resources Laboratory

SEINFELD, John
California Institute of Technology

SETH, Anji
University of Connecticut, Department of Geography

SEVERINGHAUS, Jeffrey
Scripps Institution of Oceanography, University of California, San Diego

SHERWOOD, Steven
Yale University

SHINDELL, Drew
National Aeronautics and Space Administration, Goddard Institute for Space Studies

SHUKLA, Jagadish
Center for Ocean-Land-Atmosphere Studies, George Mason University

SIEVERING, Herman
University of Colorado - Boulder and Denver

SODEN, Brian
University of Miami, Rosentiel School for Marine and Atmospheric Science

SOLOMON, Susan
Co-Chair, IPCC WGI, National Oceanic and Atmospheric Administration, Earth System Research Laboratory

SOULEN, Richard

STEFFAN, Konrad
University of Colorado

STEIG, Eric
University of Washington

STEVENS, Bjorn
UCLA Department of Atmospheric & Oceanic Sciences

STONE, Peter
Massachusetts Institute of Technology

STOUFFER, Ronald J.
National Oceanic and Atmospheric Administration, Geophysical Fluid Dynamics Laboratory

TAKLE, Eugene
Iowa State University

TAMISIEA, Mark
Harvard-Smithsonian Center for Astrophysics

TERRY, Joyce
Woods Hole Oceanographic Institution

THOMPSON, Anne
Pennsylvania State University, Department of Meteorology

THOMPSON, David
Department of Atmospheric Science, Colorado State University

THOMPSON, LuAnne
University of Washington

THOMPSON, Robert
United States Geological Survey

TRENBERTH, Kevin E.
Climate Analysis Section, National Center for Atmospheric Research

VINNIKOV, Konstantin
University of Maryland

VONDER HAAR, Thomas
Colorado State University

WAITZ, Ian
Massachusetts Institute of Technology

WANG, James S.
Environmental Defense

WEBB, Robert
National Oceanic and Atmospheric Administration, Earth System Research Laboratory

WEISS, Ray
Scripps Institution of Oceanography, University of California, San Diego

WELTON, Ellsworth
National Aeronautics and Space Administration, Goddard Space Flight Center

WIELICKI, Bruce
National Aeronautics and Space Administration, Langley Research Center

WILES, Gregory
The College of Wooster

WINTON, Michael
Geophysical Fluid Dynamics Laboratory, National Oceanic and Atmospheric Administration

WOODHOUSE, Connie
National Climatic Data Center

YU, Hongbin
National Aeronautics and Space Administration, Goddard Space Flight Center

YU, Jin-Yi
University of California, Irvine

ZENDER, Charles
University of California, Irvine

ZHAO, Xuepeng
ESSIC/UMCP & National Oceanic and Atmospheric Administration

International Organizations

PALMER, Timothy
European Centre for Medium-Range Weather Forecasting

RIXEN, Michel
University of Liege and NATO Undersea Research Center

SIMMONS, Adrian
European Centre for Medium-Range Weather Forecasts

Annex IV

Acronyms & Regional Abbreviations

Acronyms

μmol	micromole	ASOS	Automated Surface Observation Systems
20C3M	20th Century Climate in Coupled Models	ASTEX	Atlantic Stratocumulus Transition Experiment
AABW	Antarctic Bottom Water	ATCM	Atmospheric Transport and Chemical Model
AAIW	Antarctic Intermediate Water	ATSR	Along Track Scanning Radiometer
AAO	Antarctic Oscillation	AVHRR	Advanced Very High Resolution Radiometer
AATSR	Advanced Along Track Scanning Radiometer	BATS	Bermuda Atlantic Time-series Study
ACC	Antarctic Circumpolar Current	BC	black carbon
ACCENT	Atmospheric Composition Change: a European Network	BCC	Beijing Climate Center
ACE	Accumulated Cyclone Energy or Aerosol Characterization Experiment	BCCR	Bjerknes Centre for Climate Research
ACRIM	Active Cavity Radiometer Irradiance Monitor	BIOME 6000	Global Palaeovegetation Mapping project
ACRIMSAT	Active Cavity Radiometer Irradiance Monitor Satellite	BMRC	Bureau of Meteorology Research Centre
ACW	Antarctic circumpolar wave	C⁴MIP	Coupled Carbon Cycle Climate Model Intercomparison Project
ADEC	Aeolian Dust Experiment on Climate	CaCO₃	calcium carbonate
ADNET	Asian Dust Network	CAMS	Climate Anomaly Monitoring System (NOAA)
AeroCom	Aerosol Model Intercomparison	CAPE	Convective Available Potential Energy
AERONET	Aerosol RObotic NETwork	CCl₄	carbon tetrachloride
AGAGE	Advanced Global Atmospheric Gases Experiment	CCM	Chemistry-Climate Model
AGCM	Atmospheric General Circulation Model	CCCma	Canadian Centre for Climate Modelling and Analysis
AGWP	Absolute Global Warming Potential	CCN	cloud condensation nuclei
AIACC	Assessments of Impacts and Adaptations to Climate Change in Multiple Regions and Sectors	CCSR	Centre for Climate System Research
AIC	aviation-induced cloudiness	CDIAC	Carbon Dioxide Information Analysis Center
ALAS	Autonomous Lagrangian Current Explorer	CDW	Circumpolar Deep Water
ALE	Atmospheric Lifetime Experiment	CERES	Clouds and the Earth's Radiant Energy System
AMIP	Atmospheric Model Intercomparison Project	CERFACS	Centre Europeen de Recherche et de Formation Avancee en Calcul Scientific
AMO	Atlantic Multi-decadal Oscillation	CF₄	perfluoromethane
AMSU	Advanced Microwave Sounding Unit	CFC	chlorofluorocarbon
AO	Arctic Oscillation	CFCI₃	CFC-11
AOGCM	Atmosphere-Ocean General Circulation Model	CH₂I₂	di-iodomethane (methylene iodide)
APEX	Atmospheric Particulate Environment Change Studies	CH₂O	formaldehyde
AR4	Fourth Assessment Report	CH₃CCl₃	methyl chloroform
ARM	Atmospheric Radiation Measurement	CH₃COOH	acetic acid
		CH₄	methane

CLAMS	Chesapeake Lighthouse and Aircraft Measurements for Satellites	DTR	diurnal temperature range
CLARIS	Europe-South America Network for Climate Change Assessment and Impact Studies	DU	Dobson unit
CLIMAP	Climate: Long-range Investigation, Mapping, and Prediction	EARLINET	European Aerosol Research Lidar Network
CLIVAR	Climate Variability and Predictability Programme	EBM	Energy Balance Model
CMAP	CPC Merged Analysis of Precipitation	ECMWF	European Centre for Medium Range Weather Forecasts
CMDL	Climate Monitoring and Diagnostics Laboratory (NOAA)	ECS	equilibrium climate sensitivity
CMIP	Coupled Model Intercomparison Project	EDGAR	Emission Database for Global Atmospheric Research
CNRM	Centre National de Recherches Météorologiques	EMIC	Earth System Model of Intermediate Complexity
CO	carbon monoxide	ENSO	El Niño-Southern Oscillation
CO₂	carbon dioxide	EOF	Empirical Orthogonal Function
CO₃²⁻	carbonate	EOS	Earth Observing System
COADS	Comprehensive Ocean-Atmosphere Data Set	EPICA	European Programme for Ice Coring in Antarctica
COARE	Coupled Ocean-Atmosphere Response Experiment	ERA-15	ECMWF 15-year reanalysis
COBE-SST	Centennial in-situ Observation-Based Estimates of SSTs	ERA-40	ECMWF 40-year reanalysis
COWL	Cold Ocean-Warm Land	ERBE	Earth Radiation Budget Experiment
CPC	Climate Prediction Center (NOAA)	ERBS	Earth Radiation Budget Satellite
CREAS	Regional Climate Change Scenarios for South America	ERS	European Remote Sensing satellite
CRIEPI	Central Research Institute of Electric Power Industry	ESRL	Earth System Research Library (NOAA)
CRUTEM2v	CRU/Hadley Centre gridded land-surface air temperature version 2v	ESTOC	European Station for Time-series in the Ocean
CRUTEM3	CRU/Hadley Centre gridded land-surface air temperature version 3	EUROCS	EUROpean Cloud Systems
CSIRO	Commonwealth Scientific and Industrial Research Organization	FACE	Free Air CO ₂ Enrichment
CTM	Chemical Transport Model	FAO	Food and Agriculture Organization (UN)
DEMETER	Development of a European Multimodel Ensemble System for Seasonal to Interannual Prediction	FAR	First Assessment Report
DIC	dissolved inorganic carbon	FRGCG	Frontier Research Center for Global Change
DJF	December, January, February	FRSGC	Frontier Research System for Global Change
DLR	Deutsches Zentrum für Luft- und Raumfahrt	GAGE	Global Atmospheric Gases Experiment
DMS	dimethyl sulphide	GARP	Global Atmospheric Research Program
D-O	Dansgaard-Oeschger	GATE	GARP Atlantic Tropical Experiment
DOC	dissolved organic carbon	GAW	Global Atmosphere Watch
DORIS	Determination d'Orbite et Radiopositionnement Intégrés par Satellite	GCM	General Circulation Model
DSOW	Denmark Strait Overflow Water	GCOS	Global Climate Observing System
DSP	Dynamical Seasonal Prediction	GCSS	GEWEX Cloud System Study
		GEIA	Global Emissions Inventory Activity
		GEOS	Goddard Earth Observing System
		GEWEX	Global Energy and Water Cycle Experiment
		GFDL	Geophysical Fluid Dynamics Laboratory

GHCN	Global Historical Climatology Network	HCO₃⁻	bicarbonate
GHG	greenhouse gas	HFC	hydrofluorocarbon
GIA	glacial isostatic adjustment	HIRS	High Resolution Infrared Radiation Sounder
GIN Sea	Greenland-Iceland-Norwegian Sea	HLM	High Latitude Mode
GISP2	Greenland Ice Sheet Project 2	HNO₃	nitric acid
GISS	Goddard Institute for Space Studies	HO₂	hydroperoxyl radical
GLACE	Global Land Atmosphere Coupling Experiment	HONO	nitrous acid
GLAMAP	Glacial Ocean Mapping	HOT	Hawaii Ocean Time-Series
GLAS	Geoscience Laser Altimeter System	hPa	hectopascal
GLODAP	Global Ocean Data Analysis Project	HYDE	HistorY Database of the Environment
GLOSS	Global Sea Level Observing System	IABP	International Arctic Buoy Programme
GMD	Global Monitoring Division (NOAA)	ICESat	Ice, Cloud and land Elevation Satellite
GOME	Global Ozone Monitoring Experiment	ICOADS	International Comprehensive Ocean-Atmosphere Data Set
GPCC	Global Precipitation Climatology Centre	ICSTM	Imperial College of Science, Technology and Medicine
GPCP	Global Precipitation Climatology Project	IGBP	International Geosphere-Biosphere Programme
GPS	Global Positioning System	IGBP-DIS	IGBP Data and Information System
GRACE	Gravity Recovery and Climate Experiment	IGRA	Integrated Global Radiosonde Archive
GRIP	Greenland Ice Core Project	IMO	International Meteorological Organization
GSA	Great Salinity Anomaly	INDOEX	Indian Ocean Experiment
Gt	gigatonne (10 ⁹ tonnes)	InSAR	Interferometric Synthetic Aperture Radar
GWE	Global Weather Experiment	IO	iodine monoxide
GWP	Global Warming Potential	IOCI	Indian Ocean Climate Initiative
H₂	molecular hydrogen	IOD	Indian Ocean Dipole
HadAT	Hadley Centre Atmospheric Temperature data set	IOZM	Indian Ocean Zonal Mode
HadAT2	Hadley Centre Atmospheric Temperature data set Version 2	IPAB	International Programme for Antarctic Buoys
HadCRUT2v	Hadley Centre/CRU gridded surface temperature data set version 2v	IPO	Inter-decadal Pacific Oscillation
HadCRUT3	Hadley Centre/CRU gridded surface temperature data set version 3	IPSL	Institut Pierre Simon Laplace
HadISST	Hadley Centre Sea Ice and Sea Surface Temperature data set	IS92	IPCC Scenarios 1992
HadMAT	Hadley Centre Marine Air Temperature data set	ISCCP	International Satellite Cloud Climatology Project
HadRT	Hadley Centre Radiosonde Temperature data set	ITCZ	Inter-Tropical Convergence Zone
HadRT2	Hadley Centre Radiosonde Temperature data set	JAMSTEC	Japan Marine Science and Technology Center
HadSLP2	Hadley Centre MSLP data set version 2	JJA	June, July, August
HadSST2	Hadley Centre SST data set version 2	JMA	Japan Meteorological Agency
HALOE	Halogen Occultation Experiment	ka	thousand years ago
HCFC	hydrochlorofluorocarbon	KMA	Korea Meteorological Administration
		KNMI	Royal Netherlands Meteorological Institute
		kyr	thousand years

LASG	National Key Laboratory of Numerical Modeling for Atmospheric Sciences and Geophysical Fluid Dynamics	MODIS	Moderate Resolution Imaging Spectrometer
LBA	Large-Scale Biosphere-Atmosphere Experiment in Amazonia	mol	mole
LBC	lateral boundary condition	MONEX	Monsoon Experiment
LBL	line-by-line	MOPITT	Measurements of Pollution in the Troposphere
LGM	Last Glacial Maximum	MOZAIC	Measurement of Ozone by Airbus In-service Aircraft
LIG	Last Interglacial	MPI	Max Planck Institute
LKS	Lanzante-Klein-Seidel	MPIC	Max Planck Institute for Chemistry
LLGHG	long-lived greenhouse gas	MPLNET	Micro-Pulse Lidar Network
LLJ	Low-Level Jet	MRI	Meteorological Research Institute of JMA
LLNL	Lawrence Livermore National Laboratory	MSLP	mean sea level pressure
LMD	Laboratoire de Météorologie Dynamique	MSU	Microwave Sounding Unit
LOA	Laboratoire d'Optique Atmosphérique	Myr	million years
LOSU	level of scientific understanding	N₂	molecular nitrogen
LSCE	Laboratoire des Sciences du Climat et de l'Environnement	N₂O	nitrous oxide
LSM	land surface model	N₂O₅	dinitrogen pentoxide
LSW	Labrador Sea Water	NADW	North Atlantic Deep Water
LW	longwave	NAH	North Atlantic subtropical high
LWP	liquid water path	NAM	Northern Annular Mode
Ma	million years ago	NAMS	North American Monsoon System
MAM	March, April, May	NAO	North Atlantic Oscillation
MARGO	Multiproxy Approach for the Reconstruction of the Glacial Ocean surface	NARCCAP	North American Regional Climate Change Assessment Program
mb	millibar	NASA	National Aeronautics and Space Administration
MDI	Michelson Doppler Imager	NCAR	National Center for Atmospheric Research
Meteosat	European geostationary meteorological satellite	NCDC	National Climatic Data Center
MFR	Maximum Feasible Reduction	NCEP	National Centers for Environmental Prediction
MHT	meridional heat transport	NEAQS	New England Air Quality Study
MINOS	Mediterranean Intensive Oxidants Study	NEP	net ecosystem production
MIP	Model Intercomparison Project	NESDIS	National Environmental Satellite, Data and Information Service
MIRAGE	Megacity Impacts on Regional and Global Environments	NGRIP	North Greenland Ice Core Project
MISO	Monsoon Intra-Seasonal Oscillation	NH	Northern Hemisphere
MISR	Multi-angle Imaging Spectro-Radiometer	NH₃	ammonia
MJO	Madden-Julian Oscillation	NH₄⁺	ammonium ion
MLS	Microwave Limb Sounder	NIES	National Institute for Environmental Studies
MMD	Multi-Model Data set (at PCMDI)	NIWA	National Institute of Water and Atmospheric Research
MOC	Meridional Overturning Circulation	NMAT	Nighttime Marine Air Temperature

NMHC	non-methane hydrocarbon	PMOD	Physikalisch-Meteorologisches Observatorium Davos
NMVOC	non-methane volatile organic compound	PNA	Pacific-North American pattern
NO	nitric oxide	PNNL	Pacific Northwest National Laboratory
NO₂	nitrogen dioxide	PNV	potential natural vegetation
NO₃	nitrate radical	POA	primary organic aerosol
NOAA	National Oceanic and Atmospheric Administration	POC	particulate organic carbon
NO_x	reactive nitrogen oxides (the sum of NO and NO ₂)	POLDER	Polarization and Directionality of the Earth's Reflectance
NPI	North Pacific Index	POM	particulate organic matter
NPIW	North Pacific Intermediate Water	ppb	parts per billion
NPP	net primary productivity	ppm	parts per million
NRA	NCEP/NCAR reanalysis	PR	Precipitation Radar
NVAP	NASA Water Vapor Project	PREC/L	Precipitation Reconstruction over Land (PREC/L)
O('D)	oxygen radical in the 1D excited state	PROVOST	Prediction of Climate Variations on Seasonal to Interannual Time Scales
O₂	molecular oxygen	PRP	Partial Radiative Perturbation
O₃	ozone	PSA	Pacific-South American pattern
OASIS	Ocean Atmosphere Sea Ice Soil	PSC	polar stratospheric cloud
OCTS	Ocean Colour and Temperature Scanner	PSMSL	Permanent Service for Mean Sea Level
ODS	ozone-depleting substances	PSU	Pennsylvania State University
OECD	Organisation for Economic Co-operation and Development	psu	Practical Salinity Unit
OGCM	Ocean General Circulation Model	QBO	Quasi-Biennial Oscillation
OH	hydroxyl radical	RATPAC	Radiosonde Atmospheric Temperature Products for Assessing Climate
OIO	iodine dioxide	RCM	Regional Climate Model
OLR	outgoing longwave radiation	REA	Reliability Ensemble Average
OMI	Ozone Monitoring Instrument	REML	restricted maximum likelihood
OPAC	Optical Parameters of Aerosols and Clouds	RF	radiative forcing
PCMDI	Program for Climate Model Diagnosis and Intercomparison	RFI	Radiative Forcing Index
pCO₂	partial pressure of CO ₂	RH	relative humidity
PDF	probability density function	RMS	root-mean square
PDI	Power Dissipation Index	RSL	relative sea level
PDO	Pacific Decadal Oscillation	RSS	Remote Sensing Systems
PDSI	Palmer Drought Severity Index	RTMIP	Radiative-Transfer Model Intercomparison Project
PET	potential evapotranspiration	SACZ	South Atlantic Convergence Zone
PETM	Palaeocene-Eocene Thermal Maximum	SAFARI	Southern African Regional Science Initiative
PFC	perfluorocarbon	SAGE	Stratospheric Aerosol and Gas Experiment or Centre for Sustainability and the Global Environment
Pg	petagram (10 ¹⁵ grams)	SAM	Southern Annular Mode or Stratospheric Aerosol Measurement
PMIP	Paleoclimate Modelling Intercomparison Project		

SAMS	South American Monsoon System	STARDEX	STAtistical and Regional dynamical Downscaling of EXtremes for European regions
SAMW	Subantarctic Mode Water	STE	stratosphere-troposphere exchange
SAR	Second Assessment Report or Synthetic Aperture Radar	STMW	Subtropical Mode Water
SARB	Surface and Atmosphere Radiation Budget	SUNY	State University of New York
SARR	Space Absolute Radiometric Reference	Sv	Sverdrup ($10^6 \text{ m}^3 \text{ s}^{-1}$)
SAT	surface air temperature	SW	shortwave
SCA	snow-covered area	SWE	snow water equivalent
SCIAMACHY	SCanning Imaging Absorption SpectroMeter for Atmospheric CHartographY	SWH	significant wave height
SCM	Simple Climate Model	T/P	TOPEX/Poseidon
SeaWiFs	Sea-Viewing Wide Field-of-View Sensor	T12	HIRS channel 12
SF₆	sulphur hexafluoride	T2	MSU channel 2
SH	Southern Hemisphere	T2_L	MSU lower-troposphere channel
SIO	Scripps Institution of Oceanography	T3	MSU channel 3
SIS	Small Island States	T4	MSU channel 4
SLE	sea level equivalent	TAR	Third Assessment Report
SLP	sea level pressure	TARFOX	Tropospheric Aerosol Radiative Forcing Experiment
SMB	surface mass balance	TBO	Tropospheric Biennial Oscillation
SMM	Solar Maximum Mission	TCR	transient climate response
SMMR	Scanning Multichannel Microwave Radiometer	TEAP	Technology and Economic Assessment Panel
SO	Southern Oscillation	TGBM	Tide Gauge Bench Mark
SO₂	sulphur dioxide	TGICA	Task Group on Data and Scenario Support for Impact and Climate Analysis (IPCC)
SO₄	sulphate	THC	Thermohaline Circulation
SOA	secondary organic aerosol	THIR	Temperature Humidity Infrared Radiometer
SOHO	Solar Heliospheric Observatory	TIM	Total Solar Irradiance Monitor
SOI	Southern Oscillation Index	TIROS	Television InfraRed Observation Satellite
SOM	soil organic matter	TMI	TRMM microwave imager
SON	September, October, November	TOA	top of the atmosphere
SORCE	Solar Radiation and Climate Experiment	TOGA	Tropical Ocean Global Atmosphere
SPARC	Stratospheric Processes and their Role in Climate	TOM	top of the model
SPCZ	South Pacific Convergence Zone	TOMS	Total Ozone Mapping Spectrometer
SPM	Summary for Policymakers	TOPEX	TOPOgraphy EXperiment
SRALT	Satellite radar altimetry	TOVS	TIROS Operational Vertical Sounder
SRES	Special Report on Emission Scenarios	TransCom 3	Atmospheric Tracer Transport Model Intercomparison Project
SSM/I	Special Sensor Microwave/Imager	TRMM	Tropical Rainfall Measuring Mission
SST	sea surface temperature	TSI	total solar irradiance
		UAH	University of Alabama in Huntsville

UARS	Upper Atmosphere Research Satellite
UCDW	Upper Circumpolar Deep Water
UCI	University of California at Irvine
UEA	University of East Anglia
UHI	Urban Heat Island
UIO	University of Oslo
UKMO	United Kingdom Meteorological Office
ULAQ	University of L'Aquila
UMD	University of Maryland
UMI	University of Michigan
UNEP	United Nations Environment Programme
UNFCCC	United Nations Framework Convention on Climate Change
USHCN	US Historical Climatology Network
UTC	Coordinated Universal Time
UTRH	upper-tropospheric relative humidity
UV	ultraviolet
UVic	University of Victoria
VIRGO	Variability of Irradiance and Gravity Oscillations
VIRS	Visible Infrared Scanner
VOC	volatile organic compound
VOS	Voluntary Observing Ships
VRGCM	Variable-Resolution General Circulation Model
W	watt
WAIS	West Antarctic Ice Sheet
WCRP	World Climate Research Programme
WDCGG	World Data Centre for Greenhouse Gases
WGI	IPCC Working Group I
WGII	IPCC Working Group II
WGIII	IPCC Working Group III
WGMS	World Glacier Monitoring Service
WMDW	Western Mediterranean Deep Water
WMO	World Meteorological Organization
WOCE	World Ocean Circulation Experiment
WRE	Wigley, Richels and Edmonds (1996)
WWR	World Weather Records
ZIA	0°C isotherm altitude
τ_{aer}	aerosol optical depth

Regional Abbreviations used in Chapter 11

ALA	Alaska
AMZ	Amazonia
ANT	Antarctic
ARC	Arctic
CAM	Central America
CAR	Caribbean
CAS	Central Asia
CGI	East Canada, Greenland and Iceland
CNA	Central North America
EAF	East Africa
EAS	East Asia
ENA	Eastern North America
IND	Indian Ocean
MED	Mediterranean Basin
NAS	Northern Asia
NAU	North Australia
NEU	Northern Europe
NPA	North Pacific Ocean
SAF	South Africa
SAH	Sahara
SAS	South Asia
SAU	South Australia
SEA	Southeast Asia
SEM	Southern Europe and Mediterranean
SPA	South Pacific Ocean
SSA	Southern South America
TIB	Tibetan Plateau
TNE	Tropical Northeast Atlantic
WAF	West Africa
WNA	Western North America

