

Index

This index should be cited as:

IPCC, 2019: Index. In: *IPCC Special Report on the Ocean and Cryosphere in a Changing Climate* [H.-O. Pörtner, D.C. Roberts, V. Masson-Delmotte, P. Zhai, M. Tignor, E. Poloczanska, K. Mintenbeck, A. Alegria, M. Nicolai, A. Okem, J. Petzold, B. Rama, N.M. Weyer (eds.)]. In Press

Note: An asterisk () indicates the term also appears in the Glossary. Bold page numbers indicate main discussion of topics. Italicised page numbers denote tables, figures and boxed material.*

A

Ablation (of glaciers, ice sheets, or snow cover)*, 139–140

Abrupt changes, 67–69, 76, 591–593, **618–623**
cross-system assessment and examples, 595–596

decision making for, 629–630

definitions, 594–595

examples of, 592

FAQ, 632

framework for, 594, 594

governance and, 629–631

impacts, 595–596

knowledge gaps, 633

ocean circulation, 618–623

permafrost thaw, 249

projections, 592, 595–596

thresholds for, 45, 69

tipping point and, 45, 81, 82, 626

Abrupt climate change*, 591–593, 594, 618–623
definition of, 594

framework for, 594

Accommodation, 329, 385, 386, 393–396

Active layer*, 145, 146

Adaptation*, 92, 94

barriers and limits, 29, 67, 69, 88, 325, 398–399, 455

challenges, 29, 45, 76, 325, 407–410, 629

community based, 67, 402, 406, 408

enabling conditions, 33, 34–35, 49, 407–410

ethical challenges of, 629

implementing responses, 29–35

political nature of, 408

risk reduction and, 87–89

scenarios, 382

societal challenges of, 666

socioinstitutional, 66–67, 454, 525

transformative governance and, 630–631

Adaptation limits*, 29, 46, 57–58, 67, 69, 88, 325, **658**

reaching/exceedence of, 27, 68, 69, 592, 658, 668

Adaptation options*, 27, 30–34, 76, **92–94**, 93
coastal adaptation, 31–32, 323–325, **385–410**, 451, 664, **665–667**

integrated responses, 31, 49, 69, 325, 329, 593

mitigation and, 115

ocean-based adaptation, 454–455, **525–540**,

526–527

strengthening, 30–34

Adaptation pathways*, 666–667

adaptation pathway analysis, 325, 327

Adaptation planning, 49, 89–90, 326–327, 330, 408

spatial planning, 400–401, 407

Adaptive capacity*, 29, 75, 88

capacity-building, 34, 35, 67, 69, 454, 593, 631

enhancing, 93

indicators of, 271, 272

in low- versus high-emission scenarios, 24, 34

Adaptive decision-making, 33, 88, 325, 405

Adaptive evolution, 94

Adaptive governance. See Governance

Aerosols*, 139–140

Agriculture

coasts and low-lying islands, 55, 328, **380**,

383–384, 663–664

high mountain areas, 47, 48, 133, 134, 154–155, 156, 164

in Ladakh, India, 156

observed impacts, 14, 15, 133

Albedo*, 212, 241, 247, 253

sea ice albedo feedback, 213, 215, 224

Algal blooms. See Harmful algal blooms (HABs)

Alien (non-native) species*, 258

AMOC. See Atlantic Meridional Overturning

Circulation

Antarctic Bottom Water, 220–222, 242, 463–464

Antarctic Circumpolar Current (ACC), 212, 217, 220, 221, 466

Antarctic Ice Sheets, 53, 79, 206, **236–237**, 244–246

abrupt changes, 592, 596

bedrock topography, 330, 333, 346, 347

deep uncertainty and, 108–109

irreversibility potential for some changes, 10, 53, 206, 632

mass change, 53, 236–238, 236, 237

observed changes, 6, 7, 53, 84, 111, 206, 323

projected changes, 7, 17, 56, 68, 111, 324

sea level rise contribution, 10, 17, 20, 53, 55, 56, 75, 80, 108–109, 206, 323–324, **330**,

333, 336, 337, **346–350**, 351

tipping point, 626, 632

West Antarctic Ice Sheet (WAIS), 6, 53, 68, 206, 236, **236–238**, 240, 245, 362, 592, 596,

626, 632

Antarctic krill, 22, 207, 230, 231, 233, 234–235

fishery management, 234

Antarctic region, 51–54, **203–320**

climate trends, 212, 213

glaciers, 53, 241, 242, 245, 347, 348

key features and mechanisms, 210

map and place names, 211

observed changes, 6, 51–53, 75, 205–206,

212–219, **236–242**, **246–250**

ozone depletion, 212

polar species and ecosystems, 207

polynyas, 224, 243, 464

projected changes, 7–8, 22, 53–54, 206–207, 213, 214, **222–236**, **242–246**, **250–261**

sea ice, 52, 205–206, **214**, 223

temperatures, 212

Thwaites glacier, 347, 348

tourism, 264, 267

See also Polar regions; Southern Ocean

Antarctic Treaty System, 269, **270**

Anthropogenic*

confidence/likelihood statements, 42, 81

detection and attribution, 81, 82

Anthropogenic subsidence*, 55, 323, 324, 327, **342–343**

observed regional impacts, 14

relative sea level change and, 20, 55, 326

Aquaculture, 453, 506, 506–507, 515, 532–533

adaption in, 536

harmful algal blooms and, 511

seaweed aquaculture, 454, 524

Sri Lankan shrimp aquaculture, 536

Aragonite saturation, 205, 218, 225, 453, 469–470, 491, 492

Aragonite shell-forming species, 19

Arctic ocean, 50–51, 205, 207

acidification, 52, 207, 225–226

marine ecosystems, 53–54, 226–230, 228

productivity, 207

salinity, 225

sea surface temperature, 213

stratification, 225

temperature, 52, 205, **216–218**, 217, 224–225

wave heights, 67, 591

Arctic region, 51–54, **203–320**

adaptive capacity, 29

adaptive management, 207, 262

Alaska Eskimo Whaling Commission, 103

albedo, 212

amplified warming/changes, 51, 84, 112, 114, 205, 212, 604

Arctic 5 (states), 262

Arctic Council, 269–270

biodiversity, 54, 207, 256–258

Canadian coast adaptation, 406

climate extremes, 212

climate trends, 212, 213

coasts/coastal communities, 259, 265, 268, 405, 664

economy/livelihoods, **260**, **262–265**

Exclusive Economic Zones (EEZs), 262–263

extractive industries, 210, 264–265, 268

fire, 54, 206, 207, 248, 249, 251, 254

fish and fisheries, 228–229, 228, **234**, 256, 256–257

food and water security, 52–53, 259, 268

glaciers, 53, 206, 210, 240–242, 241

governance, 54, 269–271, 518

- human communities in, 5, 15, 27, 54, 259–260, 384
- human health and well-being, 15, 260, 266–267, 268
- human population in, 5, 75, 77, 112, 259
- hydrology/water cycle, 52–53, 54, 207
- ice sheers, 210
- Indigenous and local knowledge, 54, 103–105, 208, 259–260
- Indigenous peoples, 5, 15, 54, 103, 259–260
- infrastructure, 15, 25, 54, 91, 207, 260–261, 265–266, 265, 268
- Inuit Circumpolar Council, 105
- key features and mechanisms, 210
- land ecosystems, 21
- landfast ice, 215
- land surface components, 248
- livelihoods in, 15, 25, 52–53, 91, 223, 260
- local community engagement, 208
- map and place names, 211
- marine ecosystems, 2, 53–54, 210, 226–230, 228
- marine heatwaves, 19, 592
- Marine Resources Act, 262
- mid-latitude weather linkages, 52, 67, 216, 591, 604
- near-surface permafrost, 54, 207
- observed changes, 6, 14, 15, 51–53, 75, 205–206, 212–219, 236–242, 246–250
- planned relocation and, 15, 625
- polynyas, 223
- primary production in, 12, 22, 52, 226–227
- projected changes, 7–8, 17–18, 21, 22, 53–54, 206–207, 212, 213, 222–223, 222–236, 242–246, 250–261
- rapid change in, 84, 112, 114, 205, 212
- resource management, 54, 208
- sea level rise and, 32, 98, 324–325, 328, 328, 382, 384
- snow and frozen ground, 53, 54, 246–248, 248, 250–251
- social-ecological systems, 234–236, 259–261
- subsistence systems, 53, 262–263, 267
- surface air temperature, 51, 205, 212, 247
- tipping points, 91
- tourism, 235, 264, 267
- transportation and shipping, 52, 91, 206, 228, 235–236, 261, 266, 268, 276
- urbanisation trend, 265
- vulnerability, 92
- winter roads/ice roads, 261
- See also Indigenous Peoples; Polar regions
- Arctic sea ice**, 52, 206, 212, 213, 213, 213–216, 591
- freeze-up timing, 212, 214
- observed changes, 6, 7, 14, 75, 84, 111
- projections, 7, 18, 53, 111, 222–223
- summer extent of, 212, 213, 217, 223, 235, 518
- Areas Beyond National Jurisdiction (ABNJ)**, 455, 540
- Assisted evolution**, 521, 529
- Atlantic Meridional Overturning Circulation (AMOC)**, 239, 340, 591, 595, 618–623
- collapse of (potential), 19, 68, 69, 81, 83, 593, 619, 621–622
- Greenland Ice Sheet melting and, 620–621
- heat transport in, 618–619, 622–623
- impacts, 621–623, 622, 632
- methane production and, 623
- observed changes, 10, 68, 75, 591, 619
- paleoclimate reconstructions, 83, 618
- prediction of, 623
- projections, 18, 19, 68, 592, 595, 619
- reversibility of, 621
- risk management and adaptation, 623
- Southern Ocean and, 219
- subpolar gyre (SPG) and, 619, 621
- teleconnections, 622, 622
- temperature change and, 619–620, 620
- tipping point, 626, 632
- weakening of, 68, 591, 592, 618, 620–621
- Atmosphere***
- carbon dioxide (CO₂) concentration in, 83, 450
- feedbacks in polar regions, 210
- moisture content, 139–140, 142
- Atolls (urban atoll islands)**, 27, 328, 383, 663
- Attribution**. See Detection and attribution
- Avalanches***
- ice avalanches, 159
- rock avalanches, 158, 162
- snow avalanches, 133, 134, 159–161, 160
- B**
- Baseline**, 85–86
- Benthos***
- benthic communities, 227–228, 228, 231
- polar regions, 227–228, 228, 231
- Biochar**, 93
- Biodiversity***
- alien species and, 258
- Arctic region, 54, 207, 256–258
- coastal ecosystems, 61, 65, 453, 495, 514–515
- Convention on Biological Diversity (CBD), 541, 542
- deep sea, 453
- high mountain areas, 166, 596
- loss of, 514
- observed impacts, 13
- oceans, 453
- polar regions, 256–258
- projected risks, 21, 23, 24, 54, 453
- spatial planning for, 271, 274
- Biogeochemistry**, 80
- oceans, 456–476
- polar regions, 242–243
- Biogeography of marine organisms**, 61, 450–451
- Biological (carbon) pump***, 65, 484, 485, 486–487, 520
- Biomass***
- marine animals, 22, 65, 452–453, 484
- ocean/marine ecosystems, 65, 452–453, 481–484, 483, 492
- plankton, 481–483
- projections, 22, 453, 481–484, 483
- Black carbon (BC)***, 93, 139, 236, 247
- Blocking events**, 603–604
- Blue carbon***, 30, 66, 454, 494, 508, 520–524
- cost effectiveness, 523
- Built environment adaptation**, 525
- C**
- Calcium carbonate**, 65, 207, 218, 225, 452
- calcifying species, 24, 53, 65, 207, 487, 501
- Calving (of glaciers or ice sheets)***, 143, 239, 241, 245, 331, 332
- Cape Town, South Africa**, 98–99
- Carbon**
- cost of carbon emissions, 68–69, 592
- dissolved inorganic carbon, 80, 113, 467, 470
- ocean carbon chemistry, 469–470
- ocean carbon fluxes, 65, 467–469
- in oceans, 65, 248–249, 254, 467–470, 468, 487, 487
- Carbonate**, 450, 452, 453, 469–470, 477
- Carbon cycle***, 80, 252–253
- polar regions, 248–249, 252–253, 254
- Carbon dioxide (CO₂)***
- atmospheric concentration in 2016, 83
- capture and storage, 93, 93
- release from permafrost, 18, 52, 84, 108, 207, 596
- taken up by oceans, 53, 59, 205, 218, 450
- Carbon dioxide removal (CDR)***, 93, 542
- Carbon price***, 592
- cost of carbon emissions, 68–69, 592
- Carbon sequestration**. See Sink
- Carbon sink**. See Sink
- Cascading impacts***, 11, 12, 67, 69, 77–78, 81, 82, 591, 594, 624–626
- case studies, 626–628
- compound events and, 591, 624–626, 626–628
- coral reefs, 624–625
- deep uncertainty and, 109
- definition of, 595
- governance and, 625
- in high mountain areas, 134, 162
- impacts on ecosystems, 624–625

- impacts on social systems, **625**
- multiple hazards/stressors and, **67, 624, 626–628**
- risk management and adaptation, **625–626**
- sea level rise, **375, 624**
- sustainable and resilient pathways and, **625–626**
- Climate***, **83**
- Climate change***
 - committed and unavoidable, **49, 69, 83, 328, 658**
 - escalation of, **77–78**
 - key indicators of, **86**
 - people's engagement with, **102–103**
 - summaries, **3–69**
- Climate change insurance**, **630**
- Climate extreme***. See *Extremes; Extreme weather/ climate event*
- Climate feedbacks***, **55**
 - biogeomorphic, **508**
 - in mountain cryosphere, **148**
 - in polar regions, **210**
- Climate governance**. See *Governance*
- Climate literacy**, **34, 35, 47, 76, 102**
- Climate models***, **47, 76, 331, 344, 602**
- Climate-resilient development pathways (CRDPs)***, **34, 35, 58, 69, 90, 410, 592–593, 631**
 - factors promoting, **45–47, 593**
- Climate sensitivity***, **108**
- Climate system***, **5, 83**
 - feedbacks, **55**
- Climate variability***, **83**
- CMIP**. See *Coupled Model Intercomparison Project*
- Coast***, **78**
- Coastal and low-lying areas**, **55–58, 657–674**
 - adaptation limits, **69, 658, 668**
 - adaptive capacity, **29**
 - agriculture, **55, 328, 380, 383–384, 663–664, 664**
 - anthropogenic drivers, **55, 326, 662, 667**
 - aquifers and groundwater, **378**
 - blue carbon, **30, 66, 454, 494, 508, 520–524**
 - case studies of hazard and response, **363–367**
 - climate-related drivers and hazards, **326, 659, 660–661, 667**
 - deltas, **342, 383–384, 659, 663–664**
 - erosion, **371–373, 377–378, 531, 591, 660, 663**
 - estuaries, **64, 65, 453, 493–494, 501**
 - exposure and vulnerability, **43, 56, 92, 323, 324, 328, 367–375, 659–662**
 - flooding and submergence, **56, 61, 364–366, 372, 376–377, 661, 664**
 - flood protection, **27**
 - freshwater inputs, **661**
 - GDP in, **658**
 - global distribution (map), **659**
 - hazards in, **16, 20, 21, 43, 91, 112, 326, 363–367, 375, 659, 660–661**
 - human population, **5, 75, 77, 92, 112, 371, 658**
 - impacts and risks, **29, 32, 324–325, 375–385, 657–674, 667**
 - infrastructure, **16, 55, 324, 534, 665**
 - observed changes and impacts, **16–17, 75, 323, 658, 660–661, 662–665**
 - physical changes, **465**
 - projections, **25–27, 324–325, 662–665**
 - Reasons for concern (RFC), **381–385, 667–668**
 - responses to sea level rise, **17, 385–386, 385–410, 665–667**
 - risk in, **55, 323, 324–325, 328, 328, 381–385, 658, 659–668**
 - sea level change and, **321–445**
 - sediment and, **65, 371–373**
 - soils, **378–379**
 - summary, **657–674, 667**
 - surface water, **378**
 - synthesis, **543–544, 543**
 - tides, **62, 68, 328, 330, 332, 342, 357, 452, 465**
 - tourism, **380–381, 516–517, 536, 665**
 - See also *Low-Lying Islands and Coasts*
- Coastal adaptation**, **16–17, 31–32, 55, 323–325, 385–410, 451, 530–537, 664, 665–667, 667**
 - accommodation, **329, 385, 386, 393–396**
 - adaptive capacity, **29**
 - advance, **16–17, 31, 33, 323, 329, 385, 386, 392–393**
 - benefits, **66, 384–385**
 - case studies, **363–367, 406**
 - choosing and implementing, **325, 329–330**
 - costs and benefits, **377, 388, 388, 390, 664**
 - costs and limits, **538–540**
 - early warning systems, **31, 35, 163, 323, 663**
 - ecosystem-based adaptation, **30, 323, 329, 386, 390–392, 530–531, 665–666**
 - governance and, **385, 389, 392, 393, 398, 535**
 - hard protections, **323, 329, 385, 386, 387–390, 665**
 - human systems, **531–537**
 - integrated coastal management, **535**
 - migration and relocation, **31, 33, 385, 386, 665, 666**
 - options and challenges, **329–330, 531–537**
 - protection, **385, 386**
 - retreat, **17, 31, 33, 323–324, 329, 385, 386, 396–398, 666**
 - risk reduction with, **56, 384–385**
 - sediment-based protections, **387–390, 531**
 - summary, **16–17, 31–32, 323–325, 532–533**
 - See also *Coastal responses*
- Coastal advance**, **16–17, 31, 33, 323, 329, 385, 386, 392–393**
- Coastal communities**, **16–17, 323, 382–383, 531, 659, 662**
 - adaptation benefits, **66, 384–385**
 - adaptation responses, **31–32, 323–324, 534**
- early warning systems, **31, 35, 163, 323**
- exposure and vulnerability, **43, 56, 323, 324, 328, 370–374, 659–662**
- extreme sea level events and, **17, 20, 27, 55, 56, 342, 591, 660**
- governance for sea level rise, **98–99**
- hazards, **75, 112**
- impacts and risks, **328, 382–383, 662**
- integrated adaptation responses, **31, 325, 329**
- livelihoods, **55, 664–665**
- megacities, **659, 662**
- planned relocation, **31, 33, 265, 396–398, 666**
- in polar regions, **259, 265, 268**
- resource-rich cities, **382–383**
- responses to sea level rise, **17, 31–32, 665–667, 667**
- risks, **328, 328, 382–383**
- settlement trends, **371, 407**
- social values, **381, 513–515**
- Coastal ecosystems**, **55, 329, 367–370, 379–380, 493–502, 662**
 - biodiversity, **61, 65, 453, 495, 513–514**
 - biogeomorphic climate feedbacks, **508**
 - changes in exposure, **369–370**
 - changes in vulnerability, **370**
 - coastal protection by, **380, 451**
 - conservation of, **521, 522–524**
 - coral reefs, **497–498**
 - dune systems, **55, 323, 369, 385, 531**
 - ecosystem services, **30, 379–380, 385, 451, 662, 665**
 - estuaries, **64, 65, 453, 493–494, 501**
 - exposure to hazards, **43, 55, 90–91, 328, 367–370**
 - extreme sea level events and, **17, 20, 27, 55, 342, 591, 660**
 - fisheries, **381, 664–665**
 - kelp forests, **61, 65, 453, 499–500, 501**
 - mangroves, **23, 30, 55, 61–62, 64, 324, 451, 453, 454, 496, 501, 665**
 - marine heatwaves and, **610**
 - multiple stressors, **61, 451**
 - near-shore, **493**
 - observed changes, **13, 16–17, 61–62, 451**
 - ocean acidification and, **24, 498–499, 661**
 - oxygen-depleted dead zones, **61, 65, 494**
 - projected changes and risks, **24–25, 65, 324, 328, 453**
 - regulatory services, **508, 519**
 - restoration of, **30, 66, 93, 521, 522–524, 530–531, 665**
 - risk assessment, **55, 65, 500–502, 501, 509**
 - rocky shores, **61, 64, 65, 451, 453, 498–499, 501**
 - salinisation, **13, 25, 27, 56, 61, 65, 324, 328, 378, 451, 494, 531**
 - salt marshes, **55, 62, 64, 65, 451, 453, 454, 494, 501**

- sandy beaches, 55, 62, 64, 65, 453, 496–497, 501
- sea level rise, exposure, 367–370
- sea level rise, impacts, 13, 324, 328, 328, 379–380
- wetlands, 494–496
- Coastal impacts and risks**, 55, 375–385, 658, 659–665, 660–661
- floods, 56, 61, 324, 364–366, 372, 376–377, 661, 664
- impacts from sea level rise, 13, 21, 32, 324–325, 328, 328, 375–381
- Coastal responses**, 16–17, 31–32, 65, 323–324, 329–330, 385–386, 385–410, 664, 665–667, 667
- case studies, 363–367
- Nadi, Fiji, 363–364, 365
- New York City, 364–366
- Nile Delta regions (Egypt), 366–367
- planning and decision making, 326–327, 330, 402–405
- protection, 385, 386
- Shanghai, 364–366
- See also Coastal adaptation
- Coastal retreat**, 17, 31, 33, 323–324, 385, 386, 396–398, 606, 666
- Coastal seas**, 493
- Coastal squeeze**, 372, 662
- Co-benefits***, 30, 69, 454, 592, 665
- responses to sea level rise, 33
- Community-based adaptation**, 67, 402, 406, 408
- Community-based monitoring**, 271, 272
- Compound events**, 68, 81, 624–626
- case studies, 626–628
- definition of, 595
- multiple hazards, 68, 594, 624
- tipping points and, 624
- Compound hazards**, 68, 591
- Compound risks***, 69, 109, 594
- Compound weather/climate events***, 68, 81, 624–626
- case studies, 626–628
- Confidence***, 4, 42, 81, 83, 106, 106–107
- deep uncertainty and, 106, 107, 107–109
- Conflicts**, 66, 329, 400, 409, 666
- conflict resolution, 330, 401–402, 409
- over resource utilisation, 66, 515
- Copepods**, 227, 229, 610
- Coral/coral reefs***, 497–498, 545, 545
- adaptation, 528, 529–530
- adaptation limits, 325
- algal-dominated reefs, shift to, 61
- biodiversity, 497
- bleaching events, 451, 545, 608, 610, 612, 627, 661
- as breakwaters, 665
- cascading impacts, 624–625, 627–628, 665
- cold water corals, 22, 23, 64, 453, 489, 489, 490–491, 501
- compound events, 627–628
- Coral Reef Watch, 611–612
- Coral Triangle (case study), 627–628
- critical thresholds, 65, 69, 545, 592
- ecosystem services, 26, 65, 379, 453, 529
- extinction risk, 25, 610
- gardening/farming, 455, 528, 529, 665
- marine heatwaves and, 591, 608, 610, 611–612
- multiple hazards/stressors, 65, 497
- observed impacts, 13, 14, 61, 529, 545, 627
- ocean acidification and, 13, 455, 545, 627
- projections, 22, 23, 24, 25, 27, 29, 64, 65, 379, 453, 497–498, 501
- relocation, 521
- restoration, 30, 33, 455, 521, 528, 529–530, 665
- risk management, 627–628
- risks, 64, 65, 453, 627–628, 665
- tourism, 665
- vulnerable human communities, 27
- warm-water corals, 23, 24, 25, 64, 455, 501, 529–530, 545
- Coral Triangle**, 627–628
- Cordillera Blanca, Peru, 164
- Cost-benefit analysis***, 15, 35, 93, 324
- costs of delay in responses, 35, 77
- decision analysis methods, 93, 402
- of disaster risk reduction, 630
- Total Economic Value method, 93
- Cost-effectiveness***, 27, 35, 69, 593
- blue carbon, 523
- coastal adaptation, 31, 324, 377, 388, 388, 390, 664
- ecosystem-based adaptation (EbA), 31, 391–392, 391, 454, 531
- ocean adaptation responses, 538–540
- Coupled Model Intercomparison Project (CMIP)***, 75, 85
- CMIP5, 85, 86, 331, 457–460
- Cryosphere***, 78–79, 83–84
- abrupt and irreversible changes, 596
- changes in, 43–47, 44, 67
- climate change commitment, 49
- climate regulation and, 77, 78–79, 80
- components of, 43, 78–79
- importance for people, 5, 43, 75, 77–78
- interconnectedness with ocean, 79, 80, 81
- newly emergent characteristics of change, 43, 83
- observed changes, 6, 11, 14, 44, 84, 591
- projections, 7–8, 17–18, 21, 44–45, 68, 84, 592
- role in Earth system, 75, 80
- roles and functions of, 75, 77, 80
- scale and cross-boundary dimensions, 45–47, 76, 78
- summary, 3–69, 205–208, 274–275
- surface area, 5
- See also Polar regions
- Cultural assets**, 49, 134
- Cultural services**. See Ecosystem services
- Cultural values**, 49, 66, 171–172, 513–515, 519
- D**
- DDT (dichlorodiphenyl-trichloroethane)**, 152, 153
- Decision analysis**, 58, 93, 325, 330, 402–405, 629
- Decision making**, 402–405, 629–630
- for abrupt change and extreme events, 629–630
- adapting decisions over time, 403
- adaptive, 33, 88, 325, 405
- community-based, 666
- in deep uncertainty, 58, 325, 327, 402–403, 629
- evidence-based, 537
- linking knowledge with, 271, 272–273, 325
- participatory, 535–536
- shared, 35, 97
- steps in, 60
- structured (SDM), 271, 273–274
- Deep uncertainty***, 106, 107, 107–109
- compound events and cascading impacts, 624
- decision making and, 58, 325, 327, 402–403, 629
- Deltas**, 328, 342, 383–384, 659, 663–664
- Dutch Delta Programme, 410
- Nile Delta, Egypt, 366–367
- Detection and attribution***, 45, 50–51, 75, 81, 82, 591
- climate warming, 45, 83, 591
- confidence and likelihood statements, 42, 81
- event attribution, 82
- ocean impacts, 45, 50–51, 58, 450, 457, 591
- sea ice loss, 52, 205, 213
- sea level change, 343–344
- Development pathways***. See Climate-resilient development pathways
- Dinoflagellates**, 479, 481, 510
- Disaster***
- cascades of, 625
- Catastrophe Bonds, 616
- high mountain areas, 162–163, 174
- projected risks, 25
- Disaster risk management (DRM)***, 69, 592–593, 630–631
- cost-benefit analysis, 630
- coupling with adaptation, 631
- governance and, 135, 593
- in high mountain areas, 163–164
- integration with adaptation, 593
- investments in, 69, 592–593, 630
- Sendai Framework, 49, 174, 631
- transformative governance and, 630–631
- See also Risk management

Disease

- foodborne, 260
- polar regions, 260
- waterborne, 15, 260, 509–510

Displacement. See Internal displacement

(of humans); Migration (of humans)

Dissolved inorganic carbon*, 80, 113, 467, 470

- polar oceans, 218–219

Dissolved organic carbon (DOC), 22, 486**Dutch Delta Programme**, 410**E****Early warning systems (EWS)***, 31, 35, 69, 163,

- 323, 592, 663
- for floods, 630
- for marine heatwaves, 69, 592
- for tropical cyclones, 592, 606

Earthquakes, 162**Earth system**, role of ocean and cryosphere in, 75,

79, 80

Earth system models (ESMs)*, 63, 452, 457**Eastern Boundary Upwelling Systems (EBUS)**,

- 451, 453, 506–507
- observed changes, 12, 14, 50–51, 62, 451
- projections, 19, 65–66, 453, 501

Eco-engineering, 524, 536**Ecosystems***, 50–51, 87

- adaptive ecosystem governance, 271, 274
- cascading impacts on, 624–625
- critical thresholds for, 592
- ecosystem stewardship, 271, 273–274
- networks of protected areas, 30, 54, 208
- observed impacts, 11–13, 14, 16, 50–51
- projected changes and risks, 21–25, 23–24, 134
- See also *specific ecosystems*

Ecosystem-based adaptation (EbA)*, 30, 66, 323,

- 329, 386, 390–392, 528–531, 665–666
- combining knowledge and culture sources, 451
- cost-effectiveness, 31, 391–392, 391, 454, 531
- limits of, 325

Ecosystem management, 30**Ecosystem services***, 5, 30, 87

- adaptation options, 30–31
- coastal ecosystems, 30, 379–380, 451, 662, 665
- coral reefs, 26, 65, 379, 453, 529
- cultural services, 509
- high mountain areas, 15–16, 50–51, 167–168
- linking with human livelihoods, 271, 274
- marine ecosystems, 30, 502–520, 519, 545
- observed impacts, 14, 15–17, 50–51
- polar regions, 50–51, 253–254
- projected impacts and risks, 22, 25–27, 28
- provisioning services, 502–506, 519
- regulating services, 507–508, 519
- supporting services, 508–509, 519

Education, 34, 35, 47, 76, 102, 514

role in adaptation, 538

Elevation-dependent warming (EDW)*, 138**El Niño–Southern Oscillation (ENSO)***, 239, 331,

- 591–593, 612–616
- adaptation limits and, 592
- extreme events, 67, 68, 591, 592, 612–616, 613
- impacts of, 593, 614–615, 627
- La Niña, 591, 592
- losses and damages, 592
- monitoring and forecasting, 69, 593, 615–616
- observations, 67, 591
- projections, 18, 19, 68, 592
- risk management and adaptation, 615–616
- teleconnections, 611, 614–615, 615
- tipping point, 626

Emission scenarios*

- comparison of projected futures under, 7, 44, 45, 46, 57, 62, 68, 86, 592–593
- See also Representative Concentration Pathways (RCPs)

Emissions

- atmospheric CO₂ in 2016, 83
- cost of carbon emissions, 68–69, 592
- rapid reduction in, 66, 454, 632
- See also Representative Concentration Pathways (RCPs)

Enabling conditions, 33, 34–35, 49, 60, 406,

407–410

- education, 34, 35
- governance, 49
- long-term perspective, 35

Enhanced weathering*, 93, 454, 521, 524**Ensemble.** See (Model) Ensemble**Equality***. See Equity**Equity***, 35, 325, 329, 399, 408

gender*, 373

Estuaries, 64, 65, 453, 493–494, 501**Evidence***, 42, 42, 75, 76**Evolutionary adaptation***, 94**Evolution, assisted**, 521, 529**Exposure***, 29, 45, 46, 88, 91–92

- coastal and low-lying areas, 43, 90–91, 323, 324, 328, 367–375
- drivers of, 31, 374–375
- high mountain areas, 47, 133, 162
- methodological advances in assessment, 368–369
- projections of future exposure, 368
- to sea level rise (SLR), 55, 367–375, 659–662

Extinction risk

- in coastal ecosystems, 24
- in coral reefs, 25, 610
- in high-mountain ecosystems, 11, 48–49, 134, 167

Extratropical cyclones (ETCs)*, 360–361, 592,

603–604, 660

- blocking events and, 603–604
- early warning systems for, 592
- investments in risk reduction, 69, 592
- losses and damages, 592
- Superstorm Sandy (2012), 606

Extremes, 67–69, 589–655

- cascading impacts and, 67, 591, 624–626, 626–628
 - case studies, 626–628
 - compound events, 68, 591, 624–626, 626–628
 - costs of recovery, 593
 - critical thresholds and, 592
 - decision making for, 629–630
 - definitions, 594–595
 - ENSO events, 68, 591–593, 612–616, 613
 - framework for, 594, 594
 - governance, 629–631
 - inter-ocean exchanges, 616–618
 - knowledge gaps, 633
 - marine heatwaves (MHWs), 67, 68, 591, 592, 606–612
 - multiple extreme events, 67, 68, 591
 - multiple hazards, 68, 591, 624, 626–628
 - recent events, regions, and causes, 596, 597–601
 - responses, SDGs, and CRDPs, 68–69, 592–593
 - risk management, 69, 592–593
 - risks, 591–593
 - summary, 591–593
 - transformative governance and, 593, 629, 630–631
 - tropical and extratropical cyclones, 68, 591, 592, 601–606
 - wave heights, 67, 68, 591, 592, 604–605
- Extreme sea level (ESL) events**, 11, 17, 20, 28, 324, 342, 343, 357–361, 660
- amplification factors, 359–360, 359
 - changes in, 357–361
 - coastal communities and, 17, 20, 27, 342, 343, 660
 - compounding effects of, 624
 - defined, 357
 - exposure and vulnerability, 55
 - historical centennial events (HCEs), 20, 28, 57, 359, 359–360
 - hydrodynamic models, 357
 - observations, 67, 357–359, 358, 591, 604
 - projections, 56, 324, 660
 - regional sea level rise and, 57
 - return period, 357–359, 358
 - storm surge and tides, 604–605
 - tide gauge records, 357–360, 358
 - tropical cyclones and, 592
 - See also Storm surge
- Extreme weather/climate event***, 81, 589–655
- case studies, 626–628
 - compound events, 81, 591, 624–626, 626–628
 - definition of, 595

early warning systems and, 31, 35, 163, 323
 El Niño/La Niña events, 18, 19, 67, 592,
612–616
 recent events, regions, and causes, 596, 597–601
See also Extremes

F

Fairness*, 35, 325
FAQs. *See* Frequently Asked Questions (FAQs)
Feedback. *See* Climate feedbacks
Fiji, coastal hazard and response in, 363–364, 365
Fires. *See* Wildfire
Firn*, 239, 241
Fish and fisheries, 61, 228–229, 451, **483–484**,
502–506, 545
 adaption in, 534–536
 adaptive management, 207, 262
 Antarctic region, 231–232, **234–235**
 Arctic fish: spatial distribution, 256–257
 Arctic region, 228–229, 228, **234**, 256, 261–262
 bycatch, 232
 coastal areas and islands, 381, 664–665
 commercial fisheries, 261–262, 267, 505–506
 conflicts over, 66, 515
 deep ocean, 505–506
 dependent human communities, 26
 economy and, 517–518
 ensemble model, 483
 food security and, 16
 freshwater, high mountain areas, 167
 freshwater, polar regions, 256
 global catch, 502, 503, 514
 governance, 16, 26, 66, 450, 535, 540, 541
 management of, 30, 61, 234, 451, **535**
 mariculture, 506
 marine fisheries, 22, 26, 61, 64, 228–229,
 234–235, 451, 664–665
 marine heatwaves and, 611
 maximum catch potential, 65, 504, 505, 513
 maximum sustainable yield, 504
 observed impacts, 12, 14, 16, 61, 451
 polar regions, 52, 207, 228–229, 228, 231–232,
 233, 234–235, 256–257, 276, 546
 productivity, 61, 451, 546
 projections, 22, 23, 26, 64, 65, 452, **483–484**
 provisioning service of, **502–506**, 519
 range shifts of species, 53, 256–257, 535, 546
 rebuilding fisheries, 30
 seafood safety, 26, 66, 611
 spatial distribution of fish, 61, 66, 256–257,
 451, 480
 species composition, 12, 22, 451
 sustainable practices, 504, **535**
 vulnerability, 536
 wealth generated, 515–516

Floods*
 case studies of adaptation, 364–366
 coastal and low-lying areas, 56, 61, 324, 372,
376–377, 661, 664
 coastal protections and, 27, 377
 compound events, 624
 costs of, 324
 early warning systems, 630
 extreme sea level (ESL) events and, 357
 flood index, 624
 high mountain areas, 160, 161–162
 investments in flood management, 69, 592, 630
 observed regional impacts, 14
 rain-on-snow, 47, 48, 134, **161–162**
See also Glacial lake outburst flood (GLOF)
Food safety, 26, 66, 454, 510, 611
Food security*
 Arctic region, 52–53, 259, 268
 observed impacts, 15, 16, 206
 projections, 453
 seafood, 512–513
Foodwebs
 pelagic, 233–234
 projected changes, 22
Foraminifera, 479, 482, 488, 492
Forcing*, 81
Forests*, 50–51, 165, 248, 254
 fire and, 249, 251, 254
 observed changes, 206
 observed regional impacts, 14, 50–51
 projections, 21, 251, 254
Frequently Asked Questions (FAQs)
 1.1 How do changes in the ocean and
 cryosphere affect our life on planet
 Earth?, 112–113
 1.2 How will changes in the ocean and
 cryosphere affect meeting the
 Sustainable Development Goals?,
 114–115, 115
 2.1 How does glacier shrinkage affect river
 runoff further downhill?, 151, 152
 3.1 How do changes in the Polar Regions affect
 other parts of the world?, 276
 4.1 What challenges does the inevitability of sea
 level rise present to coastal communities
 and how can communities adapt?, 411
 5.1 How is life in the sea affected by climate
 change?, 545–546, 545
 6.1 How can risks of abrupt changes in the
 ocean and cryosphere related to climate
 change be addressed?, 632
Freshwater ecosystems
 high mountain areas, 48, 133–134, 165,
 165, **167**
 observed impacts, 11, 133
 polar areas, 210, **249–250**, 251–252, 255–256
 projected changes and risks, 21, 251–252

Freshwater ice, 250
Frozen ground*, 53, 54, 210, **246–249**, 248,
 250–251

G

Gender inequality, 373
General circulation model. *See* Climate model
Gilgit-Baltistan, Pakistan, 98
Glacial-isostatic adjustment (GIS), 245–246,
 664, 668
Glaciers*, 47, 53, 79, **141–144**, **240–242**, 596
 Antarctic, 53, 241, 242, 245
 disappearance of, 17, 143
 ENSO and, 239
 floods, 161
 glacier collapses, 159
 glacier flow, 142–143
 glacier-related disasters, 164
 glacier surges, 159
 mass budgets, 141, 142, 199, **199–202**
 mass changes, 133, 141, 142, 143–144, 206,
240–242, 241
 modelling, 143
 observed changes, 6, 7, 15, 47, 53, 84, 111, 133,
 142, **240–242**, 241
 outlet glaciers, 6, 53, 206, 239, 246
 in polar regions, 53, 143–144, 206, 210,
240–242, 241
 projections, 7, 17, 48, 53, 111, 134,
 143–144, 596
 Randolph Glacier Inventory (RGI), 136, 199
 regional summary statistics, 136
 rock glaciers, 145–146, **158**
 runoff, glacier shrinkage and (FAQ), 151, 152
 sea level rise contribution, 6, 7, 10, 17, 53, 79,
 143, 206, 323, **331**, **337**, 352, 354
 tourism and, 134
 water quality and, 48, 152–153
**Glacial lake outburst floods (GLOF)/Glacier lake
 outburst***, 18, 91, 133, **161**, 162, 596
Global climate model. *See* Climate model
Global mean surface temperature (GMST)*, 86
 past and future changes, 7, 86
 RCP scenarios and, 8, 86
Global warming*, 34, 83
 limiting, benefits of, 592
Governance*, 29, 95, **95–99**, **268–271**
 abrupt changes and extreme events, **629–631**
 accountability and, 593
 adaptation response, 536–537
 adaptive ecosystem governance, 271, 274
 adaptive governance, 29, 271, 274
 Antarctic Treaty System, 269, **270**
 Arctic Council, 269–270

- Areas Beyond National Jurisdiction (ABNJ), 455, 540
- cascading impacts and, 625
- case examples, 98–99
- challenges, 329–330, 406, 407–410
- climate governance, 95–98, 541
- complexity, 67, 98, 409–410, 455
- cooperation and coordination in, 34–35, 49, 135
- fisheries, 16, 26, 66, 450, 535, 540, 541
- high mountain areas, 98, 135, 173–174
- The High Seas, 96, 262
- Indigenous and local knowledge in, 54, 104–105, 268
- informal actors, 270–271
- informal arrangements, 270
- international climate governance, 173–174, 269
- levels of, 97, 268–269
- multi-level, 98
- ocean acidification and, 542
- ocean governance, 67, 96, 97–98, 455, 540–542, 541
- Polar Code, 266, 269
- polar regions, 54, 208, 210, 268–271, 630
- sea level rise and, 58, 325, 326, 329–330, 398–400, 406, 407–410
- sovereignty and sovereign rights, 96
- transboundary, 35, 49, 76, 96
- transformative, 27, 47, 76, 593, 629, 630–631
- United Nations Convention on the Law of the Sea (UNCLOS), 97, 98, 269, 541
- vulnerability and, 92
- Gravity Recovery And Climate Experiment (GRACE)***, 199, 199–202, 334, 337
- Great Barrier Reef**, 514
- coral bleaching, 610
- marine heatwave events, 610
- Green infrastructure***, 665
- Greenhouse gases (GHG)***, 83
- reductions, and projected climate impacts, 17
- Greenland Ice Sheet**, 79, 238–239, 246
- abrupt changes, potential for, 68, 592, 596
- AMOC and, 620–621
- bedrock topography, 346, 346
- observed changes, 6, 7, 53, 84, 206, 238–239
- projected changes, 7, 17, 68, 111
- sea level rise contribution, 10, 17, 53, 55, 80, 206, 238, 332, 336, 337–338, 344–346, 345, 352
- tipping point, 626
- Gross domestic product (GDP)***, 27
- coastal and low-lying areas, 658
- decrease per degree C of warming, 625
- small islands, 663
- Ground ice**, 247–248, 248
- Grounding line***, 79, 237–238, 246, 351
- H**
- Habitability***
- extreme weather events and, 625
- high mountain areas, 173
- loss of, 91, 546
- small islands, 27, 663
- thresholds, 27
- Habitat**
- displacement, 90
- expansion of, 48, 134
- fragmentation, 30
- reduction in, 65, 90, 133, 134, 166, 256
- restoration, 30, 665
- shifts in, 53
- Harmful algal blooms (HABs)**, 16, 26, 62, 451, 510–511, 611
- Hazards***, 46, 88, 90–91
- cascading events and, 162, 375
- coastal areas, 16, 20, 21, 43, 75, 91, 326, 328, 375, 591
- combined, 162
- compound, 68, 591
- compound events and, 68, 594, 624
- direct vs. indirect, 91
- high mountain areas, 48, 49–51, 133, 134, 158–164
- multiple, 68, 91, 109, 369, 453, 456, 591, 596, 624
- recent severe hazards (with locations), 597–601
- Health adaptation**, 266–267
- Heatwaves**. See Marine heatwaves (MHWs)
- Heavy metals**, 48, 134, 152, 153
- High mountain areas**, 47–51, 131–202
- adaptation measures, 134, 135, 163–164, 170, 175
- adaptation planning, 49
- adaptive capacity, 29
- aerosols, 139–140
- agriculture, 47, 133, 134, 154–155, 156, 164
- atmospheric moisture content, 139–140, 142
- atmospheric radiation, 139, 142
- biodiversity, 166, 596
- camouflage mismatch (of species), 166
- cascading impacts, 134, 162
- climate feedbacks, 148
- cold-adapted species, 133–134
- combined hazards, 162
- common features in, 136
- Cordillera Blanca, Peru, 164
- cultural assets, 49, 134
- cultural values and human well-being, 171–172
- disaster risk, 25, 133, 174
- disaster risk reduction, 163–164
- disasters, 162–163
- drinking water, 48, 157
- ecosystems, 11, 14, 21, 48–49, 50–51, 134, 165, 165–168
- ecosystem services, 15–16, 50–51, 167–168
- elevation-dependent warming, 138
- elevations, distribution of, 136
- enablers and response options, 49, 135
- enabling conditions, 49
- exposure, 47, 133, 162
- extinction risk, 11, 134
- floods, 160, 161–162
- glacier mass change estimates, 199, 199–202
- glaciers, 47, 48, 133, 134, 141, 141–144
- global distribution of, 136
- governance, 98, 135, 173–174
- habitability, 173
- hazards, 48, 49–51, 133, 134, 158–164, 160
- human population in, 5, 75, 77, 112, 133, 136
- humans and ecosystem services in, 15–16
- impacts, 49–51
- Indigenous populations in, 5, 15
- infrastructure, 14, 133, 168
- key impacts and vulnerability, 153–158
- knowledge gaps, 174–175
- lake and river ice, 147
- landslides, 158, 162
- livelihoods, 163, 172–173
- migration (of humans), 172–173
- mining, 168
- mountain-specific research, 135
- observed changes, 6, 11, 14, 47–48, 50–51, 133–134, 137–143, 165
- permafrost, 48, 145–146, 146–147
- projections, 7, 17–18, 21, 48–49, 134, 134–135, 138–139
- rain and snowfall, 138–139, 139
- rain-on-snow floods, 47, 48, 134, 161–162
- regional summary statistics, 50–51, 136
- rock glaciers, 145–146, 158
- runoff and, 47, 48, 133, 134, 147–151, 152
- SDGs and, 49, 135
- slope instability, 6, 18, 91–92, 133, 134, 158–159, 160
- snow avalanches, 133, 134, 159–161, 160
- snow cover, 47, 48, 133, 134, 140
- social-ecological systems, impacts, risks, and human responses, 148–173
- species composition and abundance, 48, 133–134
- summary, 47–51, 49–51, 133–135
- surface air temperature, 137–138, 137, 139
- sustainable development (SD), 173–174
- tourism and recreation, 48, 133, 134, 162, 168–171
- UNESCO World Heritage sites, 49, 134, 171
- vulnerability, 153–158, 163, 164
- water governance, 157–158
- water management, 98, 135, 157–158

- water quality, 48, 152–153
 water resources, 47–48, 133, **148–158**
 wildfires, 133, 168
 wind, 140
- Holocene***, 216, 242
- Human health**
 foodborne disease, 260
 food safety, 26, 66, 454, 510, 611
 harmful algal blooms (HABs), 16, 26, 62, 451, **510–511**
 health adaptation, 266–267
 marine-dependent communities, 509–512
 polar regions, 260, 266–267, 268
 waterborne diseases, 15, 62, 260, **509–510**
- Human mobility***. See Migration (of humans)
- Human rights***. See Equity
- Human systems***, 50–51, 87
 cultural values and well-being, 171–172, **513–515, 519**
 marine-dependent communities, 26, 453, **509–520**
 observed impacts, 14, 15–17
 ocean-based adaptation, 525, **531–537**
 projected impacts and risks, 25–27, 28
 socioinstitutional adaptation, 66–67, 454, 525
 synthesis, 50–51, 543–544, 543
 vulnerability and exposure, 29, 75, **91–92**
- Hurricanes**, 91, 628
 Hurricane Harvey (2017), 628
 Hurricane Katrina (2005), 625
 Hurricane Sandy (2012), 364–365, 606
 severe Atlantic hurricanes of 2017, 628
- Hydrological cycle***, 80, 332
 observed changes, 14, 206
 polar regions, 52–53, 54, 206, 207, 210
 projected changes, 21
- Hydropower**, 25, 48, 133, 134, **153–154**
- I**
- Iceberg***, 242–243, 243, 259
- Iceberg calving***, 242, 244
- Ice cliffs**, 245–246
- Ice sheets***, 79, 210, **236–240**, 242–246, 330–331, 344–350
 abrupt changes and irreversibility, 10, 53, 592, 596, 632
 Antarctic, mass change, 53, 236–238, 236
 calving, 239, 331, 332
 consequences and impacts, 242–244
 drivers of mass change, 239–240, 330–331
 Greenland, mass change, 53, 238–239
 grounding line, 79, 237–238, 246, 351
 marine ice sheet instability (MISI)*, 81, 206, 245, 348–349
 modelling, 348–350
 nutrient and carbon release, 242–243, 243
 observed changes, 6, 7, 53, 75, 84, 111, 206, 236–237, 237, 337, 344
 projected changes, 7, 17, 111, **344–350**, 361–363
 sea level rise contribution, 7, 10, 17, 20, 53, 55, 75, 79, 80, 83, 108–109, 111, 206, 276, 323, 324, **330–331**, 332, 336, **337–338**, **344–350**, 351, 354, 361–363
 stability, sea level change and, 244–246
 tipping point, 626
- Ice shelves***, 79, 237, 244, 324, 331, 362
 buttressing of ice sheets, 239
- Ice stupas**, 156
- Impacts (consequences, outcomes)***, 87
 greenhouse gas reductions and, 8, 18
 implementing responses to, 29–35
 observed impacts on ecosystems, 11–13, 14
 observed regional impacts, 14
 time scales of, 29, 81
 See also *specific topics*
- Indian Ocean**, 50–51, 67–68, 592, **613–614**, 615, 616–617
 Indonesian Throughflow (ITF) and, 68, 591, **616**
 water transport, 67–68, 591, **616–617**
- Indian Ocean Dipole events**, 19, 68, **613–614**
- Indigenous knowledge (IK)***, 15, 30, 35, 47, 76, **102, 103–105**, 208, **513–514**
 Alaska Eskimo Whaling Commission, 103
 confidence in, 260
 glacier retreat and, 171
 in governance, 54, 104–105, 268
 importance of, 102, 209
 loss of, 260, 373–374, 662
 transmission of, **513–514**
- Indigenous Peoples**
 in Arctic, 5, 15, 54, 103, **259–260**
 coastal communities, 26, 259, **513**
 connection with nature, 259
 culture and knowledge, 54, **259–260**
 diversity of, 261
 engagement in decision making, 35
 food production/harvesting, 52–53, 262–264
 in high mountain areas, 5
 livelihoods, 53, 66, 453–454
 responses to climate change, 261
 subsistence systems, 262–263
 wildfood harvesting, 262–264
- Indonesian Throughflow (ITF)**, 68, 591, **616**
- Industrial revolution***, 83
- Infrastructure**
 adaptation, 66, 525, **534**
 Arctic region, 15, 25, 54, 91, 207, **260–261**, 265, 268
 cascading impacts, 625
 coastal areas, 16, 55, 324, 534, 665
 damages from climate change, 265–266, 265, 268
 exposure to hazards, 47
 high mountain areas, 14, 133, **168**
 observed regional impacts, 14, 15
 polar regions, 15, 47, 54, 207, **260–261**, 265, 268
 projected risks, 25
- Institutions***, 45–47, 67
 institutional capacity, 631
 socioinstitutional adaptation, 66–67, 454, 525
- Insurance**, 69, 593, 616
 climate change insurance, 630
- Integrated assessment***, 76
- Internal Displacement (of humans)***, 385, 386
 See also Migration (of humans)
- International climate governance**, 173–174, 269
- International cooperation**, 35, 49, 76, 96, 135
 polar regions, 210, 269
- Invasive species***, 15, 236, 258
- Irreversibility***, 76, 77, 90, 591, 595–596, 629, 632
 Antarctic ice sheet losses, 10, 53, 206, 632
 committed changes and, 81
 cross-system assessment and examples, 595–596
 definition of, 595
 framework for, 594, 594
 impacts, 595–596
 knowledge gaps, 633
 projections, 595–596
 thresholds, 45
- J**
- Justice***, 408, 629
 climate justice, 629
 procedural justice, 398
- K**
- Kelp forests**, 61, 453, **499–500**
 marine heatwaves and, 591
 projections, 23, 24, 64, 65, 453, 500, 501
- Knowledge systems**, 35, 47, **99–103**, 325, 409
 adaptation and, 527, 533, **538**
 co-production, 103–104, 208, 271, **271–272**
 Indigenous knowledge (IK), 15, 30, 35, 47, 76, **102, 103–105**, 208, 325
 linking with decision making, 271, 272–273, 325
 local knowledge (LK), 30, 47, 76, **102, 103–105**, 208, 325, 538
 model simulation data, 100
 palaeoclimate data, 100
 role in adaptation, 538

role of in people's responses to changes, 102–103
 scientific knowledge, 47, 99–100, 101, 629
 trust in, 629
Krill (Antarctic), 22, 207, 230, 231, 233, 234–235

L

Labile dissolved organic carbon (LDOC).
 See Dissolved organic carbon (DOC)
 and particulate organic carbon (POC)
Ladakh, India, 156
Lahars, 162
Lake and river ice, 147
La Niña. See El Niño–Southern Oscillation (ENSO)
Landfast ice, 215
Land-sea eco-engineering, 524
Landslides, 158, 162, 596
Land use*, 58, 400–401, 630
Last Interglacial (LIG), 55, 323
Law of the Sea, 97, 98
Likelihood*, 42, 81, 106, 107
Livelihoods*
 Arctic region, 15, 25, 52–53, 91, 260, 262–265
 high mountain areas, 163
 linking with ecosystem services, 271, 274
 low-lying islands and coasts, 55, 534, 664–665
 observed impacts, 15
 oceans changes and, 65, 66, 112, 453–454, 534
 polar regions, 260, 262–265
 projected changes, 25, 26
 subsistence systems, 262–263, 267
LLIC. See Low-Lying Islands and Coasts (LLIC)
LoBSTERS, 611
Local knowledge (LK)*, 30, 47, 76, 102, 103–105, 208, 513–514
 importance of, 102, 209
 loss of, 373–374, 662
 role in adaptation, 538
Loss and Damage, and losses and damages*, 69, 88–89, 629–630
 early warning systems and, 592
 extreme events and, 68, 592
 in high mountain areas, 49, 173–174
 property losses, 605–606
 risk reduction investments and, 592, 593
 tropical cyclones, 69, 592, 605–606
 Warsaw International Mechanism, 629
Low elevation coastal zone (LECZ), 659, 662, 664–665
Low-Lying Islands and Coasts (LLIC), 69, 657–674, 667
 adaptation limits, 69, 658, 668
 adaptation/responses, 665–667, 667
 anthropogenic drivers, 55, 662
 Arctic coasts, 664

climate-related drivers and hazards, 659, 660–661
 deltas, 342, 383–384, 659, 663–664
 exposure and vulnerability, 55, 323, 324, 367–375, 658, 659–662
 extreme sea level (ESLs) events, 55, 56, 660
 GDP in, 658
 global distribution (map), 659
 human population, 658
 impacts on sectors and livelihoods, 55, 664–665
 migration options, 665, 666
 observed and projected impacts, 660–661, 662–665
 Reasons for concern (RFC), 381–385, 667–668
 risks, 324–325, 658
 small islands, 659, 662–663
 tourism, 380–381, 665

M

Mangroves, 30, 55, 61–62, 324, 451, 454, 496, 665
 adaptation, 530–531
 mitigation potential, 66, 522
 projections, 23, 64, 324, 453, 501
 restoration, 530–531
Marine-dependent human communities, 26, 65, 453, 509–520
 human health, 509–512
Marine ecosystems, 12, 16, 53–54, 112–113, 478–492, 502–520, 545
 Arctic Large Marine Ecosystems, 211
 Arctic region, 226–230, 228
 bathyal ecosystems, 488–489
 benthic communities, 227–228, 228, 231
 biomass, 65, 452–453, 481–484, 483, 492
 calcifying shell-producing organisms, 53, 207, 218, 225, 501
 carbon sequestration, 507–508
 chemosynthetic ecosystems, 490
 community structure, 61, 65, 452–453
 contaminants, 454, 511–512, 512
 cultural dimensions, 26, 65, 513–515, 519
 deep seafloor, 65, 486–490, 487, 489, 492, 507
 distribution of species, 478–480, 480
 Eastern Boundary Upwelling Systems (EBUS), 62, 65–66, 451, 453, 506–507
 ecosystem services, 30, 502–520, 519, 545
 epipelagic, 64, 451, 478–485, 485, 501
 fisheries and production, 22, 26, 61, 64, 228–229, 234–235, 451, 452–453, 664
 habitat and species, 22, 23, 26, 52, 61, 64, 65–66
 key drivers of, 228, 233
 livelihoods and, 65, 66, 112, 453–454, 534
 marine heatwaves and, 67, 610–611
 mitigation options, 454–455
 multiple hazards/stressors, 90, 480, 481
 observed changes, 12, 14, 16, 50–51, 52, 450–451, 469
 open ocean, risk assessment for, 491–492
 pelagic ecosystems, 478–486, 485, 492
 pelagic foodwebs and, 233–234
 plankton, 226–227, 450–451, 479, 481–482, 485
 polar regions, 22, 53–54, 210, 226–234, 228
 primary production, 12, 19, 22, 23, 52, 61, 226–227, 452, 470, 474, 474–476, 476
 projections, 19, 22, 23, 26, 53–54, 62, 64, 65, 65–66, 452–453, 469–470
 provisioning services, 502–506, 519
 regulating services, 507–508, 519
 sea level rise, 55, 56, 323, 324, 367–385, 659–662
 Southern Ocean, 230–234, 233
 supporting services, 508–509, 519
 Sustainable Development Goals (SDGs)
 and, 518–520, 519
 synthesis, 543–544, 543
 time of emergence for changes, 19, 477–478
 See also Fish and fisheries
Marine heatwaves (MHWs)*, 68, 79, 83, 113, 595, 606–612
 coastal effects of, 661
 critical thresholds, 69
 detection and attribution, 607–609
 drivers of, 607
 early warning systems for, 592
 forecasts of, 69, 592
 impacts of, 591, 608, 610–612
 intensity of, 19, 24, 68, 592, 608
 locations of recent, 608
 observations, 9, 67, 111, 591, 607, 661
 projections, 7, 18, 19, 24, 68, 111, 592, 595, 609, 609–610, 661
 risk management and adaptation, 69, 611–612
Marine ice cliff instability (MICI)*, 245–246, 349–350, 351, 351
Marine ice sheet instability (MISI)*, 81, 206, 245, 347, 348–349
Marine mammals, 61, 228, 233, 256, 450, 480
 marine heatwaves and, 610
 polar regions, 229–230, 232–233, 256
Marine protected areas (MPAs), 454, 521, 535
Marine renewable energy, 30, 518, 521
Marine Resources Act, 262
Mercury
 methylmercury, 511
 ocean contamination, 454, 511
 released from glaciers, 153
 release from permafrost, 15, 134
 seafood contamination, 26
Meridional Overturning Circulation (MOC)*, 239, 340, 591, 618–623
 observed changes, 10, 75, 591

- projections, 18, 19
 See also Atlantic Meridional Overturning Circulation (AMOC)
- Methane (CH₄)***, 252–253, 596
 AMOC and, 623
 from permafrost thaw, 18, 52, 84, 108, 596
 removal by deep sea ecosystems, 507
- Methodologies**, 106
- Microbial carbon pump***, 520, 524
- Microbiome**, 528
 coral, 529
 sponges, 491
- Mid-latitude weather**, 52, 67, 216, 591, 604
- Mid-Pliocene Warm Period (mPWP)**, 55, 323
- Migration (of humans)***
 climate refugees, 630
 coasts and low-lying islands, 385, 386, 396–398, 665, 666
 conflict escalation, 666
 costs, 397
 governance and, 398
 high mountain areas, 172–173
 observed regional impacts, 14
 pastoralism, 172
 wage labour migration, 172–173
 See also Planned relocation
- Mining**, 168, 261
- Mitigation (of climate change)***, 76, 90, 92–94
 benefits of, 32–34, 115
 ethical challenges of, 629
 ocean-based mitigation, 454–455, 520–525, 521
 See also Responses, under specific topics
- Mitigation options***, 92–93, 93
- Mobility**. See Human mobility
- (Model) Ensemble***, 457, 458–460, 459, 483
 uncertainties and, 465–466
- Monsoons**, 615
- Multiple extreme events**, 67, 68, 591
- Multiple hazards/stressors**, 61, 65, 68, 453, 456, 480, 481, 543, 591, 624
 cascading impacts and, 624–626, 626–628
 case studies, 626–628
 compound events and, 68, 594, 624
 compound hazards, 68, 591
 vulnerability to, 369
- N**
- Nationally determined contributions (NDCs)***, 391
- Nature's contributions to people (NCP)***, 87
- Near-term interval**, 85
- Negative emissions***, 542
- Nepal**, 91
- New York City**, coastal flood adaptation, 364–366
- New Zealand**, 407
 Hawkes Bay Coastal Hazards Strategy, 406
- Nile Delta regions, Egypt**, climate change adaptation, 366–367
- North Atlantic Deep Water (NADW)**, 463, 536
- North Atlantic Oscillation (NAO)**, 240, 340, 463
- O**
- Observed changes**, 6–17, 7–8, 14–15, 44, 75, 83–84
 impacts on ecosystems, 11–13, 14–15
 impacts on human systems, 14–15, 15–17
 physical changes, 6–11, 14–15, 50–51
 summary, 7–8, 111
 See also specific regions and systems
- Ocean***, 58–67, 78, 83–84, 447–587
 abrupt and irreversible changes, 595
 abyssal plains, 64, 453, 486–488, 492, 501
 anthropogenic climate changes in, 457, 460–465
 biogeochemical properties, 456–476
 biogeography of organisms, 61, 450–451
 biological (carbon) pump, 65, 484, 485, 486–487, 520
 biomass, 65, 452–453, 481–484, 483, 484, 492
 carbon, changes in, 467–470, 468, 487, 487
 as carbon sink, 219, 225–226, 450, 467–469
 changes in, 43–47, 44, 67, 456–493, 591
 chemosynthetic ecosystems, 490
 climate regulation and, 77, 78, 79, 80
 CO₂ removal from atmosphere, 52, 53, 59, 205, 218, 450, 468
 cultural services, 66, 509, 509, 513–515, 519
 deep ocean, 62, 485, 485–486, 492, 505–506
 deep seafloor systems, 65, 486–490, 487, 489, 492, 507
 depth of, 78
 ecosystem services, 502–520
 epipelagic, 64, 478–485, 485, 501
 FAQ, 545–546, 545
 governance, 67, 96, 97–98, 455, 540–542, 541
 heat transport, 67–68, 591
 heat uptake, 457–460, 458, 459
 The High Seas, 96, 262
 human communities dependent on, 26, 65, 453, 509–520
 impacts under emissions scenarios, 50–51, 451–452, 543, 545
 importance for people, 5, 43, 58, 75, 77–78, 112, 456
 interconnectedness with cryosphere, 79, 80, 81
 inter-ocean exchanges, 616–618
 livelihood impacts, 65, 66, 453–454, 534
 major components of, 43, 78, 79
 multiple hazards/stressors, 453, 456, 480, 481, 543
 new ocean states projected, 62, 63, 83, 452
 nitrate concentrations, 63, 452, 470, 473–474, 474
 nutrient cycles/fluxes, 61, 63, 450, 452, 464–465, 473–474, 474
 observed changes, 9–10, 14, 44, 58–62, 75, 83, 101, 111, 450–451, 456–493, 543
 open ocean, 450, 456–457, 491–492, 501, 520, 525
 oxygen levels, 46, 59–61, 62, 470, 471–473, 472, 473
 physical changes, 50–51, 456–476, 543
 polar regions, 205, 216–219, 224–226
 pollutants, 66, 454, 511–512, 512, 521
 primary production, 12, 19, 22, 23, 52, 61, 63, 63, 226–227, 452, 470, 474–476, 476, 525
 projections, 7–8, 18–20, 23–24, 44–45, 62–66, 68, 83, 101, 111, 451–454, 592–593
 regional hazards and impacts, 49–51
 response options, 66–67, 454–455
 risk assessment, 64, 491–492, 501
 role in Earth system, 75, 80
 roles and functions of, 75, 77, 80, 112–113
 scale and cross-boundary dimensions of changes, 45–47, 76, 78
 scenario projections, 451–452
 scientific observations, 99–100, 101
 summary, 3–69, 49–51, 58–67, 450–455, 543–544, 543
 surface area, 5
 Sustainable Development Goals (SDGs) and, 518–520, 519
 synthesis, 543–544, 543
 thermal expansion, 10, 55–56, 324, 331, 335–337, 336, 352, 354, 363, 457
 time scales of changes, 18, 81, 82
 turbulent mixing, 465–467, 466
 uncertainties and knowledge gaps, 544
 water-mass properties, 461
 See also Sea level change; specific oceans, e.g., Arctic Ocean, Southern Ocean
- Ocean acidification (OA)***, 83, 113, 469–470, 545, 661
 aragonite shell-forming species, 19, 205, 207
 ecosystem effects, 22
 governance and, 542
 observations, 9, 14, 59, 75, 83, 111, 450, 661
 pH, 7, 46, 62, 83, 86, 111, 218, 452, 469, 470
 polar oceans, 52, 205, 207, 218–219, 225–226
 projections, 18, 19, 83, 111, 207, 452, 595, 661
- Ocean alkalisation**, 454, 521
- Ocean-based responses**, 66–67, 454–455, 520–542, 521
 adaptation, 454–455, 525–540, 526–527, 532–533
 adaptation barriers and limits, 67, 455

- adaptation costs and limits, 538–540
 adaptation frameworks, **536–537**
 assisted evolution, 521, 529
 blue carbon, 66, 454, 508, **520–524**
 built infrastructure, 66, 525, **534**
 coral reefs, 455, 521
 eco-engineering, 524, 536
 ecological options, 526, 532
 economic options, 527, 533
 ecosystem-based adaptation (EbA), 66, 454, 525, **528–531**
 education and knowledge systems, 538
 eliminating over-exploitation, 521
 enhanced weathering, 454, 521, **524**
 fisheries and aquaculture, 506, **506–507**, 532–533, 534–536
 governance, 455, 527, 533, **536–537**
 human systems, 525, **526–527**, **531–537**
 knowledge and, 527, 533, **538**
 marine protected areas, 454, 521
 marine renewable energy, 518, 521
 mitigation, 454–455, **520–525**, 521
 nutrient management, 524, 525
 ocean fertilisation, 66, 454, 521, **525**, **542**
 physical processes, 526, 532
 productivity, adding nutrients for, 525
 reducing pollution, 521
 relocation & restoration (reef systems), 521
 restoring coastal systems, 66, 521, **522–524**
 restoring hydrological regimes, 521
 sediment disturbance, control of, 524
 social options, 526–527, 532–533
 socioinstitutional adaptation, 66–67, 454, 525
 summary, 454–455, 526–527, 532–533, 540
 upwelling, increasing, 525
See also Coastal adaptation
- Ocean circulation**, 79, 80, **462–464**, 591, 592, **618–623**
 extreme changes in, 591, 592, 593
 polar oceans, 210, 219, 220–222, 450
 risk of abrupt change, **618–623**
See also Atlantic Meridional Overturning Circulation (AMOC)
- Ocean deoxygenation***, 452, 470, **471–473**, 545, 595
 ecosystem effects, 22
 observed changes, 10, 14, 59–61, 83, 111, 470, 472, 545
 projections, 7, 18–19, 62, 83, 86, 111, 452, 470, 472–473, 473, 595
- Ocean-dependent communities.** *See* Marine-dependent human communities
- Ocean economy**, 517–518
Ocean ecosystems. *See* Marine ecosystems
Ocean fertilisation, 66, 454, 521, **525**, **542**
Ocean renewable energy, 30, 518, 521
Ocean salinity, 456, 457, **460**, **461**, **462**, **485**
 polar oceans, 218, 242
Ocean stratification*, 78, 450, **464**, **464–465**
 nutrient fluxes and, 473
 observations, 9, 59, 450, **464**, **464**
 projections, 18, 62, 452, 453, **464**
- Ocean temperature**, 7, 83, 111, 450, **457–460**, 458, 459, **463–464**, 606–607
 attribution to anthropogenic changes, 58, 457, 461, 545, 591
 deep ocean, 463
 heat content, 7, 78, 91, 111, 205, 217, 458, 458
 heat uptake, **457–460**, 458, 459
 marine heatwaves, 7, 9, 18, 19, 24, 67, 79, 83, 591, 595, **606–612**
 observations, 9, 58, 83, 111, 450, 457–458, 458, 545, 591, 606–607
 polar oceans, 52, 205, 207, **216–218**, 217, 224–225
 projections, 18, 19, 22, 62, 86, 111, 452, 458, **458–460**, 459, 463, 606
 regional patterns, 14, 461–462
 time scales of warming, 18
 warming trend, long-term, 58, 462, 463, 607
- Opportunities**, 84, 90–91, 164
- Outburst flood.** *See* Glacial lake outburst flood (GLOF)
- Ozone (O₃)***, 212, 214, 217
- ## P
- Pacific Ocean**, 50–51, 67–68, 592, 616–617
 Indonesian Throughflow (ITF) and, 68, 591
- Pacific trade winds**, 67–68, 591, 592, **616–617**, 617
- Palaeoclimate data**, 44, 83, **100**, 322–323
 Last Interglacial (LIG), 55, 323
 mid-Pliocene Warm Period (mPWP), 55, 323
- Paris Agreement***, 49, 77
 temperature goal of, 92
- Particulate organic carbon (POC)***, 484, 487
- Pathways***, **84–86**
 adaptation pathways, 666–667
 baseline and reference periods, **85–86**
 Climate Resilient Development Pathways, 34, 35, 58, 69, **90**, 410, 592–593, 631
 oceans pathway, 92
 Representative Concentration Pathways (RCPs), 8, 55–56, 75, **84–85**, 457
 shared socioeconomic pathways (SSPs), **85**
 sustainable development pathways (SDPs), 625–626
See also Representative Concentration Pathways (RCPs)
- PCBs (polychlorinated biphenyls)**, 152–153, 511
- Pelagic* ecosystems**, **478–486**, 485, 492
Pelagic* fish, 229
Pelagic* foodwebs, 233–234
Pelagic* primary production, 207, 230–231
- Penguins, Antarctic**, 232, 233, 258
- Permafrost***, 47, 48, 52, 79, **145–146**, **247–249**
 active layer thickness, 145, 146
 carbon dioxide release from, 18, 52, 84, 108, 207, 596
 carbon in, 248–249, 252, 254
 deep uncertainty and, 108
 methane release from, 18, 52, 84, 108, 596
 near-surface, 54, 207, **248**, **251**
 observed changes, 6, 7, 11, 47, 52, 75, 84, 111, 133, 145–146, 146
 permafrost area, 133, 145, 146
 in polar regions, 206, 207, **247–249**
 projections, 7, 18, 21, 48, 54, 111, 134, **248**, **251**
 regional summary statistics, 136
- Permafrost degradation***, 91, 134, **145–146**
Permafrost temperature, 6, 47, 52, 79, 84, 133, **145–146**, **146**, **247**
 mean annual ground temperature and, 146, 147
 in polar regions, 52, 54, 206, **247**, **248**
- Permafrost thaw***, 54, 79, 134, 145–146
 abrupt, 18, **249**
 drivers of, 145
 greenhouse gases released from, 18, 84
 ground subsidence from, 21, 25, 207, 265
 mercury released from, 15
 observed changes, 6, 11, 15
 projected changes and risks, 7, 18, 21, 54, 207
- Persistent organic pollutants (POPs)**, 152–153, 454, 511
- pH* of ocean**, 218, **469**, 470
 past and future changes, 7, 83, 111
 projections, 7, 19, 46, 62, 86, 111, 452
 thresholds, 542
- Phenology**, 229, **478–480**, 480
 primary production and, 227
- Phytoplankton**, 61, 223–224, 226–227, 228, 230, 231, 233, 450–451
 dinoflagellates, 479, 481, 510
 harmful algal blooms (HABs), 16, 26, 62, 451, **510–511**
 projections, 481–482, 485
- Plankton**, 226–227, 230–231, 450–451, **479**, 485
 dinoflagellates, 479, 481, 510
 distribution shift, 479
 harmful algal blooms (HABs), 16, 26, 62, 451, **510–511**
 phytoplankton, 61, 223–224, 226–227, 228, 230, 231, 233, **481–482**, 485
 zooplankton, 227, 228, 233, **482–483**, 485
- Planned relocation (of humans)***, 15, 625
 Arctic region, 15, 625
 climate refugee, 630
 coastal areas, 31, 33, 386, **396–398**, 666
 costs of, 397

- Plastic pollution**, 113, 511–512
- Plasticity***, 48–49, 528
- Polar amplification**, 51, 84, 112, 114, 205, 212, 333, 604
- Polar bears**, 228, 230, 256
- Polar Code**, 266, 269
- Polar regions**, 51–54, 203–320
 - adaptation, 53, 206, 207–208
 - adaptation challenges, 206–207
 - adaptive management, 262
 - Antarctic Circumpolar Current (ACC), 212, 217, 220, 221, 466
 - atmospheric feedbacks, 210
 - biodiversity, range shifts, and species invasions, 53–54, 236, 256–258
 - biogeochemistry, 242–243
 - carbon, 248–249, 254
 - carbon cycle, 252–253
 - climate resilient pathways, 271, 271–274
 - climate trends, 212, 213
 - commercial activity, 210
 - commercial fisheries, 261–262, 267
 - economy and livelihoods, 260, 262–265
 - ecosystem impacts, 50–51, 207, 226–234, 244, 253–255
 - enabling conditions, 208
 - fish/fisheries, 207, 228–229, 228, 231–232, 234–235, 261–262, 267
 - freshwater systems, 48, 210, 249–250, 251–252, 255–256
 - glaciers, 53, 143–144, 206, 210, 240–242, 241
 - governance, 54, 208, 210, 268–271, 630
 - human health and well-being, 260, 266–267, 268
 - human responses to climate change, 207–208, 261–268, 267–268
 - hydrology, 52–53, 54, 206, 207, 210
 - ice sheets, 206, 210, 236–240, 242–244
 - infrastructure, 54, 207, 260–261, 265–266, 265, 268
 - interactions with rest of world, 209, 210, 276
 - international cooperation, 210
 - key features and mechanisms, 210, 276
 - knowledge gaps and uncertainties, 275–276
 - local community engagement, 208
 - map and place names, 211
 - marine ecosystems, 22, 53–54, 210, 226–234
 - mid-latitude weather, influence on, 52, 67, 216, 276, 591, 604
 - mitigation, 53, 207
 - multiple perspectives and diversity, 209, 261
 - networks of protected areas, 54, 208
 - nutrient fluxes, 242–244, 243
 - observed changes, 6, 51–53, 75, 205–206, 212–219, 236–242, 246–250
 - observed regional impacts, 14
 - ocean acidification, 52, 205, 207, 218–219, 225–226
 - ocean circulation, 210, 219, 220–222
 - oceans, 52, 205, 216–219, 224–226, 242, 545
 - ocean temperature/heat content, 52, 205, 216–218, 217
 - permafrost, 52, 206, 207, 247–249, 251
 - polar species, 207
 - primary productivity, 22, 52, 207, 226–227
 - projected changes, 7–8, 22, 53–54, 206–207, 213, 214, 222–236, 242–246, 250–261
 - resource extraction, 210, 264–265, 268
 - resource management, 54, 208
 - runoff, 47–48, 248, 250
 - seabirds and marine mammals, 228, 229–230, 232–233, 233, 256
 - sea ice, 205–206, 210, 212–216, 213, 222–223
 - sea level and, 242
 - sea surface temperature, 213
 - snow and frozen ground, 53, 54, 210, 246–249, 248, 250–251
 - social-ecological systems, 234–236, 259–261
 - spatial footprints, 209, 211
 - summary, 51–54, 205–208, 274–275
 - surface air temperature, 51, 205, 212, 247
 - terrestrial ecosystems, 210
 - tourism, 235, 264, 267
 - transportation and shipping, 52, 210, 235–236, 266, 268, 276
 - wildlife, 43, 206, 207, 248, 249, 251, 255
 See also Antarctic region; Arctic region
- Polar vortex**, 212, 216
- Polychlorinated biphenyls (PCBs)**, 152–153, 511
- Polynyas**, 223–224, 243, 464
- Poverty***, 49
 - cascading impacts and, 667
 - mountain communities, 154, 164
 - vulnerability and, 135, 164
- Poverty eradication***, 90, 93, 114
- Precipitation**
 - in high mountain areas, 138–139, 139, 140
 - observed changes, 11, 67, 591
 - projections, 20
- Pre-industrial***, 85, 101
 - past climates warmer than, 323
- Primary production***
 - high mountain areas, 167
 - limiting resources (ocean), 474
 - marine ecosystems, 12, 19, 22, 23, 26, 226–227
 - net primary production (NPP)*, 12, 19, 22, 63, 63, 226–227, 470, 474–476
 - observed changes, 11–12
 - oceans, 12, 19, 22, 23, 52, 61, 63, 63, 226–227, 452, 470, 474, 474–476, 476, 525
 - pelagic, 207, 230–231
 - phenology and, 227
 - plankton and, 226–227, 230–231, 525
 - polar regions, 22, 52, 207, 226–227
 - projections, 19, 22, 23, 63, 452
- Private costs***, 263
- Productivity**. See Primary production
- Projections***, 7–8, 17–28, 44, 83–84, 86
 - ecosystems, 21–25, 23–24
 - humans and ecosystem services, 25–27, 28
 - key indicators, 86
 - physical changes, 7–8, 17–21, 86, 101
 - summary, 7–8, 111
 See also specific regions and systems
- Property losses**, 605–606
- Property values**, 517
- Pteropods**, 227, 228, 233
- ## R
- Radiative forcing***, 75
- Rain-on-snow floods**, 47, 48, 134, 161–162
- Range shifts (of species)**, 11, 12, 16, 21, 22, 53, 61, 90, 92, 134, 207, 256–258, 535
- RCPs**. See Representative Concentration Pathways
- Reasons for concern (RFC)***, 381–385, 667–668
- Reference periods***, 85–86
- Regime shifts**, understanding, 271, 272
- Regions***
 - observed regional impacts, 14–15, 50–51
 - recent extreme events, 596, 597–601
 - regional hazards and impacts, 49–51
 - regional sea level change, 10, 20, 56, 57, 324, 340–341, 341, 354–355, 660
- Reindeer**, 206, 255
 - reindeer herding, 263–264, 267
- Relative sea level***, 10, 17, 20, 56, 326, 354–355
- Relocation**. See Planned relocation
- Renewable energy**, 93
 - ocean renewable energy, 30, 518, 521
- Representative Concentration Pathways (RCPs)***, 8, 55–56, 75, 84–85, 457
 - comparison of projections under, 7, 44, 45, 46, 57, 62, 68, 86, 592–593
 - RCP1.9, 85
 - RCP2.6 (low emissions), 8, 85
 - RCP4.5 and 6.0, 8, 85
 - RCP8.5 (high emissions), 8, 85
- Resettlement**. See Planned relocation
- Residual risk***, 88–89
- Resilience***, 89–90
 - adaptive ecosystem governance, 271, 274
 - biodiversity, spatial planning for, 271, 274
 - building, 69, 89–90, 207–208, 271, 454
 - Climate Resilient Development Pathways, 34, 35, 58, 69, 90, 410, 592–593, 631
 - community-based monitoring, 271, 272
 - ecosystem stewardship, 271, 273–274
 - enabling conditions, 34–35

- general strategies, 89
 - indicators of, 271, 272
 - linking ecosystem services with human livelihoods, 271, 274
 - ocean-related responses for, 454–455
 - participatory scenario analysis, 271, 273
 - in polar regions, 271–274, 271
 - regime shifts, understanding, 271, 272
 - structured decision making, 271, 273–274
 - Responses to changes**
 - dynamic response of systems, 82
 - implementing, 29–35
 - polar regions, 261–268
 - role of knowledge, 102–103
 - strengthening, 30–34, 68–69, 592–593
 - time scales and thresholds, 81, 82
 - tipping points, 82
 - See also Coastal responses; Ocean-based responses; Sea level rise: Responses
 - Restoration***, 521
 - coastal ecosystems, 30, 66, 93, 521, 522–524, 530–531, 665
 - coral reefs*, 30, 33, 455, 521, 528, 529–530, 665
 - Risk***, 29, 46, 59, 87–92, 326, 381–382
 - adaptation and, 87–89
 - coastal and low-lying areas, 55, 323, 324–325, 328, 328, 375–385, 658
 - compound risks, 69, 109, 594
 - exposure and vulnerability, 29, 91–92, 323, 324, 367–375, 659–662
 - extremes and abrupt changes, 591–593
 - future risks (from SLR), 56, 382–384
 - greenhouse gas emissions and, 113
 - hazards and, 90–91, 594
 - key concepts, 46, 87–90
 - projected, 7, 17–28
 - risk framework, 326, 381–382
 - risks considered, 382
 - Risk assessment***, 47, 84, 87
 - confidence statements and, 107
 - Millennium Ecosystem Assessment (MEA), 87
 - open ocean ecosystems, 491–492
 - Risk management***, 25, 67–69, 589–655
 - buyout programs, 606
 - cascading impacts, 625–626
 - collective, 409
 - early warning systems, 592, 606
 - FAQ on, 632
 - investments in, 69, 592, 630
 - managed retreat, 606
 - marine heatwaves (MHWs), 69, 611–612
 - tropical cyclones (TCs), 69, 606, 631
 - See also Disaster risk management
 - Risk perception***, 374
 - Risk reduction**, 46, 520–542, 592–593
 - adaptation and, 87–89, 384–385
 - coastal adaptation, 56, 384–385
 - investments in, 69, 592, 593
 - ocean-related responses, 520–552
 - reducing carbon emission and, 592
 - responses to sea level rise, 32, 58
 - Risk tolerance**, 32, 327
 - Risk transfer**, 616
 - Rock avalanches**, 158, 162
 - Rock glaciers**, 145–146, 158
 - Runoff***
 - glacier shrinkage and, 151, 152
 - high mountain areas, 47, 133, 134, 147–151, 152
 - observed changes, 15–16, 47–48, 133, 148–149
 - polar regions, 47–48, 248, 250
 - projections, 18, 48, 134, 149, 248
 - sea level change and, 331, 332
 - seasonality of, 48, 148–149
 - timing of peak water, 150
- S**
- Salmon**, 229, 506
 - Salt marshes**, 55, 62, 64, 65, 451, 453, 454, 494, 501
 - mitigation potential, 66, 522
 - Scenarios***, 8, 84–86
 - baseline and reference period, 85–86
 - high emissions (RCP8.5), 8, 85
 - low emissions (RCP2.6), 8, 85
 - participatory scenario analysis, 271, 273
 - participatory scenario building, 666–667
 - RCPs, 8, 84–85
 - See also Representative Concentration Pathways (RCPs)
 - Seabirds**, 480, 480
 - marine heatwaves and, 610, 611
 - polar regions, 229–230, 232
 - Seagrasses**, 30, 61, 380, 454, 494, 665
 - marine heatwaves and, 591, 610
 - mitigation potential, 66, 522
 - projections, 23, 24, 64, 65, 380, 501
 - Sea ice***, 52, 79, 205–206, 212, 212–216, 591
 - age and thickness, 214
 - Antarctic, 52, 205–206, 214, 223, 324
 - Arctic, 52, 205, 206, 212, 213–216, 222–223, 518
 - differences of Antarctic vs. Arctic, 212
 - drivers for loss, 213–214
 - ecosystem effects, 22
 - formation of, 80
 - freeze-up timing, 212, 214
 - landfast ice, 215
 - mid-latitude weather and, 52, 67, 216, 591
 - motion/drift, 215
 - observed changes, 6, 14, 52, 75, 84, 111, 212, 212–216, 661
 - polar regions, 205–206, 210, 212–216, 213, 222–223
 - projections, 7, 18, 22, 53, 111, 222–223, 223, 661
 - seasonality, 215, 216
 - shipping activity and, 206, 235–236, 518
 - snow on ice, 215–216
 - thickness, 84, 222
 - Sea level change***, 10–11, 55–58, 83, 321–445
 - adaptation options, 326, 385–386, 658, 665–667
 - attribution of, 55, 343–344
 - benefits of responses to, 32
 - commitment to (long-term), 27, 69, 83, 328, 658
 - drivers of, 7, 10, 55, 323–324, 326, 330–332, 335–338, 344–350
 - enabling conditions for responses, 60, 406, 407–410
 - exposure, vulnerability, impacts, and risk, 55, 56, 323, 324, 367–385, 659–662
 - extreme sea level (ESL) events, 11, 17, 20, 28, 55, 56, 324, 357–361, 660
 - global mean sea level (GMSL), 7–8, 10, 17, 20, 55, 79, 323, 327, 332, 333–335, 336, 352, 660
 - GMSL change, budget for, 338–340
 - governance and, 58, 95, 97, 98–99, 325, 398–400, 406, 407–410
 - interconnection of processes, 326
 - local, 20, 342–343
 - measurement of, 55, 323, 334–335, 357–360
 - observed changes, 7–8, 10–11, 14, 75, 83, 323, 328, 332–344, 339, 660
 - palaeoclimate reconstructions, 44, 55, 83, 100, 322–323
 - physical basis for, 330–363
 - probabilistic projections, 353–356, 355, 356
 - processes of, 330–332
 - projections, 7–8, 17, 20–21, 55–57, 77, 324–327, 327, 328, 338–340, 339, 344–363, 660–661
 - rate of change, 17, 20, 56, 83, 327
 - regional, 10, 20, 56, 57, 324, 340–341, 341, 354–355, 660
 - satellite altimetry measurements, 323, 335
 - scenarios, 324, 327–328, 327, 352, 353, 404
 - scenarios, divergence of, 404
 - scenarios, long-term, 361–363
 - steric, 7–8
 - summary, 10–11, 55–58, 323–330
 - tide gauge measurements, 323, 334, 357–360, 358, 660
 - time scales, 324, 329, 399, 407
 - See also Extreme sea level events
 - Sea level equivalent (SLE)***, 7, 17, 332
 - Sea level rise (SLR)***, 10–11, 55–58, 79, 321–445

- adaptation limits and, 88, 325, 658, 668
 adaptation to, 16–17, 31–32, 94, 323–325, 385–386, **385–410**, 664, **665–667**
 cascading impacts, 375
 commitment to, long-term, 27, 69, 83, 328, 658
 exposure and vulnerability, 55, 56, 323, 324, **367–375**, **659–662**
 FAQ on, 411
 future risks, 59, 382–384
 Indigenous knowledge and, 102, 373–374, 662
 long-term scenarios, 361–363
 observed changes, 10–11, 14, 55, 75, 83, 323, 328, **332–344**, 660
 palaeo data/reconstructions, 100, 238, 322–323
 projections, 7, 17, 20–21, 27, 55–56, 77, 83, 324–327, 327, 328, **344–363**, 352, 660
 rate of rise, 10, 20, 56, 83, 327
 RCP scenarios, 55–56, 324, 327–328, 327, 352, 353
 regional differences in, 10, 56, 57, 324, **340–341**, 341, 354–355, 660
 relative sea level (RSL) and, 10, 17, 20, 56, 326, **354–355**
 scenario divergence, 404
 scenarios, 361–363, 382, **404**
 summary, 10–11, 55–58, 323–330
 synthesis, 326–330
 uncertainties about, 20, 31, 58, 108–109, 325
- Sea level rise: Drivers and Contributions**, 7, 53, 55, 83, 323–324, 326, **330–332**, 332, **335–338**, 336, 354, 361–363
 budget for GMSL change, 338–340, 339
 extreme sea level events, 332, 342, 343
 geodynamic processes, **331–332**
 glaciers, 6, 7, 10, 17, 79, 143, 206, 276, 323, **331**, 336, **337**, 352, **354**
 ice sheets, 6, 7, 10, 17, 53, 55, 79, 206, 276, 323, 324, **330–331**, 336, **337–338**, **344–350**, 351, **354**, 361–363
 non-climatic anthropogenic drivers, 55, 56, 323, 324, 326
 ocean thermal expansion, 10, 55–56, 324, 331, **335–337**, 336, 352, 354, 363, 457
 summary, 7, 10–11, 17, 20, 44, 111, 323–324
 terrestrial reservoirs, **331**, 336, **338**, **354**
 vertical land movements (VLM), 324, **331–332**, 355
- Sea level rise: Impacts and Risks**, 55, 59, 324–325, 328, 328, **328**, **367–385**, 658, **659–665**
 cascading impacts, 375, 624
 coastal areas, 13, 16, 21, 27, 323, 324–325, **375–381**, 660–661, **662–665**
 direct impacts (summary), 375
 exposure and vulnerability, 56, 323, 324, **367–375**, 659–662
 human communities, 27, 32, 328, 370, 372, 373–374, 375, **382–383**, 662
 observed impacts, **375–381**
 risks, 27, 32–34, 55, **367–385**, 658, **659–665**
 risks from future rise, 59, 382–384
- Sea level rise: Responses**, 17, 31–32, 32–34, 55, 57–58, 60–61, 325, 326, 329–330, 385–386, **385–410**, 658, **665–667**
 accomodation, 329, 385, 386, **393–396**
 adaptation limits, 57–58, 69, 325
 adaptation planning, 326–327, 330, 408
 advance, 16–17, 31, 33, 323, 329, 385, 386, **392–393**
 choosing and implementing, 57–58, 325, 326
 continuum of responses, 667
 decision analysis and, 58, 325, 330, **402–405**
 early warning systems, 31, 35, 163, 323, 663
 economic and social barriers, 325
 ecosystem-based adaptation, 30, 323, 329, 386, **390–392**, **665–666**
 equity and fairness, 325, 329
 future sea level rise and, 326–328, 327
 governance and, 58, 325, 326, 329–330, 385, 389, 392, 393, 398, **398–400**
 hard protections, 323, 325, 329, **387–390**, **665**
 integrated and sequenced, 325, 329
 knowledge systems and, 325
 limits to, 57–58
 long-term perspective, 325, 407
 migration and relocation, 31, 33, 386, 665, 666
 options and challenges, 329–330
 public participation in, 58, 325, 330, **401**, 407
 retreat, 17, 31, 33, 323–324, 329, 385, 386, **396–398**
 sediment-based protections, **387–390**
 SLR impacts and, 328, 328
 Sustainable Development Goals and, 325
 synergism and, 57
 types of responses, 386–387
 See also Coastal adaptation
- Seals**, 229–230, 232–233
- Seasonal activities**
 observed changes, 11, 12
 phenology, 227, 229, **478–480**, 480
 plants and animals, 11, 12
 projected changes, 17
 runoff, 48, 148–149
 sea ice, 215, 216
- Sea surface temperature (SST)***, 7, 46, 63, 111, 591, 615, 661
 forecasts, 612
 Indo-Pacific SST variability, 616, 617–618
- Seaweeds**, 524
 seaweed aquaculture, 454, 524
- Sendai Framework for Disaster Risk Reduction***, 49, 174, 631
- Shanghai**, coastal flood adaptation, 364–366
- Shared socioeconomic pathways (SSPs)***, 85
- Shelf seas***, 340, 357, 451, 493
 See also Coastal ecosystems
- Shipping**. See Transportation/shipping
- Short-lived climate forcers (SLCF)***, 139–140
- Sink***
 coastal ecosystems, 66
 marine ecosystems, 507–508
 ocean as, 219, 225–226, 450, 467–469
 permafrost as, 18
- Skiing**, 134, 169
- Ski tourism**, 25, 48
- Small Island Developing States (SIDS)***, 27, 69, 658, 659, 663
 adaptation, 631, 665–666
 atoll islands, 27, 328, 383, 663, 666
 habitability, 27, 663
 human migration, 663, 666
 human population in, 77, 663
 impacts and risks in, 29, 69, 328
 SDGs and, 114
- Small islands**, 69, 328, 659, **662–663**, 666
- Snow avalanches**, 133, 134, **159–161**, 160
- Snow cover**, 47, 53, 78, 79, **140**, **246–247**, 248
 high mountain regions, 47, 48, 133–134, **140**
 observed changes, 6, 7, 15, 47, 75, 84, 111, 133, 246
 polar regions, 53, 210, **246–247**, 248, 250–251
 projections, 7, 17, 48, 54, 111, 134, 140, 250–251
- Snow on ice**, 215–216
- Social capital**, 374
- Social conflict**, 66, 329, **400**, 409, 666
 conflict resolution, 58, 330, **401–402**, 409
- Social costs**. See Private costs
- Social learning***, 35, 263, 325, 408
- Social vulnerability**, 329, **399**, 408
- Socioinstitutional adaptation**, 66–67, 454, 525
- Solar radiation modification (SRM)***, 93
- Southern Annular Mode (SAM)**, 212, 239–240
- Southern Ocean***
 acidification, 52, 207, 218–219, 276
 Antarctic Bottom Water, 220–222, 242, 463
 Antarctic krill, 22, 207, 230, 231, 233, 234
 benthic communities, 231
 carbon uptake and storage, 219, 225–226, 450
 circulation, 219, 220–222
 CO₂ removal from atmosphere, 52, 205
 fish and fisheries, 231–232, **234–235**
 heat content, 205, 212, 217, 217
 marine ecosystem, **230–234**, 233
 observed changes, 9, 50–51
 plankton and primary production, 230–231
 projections, 222
 salinity, 218, 242
 sea ice, 210
 stratification, 242

temperature/heat content, 52, 205, 216–218, 217

wave height projections, 21, 68, 592

Sovereignty and sovereign rights, 96

Species

- alien (non-native) species, 258
- cold-adapted, 48, 53, 133–134, 226, 546
- habitat management, 30
- high mountain areas, 48, 48–49, 133–134, 165–166
- invasive species, 15, 236, 258
- keystone/foundation, 66, 591
- marine species, 12, 16, 22
- polar regions, 53, 207, 229, 255, 256–258, 546
- poleward migrations, 12, 90
- range expansions, 52, 61, 257–258
- range shifts, 11, 12, 16, 21, 22, 53, 61, 90, 92, 134, 207, 229, 256–258, 535
- relocation, 30
- spatial distribution of, 66, 256–257, 478–480, 480
- upslope migration, 21, 48, 133
- See also* Extinction risk

Sponges, 490–491

Storm surge*, 342, 660

- extreme, 592
- modelling, 604–605
- observed trends, 342, 660
- projections, 21, 660
- warnings, 606

Storyline of this report, 110

Storytelling, 409

Stratification*. *See* Ocean stratification

Structured decision making, 271, 273–274

Subsidence

- anthropogenic, 14, 20, 55, 323, 324, 327, 342–343
- observed impacts, 14, 158
- permafrost thaw and, 21, 25, 207, 265

Superstorm Sandy (2012), 364–365, 606

Sustainable development (SD)*, 43, 75

- enabling conditions, 34–35, 49
- fairness and equity, 35

Sustainable Development Goals (SDGs)*, 58, 77, 114–115, 115, 325

- connection with ocean and cryosphere (FAQ), 77, 114–115, 115
- global responses and, 592–593
- high mountain areas, 49, 135
- ocean changes and, 518–520, 519
- SDG 13 (Climate Action), 114, 115

Sustainable development pathways (SDPs)*, 625–626

T

Tasmania's Summer of 2015–2016, 626–627

Teleconnections*, 611, 614–615, 615

- AMOC, 622, 622

Terrestrial ecosystems

- high mountain areas, 133–134, 165, 165–166, 167
- observed impacts, 11
- polar regions, 210
- projected risks, 21

Thermokarst*, 249, 250, 255

Thresholds, 45, 81, 82, 369

- abrupt changes, 45, 69, 592
- coral reefs, 65, 69, 545, 592
- critical, 69, 592
- habitability, 27
- irreversibility, 45
- marine heatwaves, 69
- ocean pH, 542

Tides, 62, 68, 328–330, 332, 342, 357, 452, 465

- modelling, 604–605
- tide gauge records, 323, 334, 357–360, 358, 660

Time of Emergence (ToE)*, 19, 81, 82, 477–478

Time scales, 29, 81, 82, 329

- committed changes, 27, 81, 328, 658
- governance and, 407
- irreversibility and, 77, 81
- of ocean warming, 18

Tipping point*, 81, 82, 595, 626, 632

- in Arctic regions, 91
- compound events and, 624
- definition of, 595
- examples of, 81, 626
- pH-associated, 542

Tourism

- adaptation in, 536
- Antarctic region, 264, 267
- Arctic region, 235, 264, 267
- coastal areas, 380–381, 516–517, 536, 665
- coral reefs, 665
- glaciers, 134
- high mountain areas, 48, 133, 134, 162, 168–171
- increased exposure and, 162
- low-lying islands and coasts, 665
- observed impacts, 14, 15, 50–51
- opportunities, 91
- polar regions, 235, 264, 267
- projected impacts, 25
- ski tourism, 25, 48
- wealth generated from, 516–517

Trade-offs, 93, 329

Trade winds, 67–68, 69, 591, 592, 593, 616–617, 617

Transboundary cooperation, 35, 49, 76, 96

- in high mountain areas, 49, 158, 174
- in water management, 158

Transboundary river basins, 49, 135

Transformation*, 34, 76, 90

- transformative change, 27

Transformational adaptation*, 90, 94, 629, 630

Transformative governance, 27, 47, 76, 593, 629, 630–631

Transportation/shipping, 52, 91

- Arctic region, 52, 206, 228, 235–236, 261, 266, 268, 276, 518
- commercial activity, 210
- infrastructure, 25
- International Maritime Organization (IMO), 266
- observed impacts, 14, 15
- Polar Code, 266, 269
- in polar regions, 210, 228, 235–236, 266, 268
- sea ice extent and, 52, 206, 518
- winter roads/ice roads, 261

Tropical cyclones (TCs)*, 68, 360–361, 601–603

- abrupt changes and tipping points, 605
- adaptation limits and, 592
- cascading impacts, 625
- Category 4 and 5 storms, 68, 591, 592
- damages from, 361
- early warning systems for, 592, 606
- ENSO and, 614
- extreme events, 592
- frequency of, 11, 601–602
- impacts, 605–606
- intensity of, 20, 21, 592, 602–603
- investments in risk reduction, 69, 592
- losses and damages, 592, 605–606
- observed changes, 11, 67, 660
- poleward migration of, 591, 603
- projections, 20, 21, 68, 592, 603, 660
- rapid intensification of, 602
- risk management, 69, 606, 631
- Typhoon Winnie (1997), 364–365

Tsunamis, 162

Turtles, marine, 479, 480

Typhoon Winnie (1997), 364–365

U

Uncertainty*, 84, 106, 106

- deep uncertainty, 106, 107, 107–109
- See also* Confidence; Likelihood

UNESCO World Heritage sites, 49, 134, 171

United Nations Convention on the Law of the Sea (UNCLOS), 97, 98, 269, 541

United Nations Environment Programme (UNEP), 542

United Nations Framework Convention on Climate Change (UNFCCC)*, 92, 541, 542, 629

Upwelling, 80

EBUS, 451, 453, **506–507**
 increasing, as mitigation, 525
 observed changes, 12, 14
 projections, 19, 22, 453, 501

V

Variability, 69, 81, 82, 83

decadal scale, 472, 479, 506
 Earth System Models and, 63, 452, 461
 ENSO, 67, 471

Vibrio pathogens, 26, 62, 451, **509–510**

Vibrio cholerae, 509

Volcanoes, 162

Vulnerability*, 27, 29, 46, 88, 92

Arctic region, 92, 328
 coastal and low-lying areas, 56, 323, 328, 658, **659–665**
 drivers of, 31, **374–375**
 dynamic assessment, 368–369
 empowerment of vulnerable groups, 69, 593
 functions, 369
 governance and, 92
 high mountain areas, 153–158, 163
 methodological advances in assessment, 368–369
 to multiple hazards, 369
 to sea level rise (SLR), 55, 56, 323, 324, **367–375, 659–662**
 social vulnerability, 329, **399, 408**
 socio-ecological assessment, 369

W

Walker circulation, 616

Walrus, 228, 229

Water availability

drinking water, 48, 157
 migration of humans and, 172
 observed regional impacts, 14
 projected changes, 25

Waterborne diseases, 15, 260, **509–510**

Water cycle. See Hydrological cycle

Water governance, 157–158

Water management

in Gilgit-Baltistan, Pakistan, 98
 in high mountain areas, 98, 135, 157–158
 ice stupas, 156
 integrated water management, 30–31, 135, 157–158
 transboundary cooperation, 158

Water quality

high mountain areas, 48, 152–153, 167
 observed impacts, 15
 polar regions, 255–256
 pollutants, 152
 projected impacts, 134

Water resources, 77, 92

high mountain areas, 47–48, 133, 148–158
 hydropower, 25, 133, 134
 projected changes, 25

Water security, 14, 15

Arctic region, 52, 259

Waves, 360, **604–605**

austral winter swell waves, 605
 Coordinated Ocean Wave Climate Project (COWCLIP), 360
 extreme heights, 11, 67, 68, 591, 592, **604–605**

Rossby waves, 465

wave climate, 604

wave heights, 11, 20–21, 68, **604–605, 660, 661**

Wealth

generated from coastal/marine tourism, 516–517
 generated from fisheries, 515–516
 monetary and material, 515–520

Well-being*

climate change and, 514–515
 coastal and ocean communities, **509–520**
 high mountain areas, 171–172
 polar regions, 260, 266–267

Wetlands, **494–496, 630**

observed changes, 13, 14
 projected changes, 24
 restoration, 33, 665

Whales, 228, 233

Wildfire

Arctic region, 54, 206, 207, 248, 249, 251, 254
 high mountain areas, 133, 168
 observed changes, 11
 polar regions, 43, 206, 207, 248, 249, 251, 255
 projected changes and risks, 21

Winds, 62, 67, 69

EBUS, 62

high mountain areas, 140

trade wind system, 67–68, 69, 591, 592, 593, **616–617, 617**

wind stress trend, 617

World Heritage sites (UNESCO), 49, 134, 171

Z

Zooplankton, 227, 228, 233, **482–483, 485**